

Comment Form

01546
JUL 01 1998

Give Us Your Input!

Public input from thousands of Californians has already helped shape the CALFED Bay-Delta solution. However, there are many significant issues that still need to be decided. Please fill out this form and tell us what you think is important when developing an equitable, feasible and durable Bay-Delta solution.

Name BILL CRUM

Organization (optional) FR-BU CATLEMEN'S ASS'N.

Address 45887 PITTOVILLE ROAD, MCARTHUR, CA 96056

Phone 530-336-5712

e-mail _____

Comments:

ONLY EXCESS WATER ABOVE OUR NORTH
STATE REQUIREMENTS SHOULD BE SENT SOUTH.
THIS IS WATER THAT WOULD OTHERWISE GO
OUT TO SEA. IT SHOULD ONLY BE SENT
AFTER STORAGE CAPACITY HAS BEEN BUILT. YEARS
SUCH AS THIS WHEN EXCESS WATER IS
AVAILABLE ARE THE TIMES WHEN STORAGE
CAPACITY IS NEEDED TO CARRY OVER TO
THE DROUGHT YEARS.

Use additional sheets if necessary.

Please clip out this form, fold, staple and return to:

CALFED Bay-Delta Program
1416 Ninth Street, Suite 1155
Sacramento, CA 95814

All comments will be immediately forwarded to CALFED technical staff and comments relating to the draft programmatic EIS/EIR will be addressed in a response to comments document.

