

## 7.0 REFERENCES

- Anderson, R.O. and S.J. Gutreuter. 1983. Length, weight, and associated structural indices. Pages 284-300 in L. Nielsen and D. Johnson (eds.) Fisheries Techniques. American Fisheries Society, Bethesda, Maryland.
- Atwater, B.F., S.G. Conard, J.N. Doden, C.W. Hedel, R.L. MacDonald and W. Savage. 1979. History, landforms, and vegetation of the estuary's tidal marshes, pp. 347-385. In T. John Conomos, ed., San Francisco Bay: the urbanized estuary. 58th Ann. Meeting Pacific Div. AAAS, June 1977, San Francisco, CA.
- Baltz, D.M. and P.B. Moyle. 1976. Morphometric analysis of tule perch (*Hysteroecarpus traski*) populations in three isolated drainages. *Copeia*, 1982(2): 305-311.
- Bartley, D., and G.A.E. Gall. 1990. Genetic structure and gene flow in chinook salmon populations of California. *Trans. Am. Fish. Soc.* 119:55-71.
- Beacham, T.D. 1985. Variation in number of vertebrae and gill rakers of sockeye salmon, *Oncorhynchus nerka*, in North America. *Environ. Biol. Fish.* 14:97-105.
- Beacham, T.D., R.E. Withler, C.B. Murray, and L.W. Barner. 1988. Variation in body size, morphology, egg size, and biochemical genetics of pink salmon in British Columbia. *Trans. Am. Fish. Soc.* 117(2): 109-126.
- Bell, M.C. 1973. Fisheries handbook of engineering requirements and biological criteria. Fisheries-Engineering Research Program, U. S. Army Corps of Engineers, North Pacific Division, Portland, Oregon.
- Berg, L. and T.G. Northcote. 1985. Changes in territorial, gill-flaring, and feeding behavior in juvenile coho salmon (*Oncorhynchus kisutch*) following short-term pulses of suspended sediment. *Can. J. Fish. Aquat. Sci.* 42:1410-1417.
- Bilby, R.E. and P.A. Bisson. 1987. Emigration and production of hatchery coho salmon (*Oncorhynchus kisutch*) stocked in streams draining an old-growth and a clear-cut watershed. *Can. J. Fish. Aquat. Sci.* 44:1397-1407.
- Bjornn, T.C. 1969. Embryo survival and emergence studies, Job No. 5, Federal Aid in Fish and Wildlife Restoration. Job Completion Rep., Proj. F-49-R-7. Idaho Fish and Game Dept., Boise, ID. 11 p.
- Bjornn, T. C., M. A. Brusven, M. P. Molnau, J. Milligan, R. Klamt, E. Chaco, and C. Schaye. 1977. Transport of granitic sediment in streams and its effect on insects and fish. Univ. Idaho, For. Wild. Range Exp. Station, Bulletin 12, 43 pp.

- Bowen, Russ. 1992. Camanche Reservoir Water Quality. Mokelumne River Hearing before the State Water Resources Control Board.
- Box, G.E.P. and G.C. Tiao. 1975. Intervention analysis with applications to economics and environmental applications, J. Amer. Statist. Assoc., 70:70-79.
- Brandes, P. Personal communication. 1991. U.S. Fish and Wildlife Service Stockton, CA.
- Brett, J.R. 1952. Temperature tolerances in young Pacific salmon, Genus *Oncorhynchus*. J. Fish. Res. Bd. Can. 9(6)265-323.
- Brett, J.R., W.C. Clar, and J.E. Shelbourn. 1982. Experiments on the thermal requirements for growth and food conversion efficiency of juvenile chinook salmon. Can. Tech. Rep. of Fish. and Aq. Sci. 1127. Pac. Biol. Stat., Nanaimo, BC. 29 pp.
- Brett, J.R., J.E. Shelbourn, and C.T. Shoop. 1969. Growth rate and body composition of fingerling sockeye salmon, *Oncorhynchus nerka*, in relation to temperature and ration size. J. Fish. Res. Board Can. 26:2363-2394.
- Briggs, J. C. 1953. The behavior and reproduction of salmonid fishes in a small coastal stream. California Fish and Game Fish Bulletin 94:1-62.
- Brown and Caldwell Consultants. 1992. Preliminary evaluation of groundwater development potential at Mokelumne River Fish Hatchery.
- Burner, C. J. 1951. Characteristics of spawning nests of Columbia River salmon. Fishery Bulletin 61:97-110.
- Calaprice, J.R. 1971. X-ray spectrometric and multivariate analysis of sockeye salmon (*Oncorhynchus nerka*) from different geographic regions. J. Fish. Res. Board Can. 28:369-377.
- California Department of Fish and Game (CDFG). 1937. Toxicology report on the fish kills in the Mokelumne River. California Division of Fish and Game.
- California Department of Fish and Game (CDFG). 1955. Memo on available spawning habitat on the Mokelumne River, 11/2/55. Mokelumne file, Rancho Cordova, California.
- California Department of Fish and Game (CDFG). 1956. Memo on historic impacts of pollution on Mokelumne River, 1/10/56. Mokelumne file, Rancho Cordova, California.
- California Department of Fish and Game (CDFG). 1957. Memo on historic salmon estimates on the Mokelumne River (3/11/57). Mokelumne file, Rancho Cordova, CA.

- California Department of Fish and Game (CDFG). 1959. The influence of proposed water projects on the fisheries resources of the lower Mokelumne River, Amador, Calaveras, and San Joaquin Counties, 74 pp.
- California Department of Fish and Game (CDFG). 1967-1985a. Annual reports Feather River salmon and steelhead hatchery. California Department of Fish and Game, Anadr. Fish. Br. Admin. reports.
- California Department of Fish and Game (CDFG). 1967-1985b. Annual reports Nimbus salmon and steelhead hatchery. California Department of Fish and Game, Anadr. Fish. Br. Admin. reports.
- California Department of Fish and Game (CDFG). 1984. Chinook salmon spawning stocks in California's Central Valley, 1982. Calif. Dept. Fish and Game, Anadr. Fish. Br. Admin. Report No. 84-10.
- California Department of Fish and Game (CDFG). 1986. Chinook salmon spawning stocks in California's Central Valley, 1983. Calif. Dept. Fish and Game, Anadr. Fish. Br. Admin. Report No. 86-01.
- California Department of Fish and Game (CDFG). 1987. Requirements of American shad (*Alosa sapidissima*) in the Sacramento-San Joaquin River system. Exhibit 23, SWRCB 1987 Water Quality/Water Rights Proceeding on the San Francisco Bay/Sacramento-San Joaquin Delta.
- California Department of Fish and Game (CDFG). 1988. Memo regarding initiation of Jolly-Seber method with 1988 chinook salmon carcass surveys.
- California Department of Fish and Game (CDFG). 1991. Lower Mokelumne River Fisheries Management Plan. Department of Fish and Game, Streamflow Requirements Program, Sacramento, California.
- California Department of Water Resources (DWR). Various years. Hydrologic data for the Sacramento-San Joaquin Estuary (cfs) DAYFLOW program summary. Central District, Sacramento.
- California Department of Water Resources (DWR). 1988. Water temperature effects on chinook salmon (*Oncorhynchus tshawytscha*) with emphasis on the Sacramento River: a literature review. DWR, Northern District. 42 pp.
- California Department of Water Resources (DWR). 1990a. Management of the California State Water Project. California Department of Water Resources Bulletin 132-90. 291 pp.

- California Department of Water Resources (DWR). 1990b. Draft environmental impact report/ environmental impact statement North Delta Program. California Department of Water Resources, Sacramento, California. 619 pp.
- California Regional Water Quality Control Board (CRWQCB). 1989. Camanche fish kill, chemical record, September-October 1989. Memorandum report dated 12/22/89, by S.R. Bond, 20 pp.
- California Regional Water Quality Control Board (CRWQCB). 1991. Central Valley Region.
- Carl, L.M., and M.C. Healey. 1984. Differences in enzyme frequency and body morphology among three juvenile life history types of chinook salmon (*Oncorhynchus tshawytscha*) in the Nanaimo River, British Columbia. Can. J. Fish. Aquat. Sci. 41:1070-1077.
- Central Valley Regional Water Pollution Control Board (CVRWPCB). 1952. Pollution study: Mokelumne River, San Joaquin River watershed. Sacramento, California. 38 pp.
- CH2M HILL. 1991. Camanche Reservoir improvement project, Appendix B. Prepared for East Bay Municipal Utility District.
- Chadwick, H.K. 1958. A study of the planktonic fish eggs and larvae of the Sacramento-San Joaquin Delta with special reference to striped bass. Calif. Dept. Fish Game, Inland Fish., Admin. Rep. 58-5
- Chapman, D.W. 1962. Aggressive behavior in juvenile coho salmon as a cause of emigration. J. Fisheries Research Board Can. 19:1047-1080.
- Chapman, D.W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. Trans. Am. Fish. Soc. Vol. 117. No. 1. 1-21.
- Clark, G.H. 1929. Sacramento-San Joaquin salmon (*Oncorhynchus tshawytscha*) fishery of California. California Division of Fish and Game. Fish Bulletin No.17:35.
- Combs, D.L. 1979. Striped bass spawning in the Arkansas River tributary of Keystone Reservoir, Oklahoma. Proc. Southeast. Assoc. Fish Wildl. Agencies, 33:371-383.
- Cooper, A. C. 1965. The effect of transported stream sediments on the survival of sockeye and pink salmon eggs and alevins. International Pac. Sal. Fish. Commission Bull. XVIII, New Westminster, B. C. 71 pp.
- Cordone, A. J. and D. W. Kelley. 1961. The influence of inorganic sediment on the aquatic life of streams. Calif. Fish. and Game 47:189-228.

- Cramer, S.P. 1989 Draft. Contribution of Sacramento Basin hatcheries to ocean catch and river escapements of fall chinook salmon. Draft prepared by S.P. Cramer and Associates (Corvallis, OR) for CDFG.
- Cramer, S. P., D. Demko, C. Fleming and T. Loera. 1990. Survival of juvenile chinook salmon at the Glenn-Colusa Irrigation District's Intake: progress report April-July 1990. Prepared for the Glenn-Colusa Irrigation District, Willows, California. 91 pp.
- Crance, J.H. 1984. Habitat suitability index models and instream flow suitability curves: inland stocks of striped bass. U.S. Fish and Wildlife Service. FSW/OBS-82/10.85. 63 pp.
- Crisp, D. T., and P. A. Carling. 1989. Observations on siting, dimensions and structure of salmonid redds. J. Fish Biol. 34:119-134.
- Dalton, T.J. 1991. Variation in the prevalence of *Nanophyetus salmincola*, a parasite tag indicating U. S. Northwest origin, in steelhead trout (*Oncorhynchus mykiss*) caught in the central North Pacific Ocean. Can. J. Fish. Aquat. Sci. 48(6):1104-1108.
- Daniels, R.A. and P.B. Moyle. 1983. Life history of the splittail (*Pogonichthys macrolepidotus*) in the Sacramento-San Joaquin Estuary. Fish Bull. 84:105:117.
- Decoto, R. J. 1978. Evaluation of the Glenn-Colusa Irrigation District Screen.. Calif. Dept. of Fish and Game, Anadr. Fish. Br. Admin. Report 78-20, 18 pp.
- dePontual, H. and P. Prouzet. 1987. Atlantic salmon, *Salmo salar* L., stock discrimination by scale-shape analysis. Aquacult. Fish. Manage. 18(2):277-289.
- Dunhan, L.R. 1968. Recommendations on thermal objectives for water quality control policies on the interstate waters of California. A report to the State Water Resources Control Board. Calif. Dept. Fish Game, Water Proj. Br. Rep. 7.
- EBMUD. 1990. History of fish losses at the Mokelumne River Fach Facility. East Bay Municipal Utility District, Orinda, California.
- EBMUD. 1991. Camanche Reservoir daily records of operation November/December 1990. Water Resources Division.
- EBMUD. 1992. East Bay Municipal Utility District Water Rights Litigation: chronological overview of events related to Camanche Reservoir water quality, 1987 to 1992. Testimony of Russ Bowen, Third Draft, July 15, 1992.
- EBMUD data files. Pump diversion files. Lodi, California.

- Emig, J.W.. 1991. Personal communication. California Department of Fish and Game, Region III, Yountville, California.
- Envirosphere Company. 1988. Lower Mokelumne River Fisheries Study. Draft report prepared for the California Department of Fish and Game, Region II, Rancho Cordova.
- Errikla, L.F., J.W. Moffett, O.B. Cope, B.R. Smith, and R.S. Neilson. 1950. Sacramento-San Joaquin Delta fishery resources: effects of Tracy Pumping Plant and Delta Cross Channel. U.S. Fish Wildl. Serv., Spec. Sci. Report, Fisheries No. 56, 109 pp.
- Estey, D.F. 1989. Annual Report Mokelumne River Hatchery, 1987-88. Calif. Dept. Fish and Game, Inland Fisheries Administrative Report No. 89-3.
- Estey, D.F. 1990. Annual Report Mokelumne River Hatchery, 1988-89. Calif. Dept. Fish and Game, Inland Fisheries Administrative Report No. 90-6.
- Evermann B.W. and H.W. Clark. 1931. A distributional list of species of freshwater fishes known to occur in California. Calif. Dept. Fish, Game Bull. 35: 67pp.
- E.V.S. Consultants, Inc. (EVS). 1989. Final report: Camanche Reservoir water quality studies. E.V.S. File #4/233-07 EVS, Sausalito, CA.
- Finlayson, B.J. and H.J. Rectenwald. 1978. Toxicity of copper and zinc from the Penn Mine area on king salmon (*Oncorhynchus tshawytscha*) and steelhead trout (*Salmo gairdneri*) in the Mokelumne River Basin, California. Environmental Services Branch Report No. 78-1 California Department of Fish and Game.
- Fisher, F. W. 1976. Limited evaluation of the Woodbridge Irrigation Screen. California Dept. Fish and Game, Anadr. Fish. Br. Admin. Report No. 76-10, 7 pp.
- FishPro. 1992. Mokelumne River Fish Hatchery Master Plan.
- Fraley, J.J., M.A. Gaub, and J.R. Cavigli. 1986. Emergence trap and holding bottle for the capture of salmonid fry in streams. N.A. Journal of Fisheries Mgmt. 6:119-121.
- Fresh, K. L., and S. L. Schroder. 1987. Influence of the abundance, size, and yolk reserves of juvenile chum salmon (*Oncorhynchus keta*) on predation by freshwater fishes in a small coastal stream. Can. J. Fish. Aquat. Sci. 44:236-243.
- Fry, D.H. 1961. King salmon spawning stocks of the California Central Valley, 1940-1959. Calif. Fish and Game 47(1):55-71.

- Fry, D.H. and A. Petrovich. 1970. King salmon (*Oncorhynchus tshawytscha*) spawning stock of California's Central Valley, 1953-1969. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report No. 70-11.
- Gaines, R.W. 1981. Central Valley Project: California Water Development. U.S. Dept. Interior, Water and Power Resources Service, Mid-Pacific Region. 106 pp.
- Ganssle, D. 1966. Fishes and decapods of San Pablo and Suisun Bays, pp64-94. In J.L. Turner and D.W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Delta, Part I. Calif. Dept. Fish, Game Bull. 133
- Gharrett, A.J., S.M. Shirley and G.R. Tromble. 1987. Genetic relationships among populations of Alaskan chinook salmon (*Oncorhynchus tshawytscha*). Can. J. Fish. Aquat. Sci. 44:765-774.
- Ginetz, R. M., and P. A. Larkin. 1976. Factors affecting rainbow trout (*Salmo gairdneri*) predation on migrant fry of sockeye salmon (*Oncorhynchus nerka*). J. Fish. Res. Board Can. 33:19-24.
- Giorgio, A.E., W.D. Muir, W.A. Zaugg, and S. McCutcheon. 1990. Biological manipulation of migration rate: the use of advanced photoperiod to accelerate smoltification in yearling chinook salmon. Annual report 1988/1989. Rep. U. S. Dept Energy. 33 pp.
- Greene, S. 1987. Historic Daily Flows (water years 1930-1955) Sacramento-San Joaquin Delta as Calculated by DAYFLOW Program. California Department of Water Resources. Central District.
- Groh, F.H. 1965. Annual Report Mokelumne River Fish Installation from January 1, 1964 to June 30, 1965. California Department of Fish and Game, Inland Fisheries Administrative Report No. 65-21.
- Hagar, Jeff. 1991. Rearing of juvenile chinook salmon in the Mokelumne River, 1990. East Bay Mun. Util. Dist. 11 pp.
- Hagar, J. 1991. Upstream migration and spawning of fall run chinook salmon in the Mokelumne River, 1990. East Bay Municipal Utility District, Orinda, California, 21 pp.
- Hale, S.S. 1986. Time-series analysis of discharge, turbidity, and juvenile salmon out-migration in the Susitna River, Alaska. In: Dadswell, M.J., Klauda, R.J., Moffitt, C.M., Saunders, R.L., Rulifson, R.A., and J.E. Cooper (eds.), Common strategies of anadromous and catadromous fishes. Proceedings of an international symposium held

in Boston, Massachusetts, USA, March 9-13, 1986. Am. Fish. Soc. Symp. Ser; vol. 1:554

Hallock, R.J., R.T. Ewell, and D.H. Fry. 1970. Migrations of adult king salmon (*Oncorhynchus tshawytscha*) in the San Joaquin Delta, as demonstrated by the use of sonic tags. Cal. Dept. Fish and Game, Fish. Bull. 151.

Hallock, R.J. and W.F. Van Woert. 1959. A survey of anadromous fish losses in irrigation diversions from the Sacramento and San Joaquin rivers. California Fish and Game 45(4):227-296.

Hankin, D.G. 1987 Effects of month of release on size at age, age of maturity, ocean fishery exploitation rates, and survival rates of spring and fall Chinook salmon released from public hatcheries in Oregon and northern California. Contract report to Oregon Department of Fish and Wildlife, Portland, Oregon.

Hartman, G.F., B.C. Andersen, and J.C. Scrivener. 1982. Seaward movement of coho salmon (*Oncorhynchus kisutch*) fry in Carnation Creek, an unstable coastal stream in British Columbia. Can. J. Fish. Aquat. Sci. 39:588-597.

Hartwell, Roger. 1992. Upstream Migration and Spawning of Fall Run Chinook Salmon in The Mokelumne River, 1991. East Bay Mun. Util. Dist. 25 pp.

Hasler, A.D. and A.T. Scholz. 1983. Olfactory imprinting and homing in salmon. Springer-Verlag. New York. 134 pp.

Hatton, R.S. 1940. Progress report on the Central Valley Fisheries Investigations, 1939. California Fish and Game 26(4) 334-373.

Hatton, R.S. 1942. Striped bass spawning areas in California. Calif. Fish Game, 28:65.

Hatton, R.S. and G.H. Clark. 1942. A second progress report on the Central Valley Fisheries Investigations. Calif. Dept. Fish and Game 28(2)116-123.

Healy, T.P. 1979. The effect of high temperature on the survival of Sacramento River chinook (king) salmon, *Oncorhynchus tshawytscha*, eggs and fry. CDFG, Anadr. Fish. Branch Admin. Rep. 79-10.

Helle, J.H. 1987. Success of stock identification techniques used in the U. S./ Canada Salmon Interception Research Program in Alaska. In: H. E. Kumpf (ed.) Proceedings of the stock identification workshop, November 5-7, 1985, Panama City Beach Florida. NOAA Tech. Memo. NMFS-SEFC-199, pp 191-193.

- Herbold, B. and P.B. Moyle. 1989. The ecology of the Sacramento-San Joaquin Delta: a community profile. U.S. Fish and Wildlife Service Biological Report. 85(7.22): 106 pp.
- Hjort, R.C. and C.B. Schreck. 1982. Phenotypic differences among stocks of hatchery and wild coho salmon, *Oncorhynchus kisutch*, in Oregon, Washington, and California. Fish. Bull., U. S. 80(1):105-119
- Horne A.J. 1989. Limnology and water quality of Camanche Reservoir in the 1987-88 drought as it relates to the fish facility problems. Alex Horne and Associates. El Cerrito, California.
- Horne, A.J. 1992. Effects of high and low volumes of water released from Pardee Reservoir on the water quality in Camanche Reservoir in 1991. Report to: East Bay Municipal Utilities District. Alex Horne and Associates. El Cerrito, California. 65 pp.
- Horne, A.J. 1992. Personal communication. Alex Horne and Associates. El Cerrito, California.
- Huntington, C. W. 1985. Deschutes River spawning gravel study. Volume I. Final Report. Project No. 83-423 Bonneville Power Administration, Portland, OR.
- Jewett, P.F. 1975. Mokelumne River Fish Installation Annual Report, 1973-74 season. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report No. 75-8.
- Jewett, P.F. 1978. Mokelumne River Fish Installation Annual Report, 1975-76 season. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report No. 78-8.
- Jewett, P.F. 1980. Mokelumne River Fish Installation Annual Report, 1977-78 season. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report No. 80-9.
- Jewett, P.F. 1982a. Mokelumne River Fish Installation Annual Report, 1979-80 season. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report No. 82-9.
- Jewett, P.F. 1982b. Mokelumne River Fish Installation annual report for 1980-81 season. Calif. Fish Game, Anadromous Fisheries Branch Report No. 82-13.
- Jewett, P.F. 1984. MRFI Annual Report for 1983-84 season. CDFG, Inland Fish. Admin. Rep. #84-03.

- Jewett, P.F. and R.S. Menchen. 1970. MRFI Annual Report for 1966-67 season. CDFG, Anadr. Fish. Br. Rep. #70-12.
- Jolly, G.M. 1963. Estimates of population parameters from multiple recapture data with both death and dilution - deterministic model. *Biometrika* 50:113-128.
- Jolly, G.M. 1965. Explicit estimates from capture-recapture data with both death and immigration - stochastic model. *Biometrika* 52:225-247.
- Keenleyside, M.H. and W.S. Hoar. 1954. Territorial behaviour of juvenile Atlantic salmon. *Behaviour* 19:139-169.
- Kelley, D.W., P.M. Bratovich, H. Rooks, and D.H. Dettman. 1985. The effect of streamflow on fish in the lower American River: second report. Prepared for Bets, Best and Krieger, 87 pp.
- Kelley, D.W., S. Greene and W.T. Mitchell. 1991. Estimating the effect of changing Delta environmental conditions on Sacramento basin fall run chinook salmon stock. Analysis made under the direction of the Delta salmon team of the Five Agency Salmon Management Group. State of California, The Resources Agency, Department of Water Resources.
- Kimmerer, W.J. 1989. Conceptual model of striped bass in the Sacramento-San Joaquin Delta. U. S. Bureau of Reclamation. Sacramento, CA.
- Kimmerer, W.J. in prep. An evaluation of existing data on the entrapment zone of the San Francisco Bay Estuary. Interagency Ecological Studies Program, Sacramento, CA. Technical Report.
- Kimmerer, W., J. Hagar, J. Garcia and T. Williams. 1989. Chinook salmon population model for the Sacramento River basin, version CPOP-2. Submitted to Calif. Dept. Fish and Game, Sacramento, CA (11/6/89).
- Kjelson, M.A., S. Greene and P. Brandes. 1989. A model for estimating mortality and survival of fall-run chinook salmon smolts in the Sacramento River Delta between Sacramento and Chipps Island. USFWS, Stockton, California. 50 pp.
- Kjelson, M.A., P.F. Raquel, and F.W. Fisher. 1982. Life history of fall-run chinook salmon, *Onchorhynchus tshawytscha*, in the Sacramento-San Joaquin Estuary, California. pp. 393-411, In V. S. Kennedy, ed., *Estuarine Comparisons*. Academic Press, New York.
- Kolhurst, D. 1991. Personal communication. Cal. Dept. Fish and Game, Stockton CA.

- Kolhurst, D.W., L.W. Botsford, J. Brennan, and G.M. Cailliet 1989. Aspects of the structure and dynamics of an exploited Central California population of white sturgeon (*Acipenser transmontanus*), in P. Williot ed., Proc. 1st. Internat. Bordeaux Symp. CEMAGRAF-DICOVA, BP22, 92162 Antony, Cedex France.
- Kornberg, H. and M.H. Williamson. 1988. Quantitative aspects of the ecology of biological invasions. Philosophical Transactions of the Royal Society of London, B, Biological Sciences 314:501-746.
- Krebs, C.J. 1978. Ecology: the experimental analysis of distribution and abundance. Harper and Row, N.Y. pp. 449-514.
- Kristiansson, A.C. and D. McIntyre. 1976. Genetic variation in chinook salmon (*Oncorhynchus tshawytscha*) from the Columbia River and three Oregon coastal rivers. Trans. Am. Fish. Soc. 105:620-623.
- Leidy, R.A. 1984. Distribution and ecology of stream fishes in the San Francisco Bay drainage. Master's thesis. University of California Berkeley. 224 pp.
- Leitritz, E. 1951. Stopping them: the development of fish screens in California. California Fish and Game 38(1):53-62.
- Lodi-News Sentinel. 11/17/55. Article on the opening of the new fish ladder on the Mokelumne River. Lodi, California.
- MacCrimmon, H.R. and R.R. Claytor. 1985. Meristic and morphometric identity of Baltic stocks of Atlantic salmon (*Salmo salar*). Can. J. Zool. 63(9):2032-2037
- MacKenzie, C. and J.R. Moring. 1988. Estimating survival of Atlantic salmon during the intragravel period. N.A. Journal of Fisheries Mgmt. 8:45-49.
- MacMahon, T.E. and G.F. Hartman. 1989. Influence of cover complexity and current velocity on winter habitat use by juvenile coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 46:1551-1557.
- Mayo Associates. 1988. The California hatchery evaluation study. Prepared for the California Department of Fish and Game by The Mayo Associates, Seattle, Washington.
- Meinz, M. 1981. American shad, *Alosa sapidissima*, sport fishery in the Sacramento River system, 1976-1978: catch and effort. Anad. Fish. Br. Admin. Rept. No. 81-1.
- Meinz, M. and W. Heubach. 1978. Factors affecting sinking rates of striped bass (*Morone saxatilis*) eggs and larvae. Anad. Fish. Br. Admin. Rept. 77-7.

- Menchen, R.S. 1961. The Mokelumne River artificial spawning channel experiment 1960-61 spawning season. California Department of Fish and Game, Marine Resources Branch Administrative Report No. 61-3.
- Menchen, R.S. 1974. A study of the 1970 fingerling salmon (*Oncorhynchus thawytscha*) emigration in the Merced River at George Hatfield State Park. Cal. Dept. Fish and Game, Anadr. Fish. Br. Admin. Rep. 74-10.
- Meyer, F.A. 1984. Mokelumne River Fish Installation versus Rio Vista: a comparison of yearling chinook salmon releases. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report No. 84-09.
- Meyer, F.A. 1988. The Mokelumne River - Make-do salmon management II. Mokelumne file (5/11/88), Calif. Dept. Fish Game, Region 2, Rancho Cordova, California.
- Meyer, F.A. 1991. Personal communication. California Department of Fish and Game, Region 2, Rancho Cordova, California.
- Mickley, W.L. and J.E. Deacon, editors. 1990. Battle against extinction: native fish management in the American West. University of Arizona Press, Tuscon, Arizona.
- Milhous, R. T. 1982. Effect of sediment transport and flow regulation on the ecology of gravel-bed rivers. In: R.D. Hey, J.C. Bathurst and C.R. Thorne (eds.) Gravel-bed rivers. John Wiley and Sons, New York, pp. 819-842.
- Milhous, R. T. 1985. Sediment transport, instream flows, and the small hydro project. Symposium in small hydropower and fisheries, American Fisheries Society, Bethesda, MA, pp. 395-402
- Mills, D.H. 1964. The ecology of the young stages of Atlantic salmon in the River Bran, Ross-shire. Freshwat. Salm. Fish. Res. 32. 58 pp.
- Minckley, W.L. 1973. Fishes of Arizona. Sims Printing Company, Inc. Phoenix, Arizona, 293 pp.
- Miyamoto, J.J. 1990. East Bay Municipal Utility District efforts to improve water quality conditions at the Mokelumne River Fish Facility, Fall 1989. East Bay Municipal Utility District, Orinda, California.
- Moeler, L. 1992. Personal communication. State Water Resources Control Board, Water Rights Division, Sacramento, California.
- Mokelumne River Improvement Company (notice of organization). 1865. Self published.

- Monan, G. E., and K. L. Liscom. 1975. Final Report, radio tracking studies to determine the effect of spillway deflectors and fallback on adult chinook salmon and steelhead trout at Bonneville Dam, 1974. National Marine Fisheries Service, Seattle, WA, 38 pp.
- Montgomery, W.L., S.D. McCormick, R.J. Naiman, F.G. Whoriskey Jr., and G.A. Black. 1983. Spring migratory synchrony of salmonid, castomid, and cyprinid fishes in Riviere a la Truite, Quebec. *Can. J. Zool.* 61(11):2495-2502.
- Moyle, P.B. 1976. *Inland fishes of California*. University of California Press, Berkeley. 405 pp.
- Moyle, P.B. 1991. Personal communication. Dept. of Wildlife and Fisheries, University of California-Davis, Davis, CA.
- Moyle, P.B., B. Herbold, D.E. Stevens and L.W. Miller. MS. Life history and status of delta smelt in the Sacramento-San Joaquin Estuary, California. *Trans. Amer. Fish. Soc.*
- Moyle, P.B. and R. Nichols. 1973. Ecology of some native and introduced fishes of the Sierra-Nevada foothills in central California. *Copeia* 1973(3):478-490.
- Moyle, P.B. and R. Nichols. 1974. Decline of the native fish fauna of the Sierra-Nevada foothills, central California. *Amer. Midl. Nat.* 92(1):72-83.
- Moyle, P.B. and J.E. Williams. 1990. Biodiversity loss in the temperate zone: decline in the native fish fauna of California. *Conservation Biology* 4(3):275-284.
- Moyle, P.B., J.E. Williams, and E.D. Wikramanayake. 1989. Fish species of special concern of California. Calif. Dept. of Fish and Game, Inland Fish. Div., Rancho Cordova, 222 pp.
- Mulligan, T.J., L. Lapi, R. Keiser, S.B. Yamada, and D.L. Duewer. 1983. Salmon stock identification based on elemental composition of vertebrae. *Can. J. Fish. Aquat. Sci.* 40:215-229.
- Nebeker A.V., C. Savonen, and D. G. Stevens. 1985. Sensitivity of rainbow trout early life stages to nickel chloride. *Environ. Toxicol. Chem.* 4:233-239. (Cited in U.S. EPA 1986).
- Nebeker, A.V., et al. MS. *Daphnia magna* static renewal life cycle tests, Final report of round-robin testing. U.S. Environmental Protection Agency (Cited in U.S. EPA 1980).

- Nehlsen, W., J.E. Williams and J.A. Lichatowich. 1991. Pacific salmon at the crossroads: stocks at risk from California; Oregon, Idaho, and Washington. *Fisheries*, Vol. 16(2):4-21.
- Nei, M. 1975. *Molecular population genetics and evolution*. North-Holland Publ. Co., Amsterdam, 288 p.
- Neilson, J.D., and C.E. Banford. 1983. Chinook salmon (*Oncorhynchus tshawytscha*) spawner characteristics in relation to redd physical features. *Can. J. Zool.* 61:1524-1531.
- Neilson, J.D., and G.H. Geen. 1985. Variability in dimensions of salmonid otolith nuclei: implications for stock identification and microstructure interpretation. *Fish. Bull.*, U.S. 83(1):81-89.
- Nelson, R. W., J. R. Dwyer and W. E. Greenburg. 1987. Regulated flushing in a gravel-bed river for channel habitat maintenance: a Trinity River fisheries case study. *Envir. Manage.* 11(4):479-493.
- Neville, C.M., 1985. Physiological response of juvenile rainbow trout, *Salmo gairdneri*, to acid and aluminum--prediction of field responses from laboratory data. *Can. J. Fish. Aquat. Sci.* 42:2004-2019.
- Neville, C.M. and P.G. Campbell. 1988. Possible mechanisms of aluminum toxicity in a dilute, acidic environment to fingerlings and older life stages of salmonids. *Water, Air, and Soil Pollution* 42:311-327.
- Nichols, F.H., J.E. Cloern, S.N. Luoma, and D.H. Peterson. 1986. The modification of an estuary. *Science* 231:567-573.
- Nor, Y.M. 1987. Ecotoxicology of copper to aquatic biota: a review. *Environmental Research* 43:274-282.
- Nuzum, R.C. 1992. Personal communication. Manager, Watershed and Recreation, East Bay Municipal Utility District.
- Oleszkiewicz, J.A., T. Marstaller, and D.M. McCartney. 1989. Effects of pH on sulfide toxicity to anaerobic processes. *Environmental Technology Letters* 10:815-822.
- Orsi, J.J. 1971. Thermal shock and upper lethal temperature tolerances of young king salmon, *Oncorhynchus tshawytscha*, from the Sacramento-San Joaquin River system. *Cal. Dept. Fish and Game, Anad. Fish. Br. Admin. Rep.* 71-11.
- PFMC. 1991. Newsletter with proposed meeting agenda. Pacific Fishery Management Council, Portland, Oregon.

- Painter. 1992. Personal communication. California Department of Fish and Game.
- Painter, R.E., L.H. Wixom, and S.N. Taylor. 1977. An evaluation of fish populations and fisheries in the post-Oroville Project, Feather River. A report submitted to the Department of Water Resources in accordance with Federal Power Commission License No. 2100. Calif. Dept. Fish Game, 56 pp.
- Paul, R. 1952. Water pollution: a factor modifying fish populations in Pacific coast streams. *Scientific Monthly*. 74(1):14-17.
- Petts, G. E. 1984. *Impounded rivers: perspectives for ecological management*. John Wiley and Sons, New York, 326 pp.
- PFMC. 1991. Review of 1990 ocean salmon fisheries. Pacific Fishery Management Council, Portland, Oregon.
- Philips, R.W. and K.V. Koski. 1969. A fry trap method for estimating salmonid survival from egg deposition to fry emergence. *J. Fish. Res. Bd. Can.* 26:133-141.
- Price, D.G., P.F. Kubicek, N.J. Mosman, and L.E. Week. 1979. An inventory of fishery resources in the Upper Putah Creek, Kelsey Creek, and Cole Creek drainages. Pacific Gas and Electric Company, San Ramon, California.
- Radtke, L.R. 1966a. Distribution and abundance of adult and subadult striped bass, *Roccus saxatilis*, in the Sacramento-San Joaquin Delta. In: J.L. Turner and D.W. Kelley (eds.), *Ecological Studies of the Sacramento-San Joaquin Delta, Part II*. Calif. Dept. of Fish and Game, *Fish Bull.* 136:15-27.
- Radtke, L.R. 1966b. Distribution of smelt, juvenile sturgeon, and starry flounder in the Sacramento-San Joaquin Delta with observations on food of sturgeon. In: J.L. Turner and D.W. Kelley (eds.), *Ecological Studies of the Sacramento-San Joaquin Delta, Part II*. Calif. Dept. of Fish and Game, *Fish Bull.* 136:115-129.
- Raleigh, R.F., W.J. Miller, and P.C. Nelson. 1986. Habitat suitability index models and instream flow suitability curves: chinook salmon. *U.S. Fish Wildl. Serv. Biol. Rep.* 82(10.122). 64 pp.
- Reisenbichler, R.R. 1987. Basis for managing the harvest of chinook salmon. *N. Am. J. Fish. Mgmt.* 7:589-591.
- Reisenbichler, R.R., J.D. McIntyre and R.J. Hallock. 1982 Relationship between size of Chinook salmon and steelhead from the Snake River, 1966 to 1975. *Trans. Am. Fish. Soc.* 108:505-529.

- Reisenbichler, R.R., and S.R. Phelps. 1987. Genetic variation in chinook, *Oncorhynchus tshawytscha*, and coho, *O. kisutch*, salmon from the north coast of Washington. NOAA, Fish. Bull. 85(4):681-695.
- Reiser, D. W. and T. C. Bjornn. 1979. Habitat requirements of anadromous salmonids. U. S. Forest Service, Pacific Northwest General Technical Report PNW-96, 54 pp.
- Reisner, M. 1986. Cadillac Desert: the American West and its disappearing water. Viking Penguin, New York.
- Ricker, W.E. 1977. Computation and interpretation of biological statistics of fish populations. Bull. Fish. Res. Board Can. 119, 382pp.
- Rothrock, Glen. 1990. Subject: Reevaluation and Update of Phil Wendt's Bass Model. California Department of Water Resources Office Memo. To: Karl Winkler, Dave Brown, North Delta Staff and Bob Suits. Date: November 19, 1990.
- Rutter, C. 1903. Natural history of the quinnat salmon: a report on investigations in the Sacramento River 1896-1901. Bull. of U. S. Fish. Comm. 22:65-141.
- San Joaquin County Health District (SJCHD). 1935. Report on water pollution on the Mokelumne River. San Joaquin County Health District.
- Sasaki, S. 1966a. Distribution and food habits of king salmon, *Oncorhynchus tshawytscha*, and steelhead rainbow trout, *Salmo gairdnerii*, in the Sacramento-San Joaquin Delta. In: J.L Turner and D.W. Kelley (eds.) Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Fishes of the Delta. Calif. Dept. Fish Game, Fish. Bull. 136: 108-114.
- Sasaki, S. 1966b. Distribution of young striped bass, *Roccus saxatilis*, in the Sacramento-San Joaquin Delta. In: J.L Turner and D.W. Kelley (eds.) Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Fishes of the Delta. Calif. Dept. Fish Game, Fish. Bull. 136. 44-58 pp.
- Saunders, R.L., and E.B. Henderson. 1970. Influences of smolt development and growth of Atlantic salmon (*Salmo salar*). J. Fish. Res. Board Can. 27:1295-1311.
- Schaefer, M.B. 1951. Estimation of the size of animal populations by marking experiments. U.S. Fish Wildl. Serv. Fish Bull. 52:189-203.
- Schaffter, R.G. 1980. Fish occurrence, size, and distribution in the Sacramento River near Hood, California during 1973 and 1974. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report No. 80-3.

- Scofield, N.B. 1910. Notes on the striped bass in California, 1910. Twenty-first biennial report of the Board of Fish and Game Commissioners.
- Scott, J.M., B. Csuti, J.D. Jacobi, and J.E. Estes. 1987. Species richness. *BioScience* 37(11):782-788.
- Scrivener, J.C. 1988. Two devices to assess incubation survival and emergence of salmonid fry in an estuary streambed. *N.A. Journal of Fisheries Mgmt.* 8:248-258.
- Seber, G.A.F. 1962. The multi-sample single recapture census. *Biometrika* 49:339-350.
- Seber, G.A.F. 1965. A note on the multiple-recapture census. *Biometrika* 52:249-259.
- Shannon, E.H. and W.B. Smith. 1968. Preliminary observations on the effect of temperature on striped bass eggs and sac fry. *Proc. Southeast. Assoc. Game Fish Comm.* 21:257-260.
- Shapovalov, L., and A.C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California, and recommendations regarding their management. *California Fish and Game Fish Bulletin*, vol. 98.
- Shaw, P., and C.L. Tower. 1937. Water pollution problems in California. *California Fish and Game.* 23(4):262-285.
- Shirvell, C. S. 1989. Ability of PHABSIM to predict chinook salmon spawning habitat. *Regulated Rivers: Research & Management* 3:277-289.
- Sholes, W.H. and R.J. Hallock. 1979. An evaluation of rearing fall-run chinook salmon, *Oncorhynchus tshawytscha*, to yearlings at Feather River Hatchery with a comparison of returns from hatchery and downstream releases. *Calif. Fish and Game* 65(4):239-255.
- Simenstad, C.A., and E.O. Salo. 1982. Foraging success as a determinant of estuarine and nearshore carrying capacity of juvenile chum salmon (*Oncorhynchus keta*) in Hood Canal, Washington. In: B. R. Metleff and R. A. Neve (eds.), *Proceedings of the North Pacific Aquaculture symposium*, Alaska Sea Grant Program Alaska Univ. pp 21-37.
- Skinner, J.E. 1962. An historical view of the fish and wildlife resources of the San Francisco Bay area. *Calif. Dept. Fish and Game Water Proj. Branch Rept.* 1, 225pp.
- Solomon, D.J. 1978. Observations on smolt migration in a chalk stream. *J. Fish. Biol.* 12:571-574.

- State Water Resources Control Board (SWRCB). 1991. Supplemental testimony of Thomas Howard: October 22 and 23, 1991 Hearing. Petition of the Committee to Save the Mokelumne and the California Sportsfishing Protection Alliance for review of resolution No. 90-128 of the Central Valley Regional Water Quality Control Board, File No. A-688, 8 pp.
- Stevens, D.E. 1966. Food habits of striped bass, *Roccus saxatilis*, in the Sacramento-San Joaquin Delta. In: J.L. Turner and D.W. Kelley (eds.) Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Fishes of the Delta. Calif. Dept. of Fish and Game, Fish. Bull. 136. 68-96 pp.
- Stevens, D.E. 1977. Striped bass (*Morone saxatilis*) year class strength in relation to riverflow in the Sacramento-San Joaquin Delta. Trans. Amer. Fish. Soc. 108:262-270.
- Stevens, D.E. 1991. Personal communication. Cal. Dept. Fish and Game, Stockton CA.
- Stevens, D.E., D. Kohlhurst, L.W. Miller and D. Kelley. 1985. The decline of striped bass in the Sacramento-San Joaquin Estuary, California. Transactions of the American Fisheries Society, 114:12-30.
- Stevens, D.E. and L.W. Miller. 1970. Distribution of sturgeon larvae in the Sacramento-San Joaquin river system. California Fish and Game, 56(2):80-86.
- Stevens, D.E. and L.W. Miller. 1983. Effects of river flow on abundance of young chinook salmon, American shad, longfin smelt, and delta smelt in the Sacramento-San Joaquin river system. N. Amer. J. Fish. Manag. 3:425-437.
- Stevens, D.E., L.W. Miller, and B.C. Bolster. 1990. A status review of the delta smelt. Report submitted to the California Fish and Game Commission, August 1990, Rancho Cordova, CA.
- Stevens, D.E., L.W. Miller, and D.W. Kolhurst. MS. Where have all the striped bass gone? Calif. Dept. Fish and Game, Stockton CA.
- Stuart, T.A. 1953. Water currents through permeable gravels and their significance to spawning salmonids. Nature, No. 172.
- Surber, E.W. 1958. Results of striped bass (*Roccus saxatilis*) introduction into freshwater impoundments. Proc. Southeast. Assoc. Game Fish Comm. 11:273-276.
- Talbot, G.B. 1966. Estuarine requirements and limiting factors for striped bass. In: A symposium on estuarine fisheries. Am. Fish. Soc. Spec. Publ. 3. 37-49 pp.

- Taylor, B. 1850. Adventures in the path of an empire. Unknown publisher.
- Taylor, S.N. 1974. King (chinook) salmon spawning stocks in California's Central Valley, 1972. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report No. 74-6.
- Tennant, D. L. 1976. Instream flow requirements for fish, wildlife, and environmental resources. In: J.F. Osborn and C.H. Allman (eds.) Proc. Symp. and specialty cost on instream flow needs. Vol. II, p. 359-373. American Fisheries Society, Bethesda, MA.
- Thompson, R. B., and D. F. Tufts. 1967. Predation by Dolly Varden and northern squawfish on hatchery-reared sockeye salmon in Lake Wenatchee, Washington. Trans. Am. Fish. Soc. 96:424-427.
- Turner, J.L. 1966a. Distribution and food habits of ictalurid fishes in the Sacramento-San Joaquin Delta, 154-159. In J. L. Turner and D. W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Calif. Fish and Game Bull. 136.
- Turner, J.L. 1966b. Distribution of threadfin shad, *Dorosoma petenense*, tule perch, *Hysterothorax traski*, and crayfish fish species. in the Sacramento-San Joaquin Delta. In J.L. Turner and D.W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Calif. Fish, Game Bull. 136:160-168.
- Turner, J.L. 1966c. Distribution of cyprinid fishes in the Sacramento-San Joaquin Delta, 154-159. In J.L. Turner and D.W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Calif. Fish and Game Bull. 136.
- Turner, J.L. 1976. Striped bass spawning in the Sacramento-San Joaquin Rivers in Central California from 1963 to 1972. Cal. Fish and Game 62(2):106-118.
- Turner, J.L. and H.K. Chadwick. 1972. Distribution and abundance of young-of-the-year striped bass, *Morone saxatilis*, in relation to river flow in the Sacramento-San Joaquin Estuary. Trans. Amer. Fish. Soc. 101(3):442-452.
- Turner, J.L., and D.W. Kelley (eds.). 1966. Ecological studies of the Sacramento-San Joaquin Estuary, Part 2. Cal. Dept. Fish and Game Bull. 136.
- Tutty, B. D. 1986. Dune formations associated with multiple redd construction by chinook salmon in the upper Nechako River, British Columbia, Canada. Canada Manuscript Report of Fisheries and Aquatic Sciences (1983).
- U.S. Bureau of Reclamation (Bureau of Reclamation). 1985. Central Valley Fish and Wildlife Management Study: Fishery problems at Red Bluff Diversion Dam and Tehama-Colusa Canal fish facilities. Special Report, Bureau of Reclamation, Mid-Pacific Region, Sacramento, CA, 112 pp.

- U.S. Environmental Protection Agency (EPA). 1980. Ambient water quality criteria for silver. U.S. EPA Report No. 440/5-80-071 U.S. EPA Office of water regulations and standards, Washington, DC.
- U.S. Fish and Wildlife Service (USFWS). 1985. Flow needs of chinook salmon in the lower American River. Final report on the 1981 lower American River flow study.
- U.S. Fish and Wildlife Service (USFWS). 1986. Annual Report, Coleman National Fish Hatchery. Prepared for the U.S. Bureau of Reclamation Mid-Pacific Region, Sacramento, California. U.S. Fish and Wildlife Service, Division of Ecological Services, Sacramento, California.
- U.S. Fish and Wildlife Service (USFWS). 1987. The needs of chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin Estuary. Exhibit 31 for the State Water Resources Control Board 1987 Water Quality/Water Rights Proceeding on the San Francisco Bay/Sacramento-San Joaquin Delta. U.S. Fish and Wildlife Service, Stockton, CA.
- U.S. Fish and Wildlife Service (USFWS). 1988. Determine survival and productivity of juvenile chinook salmon in the Sacramento-San Joaquin Estuary. United States Fish and Wildlife Service, Fisheries Assistance Office, Stockton, CA
- U.S. Fish and Wildlife Service (USFWS). Unpubl. Data on CWT smolts released at New Hope Landing, Mokelumne River by BioSystems and captured at Chipps Island, CA in 1991. Data from P. Brandes, USFWS, Stockton, CA (12/17/91).
- U.S. Geological Survey (USGS). 1926. Mokelumne River Basin. Surface Water Supply, 1926, Part XI. United States Geological Survey.
- U.S. Geological Survey (USGS). 1929. Water resources of Mokelumne area, California. Surface Water Supply, 1928, Part XI. United States Geological Survey.
- U.S. Geological Survey (USGS). 1972. Determination of channel capacity of the Mokelumne River downstream from Camanche Dam, San Joaquin and Sacramento Counties, California. Open file report, United States Geological Survey, Menlo Park, California. 64 pp.
- U.S. Geological Survey (USGS). 1989. Water resources data, California, Water year 1989. United States Geological Survey Water-Data Report CA-89-1, volume 3.
- U.S. Geological Survey (USGS). 1992. Provisional data from U.S. Geological Survey stream gage number 11323500, "Mokelumne River below Camanche Dam, California."
- Usher, M.B. 1988. Biological invasions of nature reserves: a search for generalizations. *Biological Conservation* 44:119-135.

- Vogel, D. A. 1982. Evaluation of the 1981-1982 operation of the Tehama-Colusa Fish Facilities. U.S. Fish and Wildlife Service, Fisheries Assistance Office, Red Bluff, CA. 24 pp.
- Vogel. 1992 Draft. Assessment of the fish passage facilities at Lake Lodi in the Mokelumne River. Vogel Environmental Services, Red Bluff, California.
- Wahlburg, C.H. and P.R. Nichols. 1967. Biology and management of the American shad and status of the fisheries. Atlantic coast of the United States, 1960. U. S. Fish and Wildlife Serv. Spec. Sci. Rep. Fish. 550. 105 pp.
- Wang J.C.S. 1986. Fishes of the Sacramento-San Joaquin Estuary and adjacent waters, California: a guide to the early life histories. Interagency Ecol. Study Program, Sacramento-San Joaquin Estuary Tech. Rept. 9, Sacramento CA. 626 pp.
- Ward, P. D. 1989. A review and evaluation of losses of migrant juvenile chinook salmon at the Glenn-Colusa Irrigation intake. Calif. Dept. of Fish and Game, Final Report, Rancho Cordova, California, 58 pp.
- Winans, G.A. 1984. Multivariate morphometric variability in pacific salmon: technical demonstration. Can. J. Aquat. Sci. 41:1150-1159.
- Wood, C.C., B.E. Riddell, D.T. Rutherford, and K. Rutherford. 1987. Variation in biological characters among sockeye salmon populations of the Stikine River with the potential application for stock identification in mixed-stock fisheries. Can. Tech. Rep. Fish. Aquat. Sci. No. 1535
- Woodbridge Irrigation District (WID). 1992. Statement of the Woodbridge irrigation District before the Federal Energy Regulatory Commission. Project No. 2916-004, 7 pp.
- Youngson, A.F., R.J.G. Buck, T.H. Simpson, and D.W. Hay. 1983. The autumn and spring emigrations of juvenile Atlantic salmon, *Salmo salar* L., from the Girnock Burn, Aberdeenshire, Scotland: environmental release of migration. J. Fish. Biol. 23:625-639.
- Zippen, C. 1958. The removal method of population estimation. J. Wildlife Management 22:82-92.
- Zorbi, Z. 1990. Seasonal races of coho salmon, *Oncorhynchus kisutch*. J. Ichthyol. 30(1):101-112.