EXTERIOR LEVEES WITHIN SUISUN MARS

EVALUATION OF LEVEE REHABILITATION NEEDS

February 1983



D—030793

D-030793



D—030794

D-030794



D—030795

D-030795



D—030796

D-030796

SUISUN SLOUGH

MONTEZUMA

SLOUGH

MONTEZUMA

SLOUGH

Beacon

Light

Mud

426

512

513

105

505

507

508

509

510

517

GRIZZLY BAY

GRIZZLY BAY

GRIZZLY BAY

Pelican Point

D—030797

D-030797


Mud
G R I Z Z L Y
B A Y
O R I Z
Beacon
Pelican
Point
Pt Buckler
Garnet Pt
802
809
River
Island
Mud
I S U N
Preston Pt
Tripod
Beacon
Light
PRESTON PT - REACH
RANGE
30
FOX ISLAND
CONNEL
SOLANO

D—0 3 0 7 9 8

Prepared

U.S. ARM
WATER

Prepared

RAMLIT
BERKEL

Base map c

SCALE 1" = 2000'



D—030799

D-030799

D—030800

D-030800

Hammond
LEVEE
Grizzly
Howard
Slough
803
807
806
805
902
901
903
904
905
942
812
Point Pinole
Point Pinole Regional Shoreline
Point Pinole
Point Pinole
Point Pinole

Prepared for:

U.S. ARMY CORPS OF ENGINEERS
WATER RESOURCES DEVELOPMENT PROJECT OF THE SUISUN MARSH

Prepared by:

RAMLIT ASSOCIATES, INC.
BERKELEY, CALIFORNIA

Base map courtesy of U.S. Soil Conservation Service, April 1981



LEGEND

Type A. Major reconstruction. Imported or local fill. Phased construction. >60 % earthwork.

Type B. Major reconstruction. Local fill. >60 % earthwork.

Type C. Major repair. 20-60 % earthwork.

Type D. Minor repairs. <20 % earthwork.

Type E. No repair needed.

209 Ownership code (see Appendix A).

Location of Suisun Marsh in the San Francisco Bay Area



D—030802

D-030802

Location of Suisun Marsh in the
San Francisco Bay Area



D-030803



D—030804

D-030804