

DRAFT

**CALFED BAY-DELTA PROGRAM  
PROPOSAL SOLICITATION PACKAGE  
LAND USE CHECKLIST**

All applicants must fill out this Land Use Checklist for their proposal. Applications must contain answers to the following questions to be responsive and to be considered for funding. Failure to answer these questions and include them with the application will result in the application being considered nonresponsive and not considered for funding.

1. Do the actions in the proposal involve physical changes in the use of land?

\_\_\_\_\_ **YES**

\_\_\_\_\_ **NO**

2. If YES to # 1, describe what actions will occur on the land involved in the proposal?

3. If NO to # 1, explain what type of actions are involved in the proposal (i.e., research only, planning only).

4. If YES to # 1, how many acres of land will be subject to a land use change under the proposal?

\_\_\_\_\_

5. If YES to # 1, answer the following:

Current land use \_\_\_\_\_

Current zoning \_\_\_\_\_

Current general plan designation \_\_\_\_\_

Does current use involve agricultural production?

\_\_\_\_\_ **YES**

\_\_\_\_\_ **NO**

6. If YES to # 1, is the land currently under a Williamson Act contract?

\_\_\_\_\_ **YES**

\_\_\_\_\_ **NO**

7. If YES to # 1, what is the proposed land use under the proposal?

**DRAFT**

8. Will the applicant acquire any land under the proposal, either in fee or through a conservation easement?

\_\_\_\_\_  
YES

\_\_\_\_\_  
NO

9. If YES to # 1, answer the following:

Total number of acres to be acquired under proposal \_\_\_\_\_

Number of acres to be acquired in fee \_\_\_\_\_

Number of acres to be subject to conservation easement \_\_\_\_\_

10. For all lands subject to a land use change under the proposal, describe what entity or organization will manage the property and provide operations and maintenance services.

11. For land acquisitions, will existing water rights also be acquired?

\_\_\_\_\_  
YES

\_\_\_\_\_  
NO

12. Does the applicant propose any change in water rights?

\_\_\_\_\_  
YES

\_\_\_\_\_  
NO