



CALFED
BAY-DELTA
PROGRAM

*CALFED Bay-Delta Program
Performance Measures Report*

Phase 1 Draft

Version IV

July 26, 2007

File: Phase 1 Report_Version IV_Draft_v5_072607.doc

PARTICIPANTS

<p>Performance Measures Subcommittee</p>	<p>Sue Garrett Dukes, CBDA Bill Burkhard, DWR Scott Cantrell, DFG Steve Cimperman, DWR Steven Detwiler, FWS Donna Garcia, USBR Lauren Hastings, CBDA Lisa Holm, CBDA Leslie Laudon, SWRCB Lynn O'Leary, USACE Bart Prose, FWS Steve Roberts, DWR Elizabeth Soderstrom, CBDA David Spath, DHS Ken Trott, CDFA Diane Windham, NOAA Carolyn Yale, USEPA</p>
<p><i>Water Quality Subgroup</i></p>	<p>Carol Atkins, DFG Steve Book, DHS Lisa Holm, CBDA Roger Fujii, USGS Lauma Jurkevics, SWRCB Tom Kimball, SWRCB Karen Larsen, RWQCB Rafael Maestu, SWRCB Kari Schumaker, SWRCB Lori Webber, RWQCB Carolyn Yale, USEPA</p>
<p><i>Water Supply Reliability Subgroup</i></p>	<p>Steve Cimperman, DWR Donna Garcia, USBR Paul Massera, DWR Jason Phillips, USBR Steve Roberts, DWR</p>
<p><i>Ecosystem Restoration Subgroup</i></p>	<p>Neil Clipperton, DFG Steven Detwiler, USFWS Bart Prose, FWS Diane Windham, NOAA</p>
<p><i>Levee System Integrity Subgroup</i></p>	<p>Bill Burkhard, DWR Lynn O'Leary, USACE Bob Orcutt, DFG Mike Mirmazaheri, DWR</p>

TABLE OF CONTENTS

1. Executive Summary

2. Performance Measures

- a. Water Supply Reliability*
- b. Water Quality*
- c. Levee System Integrity*
- d. Ecosystem Restoration*

3. Implementation Plan

- a. Water Supply Reliability*
- b. Water Quality*
- c. Levee System Integrity*
- d. Ecosystem Restoration*

Appendix A. Performance Measures Framework

Appendix B. Glossary of Terms

Appendix C. Additional Information

1. EXECUTIVE SUMMARY

Document Background and Purpose

The San Francisco Bay and Delta combine to form the west coast's largest estuary, which receives freshwater from California's largest rivers. The estuary spans more than 60,000 square miles and hosts a vast diversity of flora and fauna. Managing this estuary is an inherently complex undertaking, involving balancing ecosystem health, water quality, levee system integrity and water supply reliability. The mission of the CALFED program is to achieve and maintain this balance with a focus on an identified set of goals and objectives. The immense scale of the program requires a process which continually refines and adapts management strategies based on new information. This 'adaptive management' principal is embedded into the CALFED program and specifically into the approach to measuring performance.

'Performance Measures' are used to translate program goals and objectives into measurable indicators of progress. They are a vital part of an adaptive management approach that provides decision-useful information about areas of success as well as weakness. This insight helps to reveal the critical areas needing adjustment. The benefit to a successful Performance Measurement Process is in aligning limited resources to priorities and thus helping to ensure that outcomes meet expectations.

The purpose of this report is to present the initial Performance Measures that have been developed for the CALFED program. The report builds upon prior efforts while also responding to the recent direction set forth within the 2006 10-Year Action Plan. The report reflects the collaborative work of agency representatives and the shared recognition that much improvement is needed in the way CALFED measures and manages performance.

Approach Overview

Large scale performance tracking is a complex and inexact process. Although the need to objectively evaluate and monitor progress is widely recognized, there has historically been less consensus as to the best approach to be taken. Prior efforts have set an important foundation for measuring performance within an adaptive management framework involving continuous learning and adjusting. This document has leveraged upon these prior approaches, and developed a refined process intended to evolve with new information and in concert with various plans and assessments now underway. Specifically, the approach is intended to allow for refinement as various parallel efforts are finalized in the near-term. Each of these efforts – listed in the figure below – may potentially impact CALFED performance measurement in unique ways. The relationship to these other efforts is described in Section 2— Performance Measures. Specifically, this document reflects Phase 1 of a four-phase iterative approach as outlined below. A full description of these phases, including a timeline can be found in Appendix A.

- **Phase 1 – Initial Measures and Planning:** The purpose is to establish an initial (sample) set of performance measures for the program, and also importantly the implementation plan for further developing and refining measures and conceptual models as needed. In this initial phase, the measures are intended to be neither exhaustive nor final. Phase I will be completed in September 2007.
- **Phase 2 – Data Analysis:** *The implementation of performance measures relies very much on the underlying data and data collection/analysis processes. The purpose of this phase is to further refine the conceptual models associated the initial performance measures, analyze the supporting data, and begin reporting on the initial performance measures. In addition, under Phase II, the goals and objectives for each of the four CALFED programs will be refined to reflect Stage 2 decisions.*
- **Phase 3 – Reporting and Additions:** *This phase is directed at producing and publishing a public report on program-wide performance measures, and identifying a full suite of performance measures linked to the goals and objectives identified in Phase 2.*


- **Phase 4 – Refinement:** *Phase 4, like Phase 2, will involve implementing the Plan developed in the previous phase. This phased approach allows us to move forward more quickly and develop performance measures in an adaptive way – refining our tools as we learn from going through the process.*

This phased approach will also incorporate multiple reviews. Preliminary performance measures documents will undergo review by CALFED Bay-Delta Public Advisory Subcommittees, as well as the CALFED Independent Science Board where performance measures are a standing agenda item on board meetings. When and where appropriate, the CALFED Science Program will convene Science Review Panels to perform in-depth science reviews of the technical aspects. Performance measure products are also made available on the CALFED website for additional public review opportunities. Draft documents will undergo review by the full CALFED Bay-Delta Public Advisory Committee. Both the CALFED Bay-Delta Advisory Committee and Independent Science Board make recommendations on performance measure products before they are considered by the California Bay-Delta Authority Board for adoption.

This report presents Phase 1 results, including initial measures and planning. These measures have been developed in accordance with the Performance Measures Guiding Framework (Framework) established by the CALFED Science Program (Appendix A). The framework is comprised of the following elements¹:

- **Administrative Measures:** These describe what resources (funds, programs, projects) are being implemented (or plan to be implemented). These may also be called “input measures”.
- **Output Measures/Drivers:** These are used to track the physical impacts of management actions, and are indicators of influence upon outcomes or uncontrollable factors. Examples are acres of habitat restored, miles of levee strengthened, etc.
- **Outcome Measures:** Also called “response,” or “results” measures, these describe the ultimate outcome of the management action upon the ‘system’ that is being managed, in this case the Bay-Delta region. These measures should be tied to the goals and objectives of the program.

The diagram illustrates the Framework within an adaptive management cycle. Policy decisions are made based on a desired outcome, as described in the goals and objectives of the program. Management oversees implementation of the policy decisions – directing financial resources to priority actions. These actions may result in physical changes to the environment, such as levee maintenance or habitat restoration. Note that there may also be uncontrollable factors in the environment that may affect an outcome of interest.



Conceptual models and quantitative models are used to develop, refine and document a common understanding of the system, including assumptions about intended outcomes from actions. Conceptual models also provide a basis for incorporating new information and continually improving our knowledge of the system.

¹ See Participant List for complete description of the Performance Measures Guiding Framework.

Overview

The CALFED Record of Decision, signed in August 2000, was designed to provide a blueprint to address the needs of major stakeholders. The ROD defined CALFED as comprising 11 program elements, organized around the following four primary objectives.

Below are the initial performance measures for each of the CALFED Program areas.

➤ Water Supply Reliability

- Performance Measure 1a: The annual number of incidences when drinking water quality, environmental water quality, flow requirements, or other agreements related to SWP and CVP operations throughout the Delta are not met.
 - ✓ Target 1a1: Zero incidences of not meeting drinking water quality standards
 - ✓ Target 1a2: Zero incidences of not meeting environmental water quality and flow requirements, or other agreements throughout the Delta related to SWP and CVP operations.
- Performance Measure 1b: Acre-feet of unexpected reductions in deliveries due to Delta export reductions to meet Endangered Species Act requirements or actions taken to protect at-risk Delta fish species during the current year.
 - ✓ Target 1b: Zero unexpected reductions in scheduled deliveries.
- Performance Measure 1c: Acre-feet of water delivered in a water year with a description of the conditions during the water year for each delivery. This will be compared against an estimated long-delivery capability.
 - ✓ Target 1c: Probability-based long-term delivery capability estimate

➤ Water Quality

- Performance Measure 1: Annual averages of organic carbon and bromide at Delta intakes
 - ✓ Target: Annual average of 50 µg/L bromide and
 - ✓ Target: 3.0 mg/L total organic carbon at Delta intakes
- Performance Measure 2: Equivalent level of public health protection⁵ (i.e., equivalent to meeting targets for organic carbon and bromide above).
 - ✓ Target: Under development through technical studies
- Performance Measure 3: Toxicity to aquatic test organisms (water and sediment)
 - ✓ Target: No toxicity from controllable sources
- Performance Measure 4: Tools for identifying causes of toxicity are added to currently available suite
 - ✓ Target: All causes and sources of toxicity of high magnitude, duration, and frequency are identified
- Performance Measure 5: Mercury concentrations in the tissue of representative Bay-Delta fish and wildlife species²

² Most measures are in terms of methylmercury, the toxic form of mercury that is bioavailable and that bioaccumulates.

- ✓ Target: Mercury levels in fish tissue are safe for consumption by humans and wildlife (Draft Delta methylmercury TMDL targets – 0.07 and 0.24 mg methylmercury/kg, in muscle tissue of trophic level 3 and 4 fish, respectively [150-500 mm total length]³ and 0.03 mg methylmercury/kg wet weight in whole fish less than 50 mm in length⁴)
 - Driver indicator for mercury in fish tissue: Methylmercury concentrations in water.
 - ✓ Target: Draft Delta methylmercury TMDL target – 0.06 ng/L⁵
 - ✓ Target: Mercury concentrations of representative biosentinels (fish and avian) to be developed through technical studies
 - Performance Measure 6: Mercury exposure is at a safe level for all individuals that consume Bay-Delta fish
 - ✓ Target: Safe eating guidelines (also known as “advisories”) are developed for all waterbodies in the watershed where contaminant levels in fish are known or expected to be elevated.
 - ✓ Target: All individuals that consume Bay-Delta fish are aware of the health risks and benefits of eating Bay-Delta fish, and are familiar with measures to protect their health.⁶
 - ✓ Target: Human exposure to mercury, as measured in surveys or in biological samples such as blood or hair, is at safe levels in affected populations, including sensitive subpopulations.
- Levee System Integrity
- Performance Measure 1: KIM (Kilo-Inch-Mile) is an overall measure of net work to achieve the PL 84-99 standard.
 - ✓ Target: KIM = 0 (A zero KIM target represents that there is no additional work to be done to meet the standard)
 - Performance Measure 2: RKIM (Risk-adjusted-Kilo-Inch-Mile) is a measure of risk associated with inadequate and sub-standard levee maintenance
 - ✓ Target: RKIM = 0 (A zero KIM target represents no risk)
 - Performance Measure 3: Number of levee miles or islands with enhanced, above PL84-99, flood protection
 - ✓ Target: There are about 500 miles of levees in the Delta, including more than 400 miles of project levees, in the Delta at or above PL 84-99 standard
 - Performance Measure 4: Number of levee miles with electro-magnetic conductance anomalies quantified

³ These targets are protective of (a) humans eating 32 g/day of commonly consumed large fish; and (b) all wildlife species that consume large fish. There are populations that consume more than 32 g/day of Bay-Delta fish.

⁴ This target is protective of wildlife species that consume small fish.

⁵ There is a direct link between aqueous methylmercury concentrations and fish tissue concentrations. The draft methylmercury TMDL for the Delta concludes that reducing aqueous methylmercury concentrations to 0.06 ng/L should result in achievement of the fish tissue targets.

⁶ Increases in awareness and knowledge in affected populations can be measured using standard evaluation tools such as surveys, interviews, focus groups, etc.

- ✓ Target: 700 miles by December 2007.⁷
 - Performance Measure 5: Acreage of islands / tracks with subsidence control measures in areas that affect levee stability
 - ✓ Target: 700 acres on Sherman and Twitchell Islands
 - Performance Measure 6: Number of improvements to emergency response
 - ✓ Target: TBD
- Ecosystem Restoration
 - Performance Measure 1: Achieve recovery for CALFED “R” species
 - ✓ Target: Minimum viable population with risk of extinction not to exceed 5% chance over 100 years (including impacts from projected future stressors)
 - Performance Measure 2: Contribute to recovery for CALFED “r” species
 - ✓ Target: Stable or positive population trends or stable numbers at some predetermined benchmark (e.g., equal to pre-determined baseline).
 - Performance Measure 3: Conserve non-listed native species
 - ✓ Target: Stable or positive population trends
 - Performance Measure 4: Protect ecosystem integrity as measured in broad-based indicators of estuarine “health.”
 - ✓ Target: Diversity indices, community metrics, etc. (e.g., Shannon’s *H* or Simpson’s *D* and *E*) using a defined Delta-specific baseline (to be determined)
 - Performance Measure 5: Control and prevent invasive species.
 - ✓ Target: No new colonizations/no net increase in range or dominance of extant invaders
 - Performance Measure 6: Reduce or eliminate contaminant impacts to native flora and fauna, (and species upon which they depend)
 - ✓ Target: Reduction or remediation of known contaminants to the lesser of either: 1) the lower 95% confidence limit of the EC₁₀ (for non-lethal endpoints) or, 2) \leq LC₀₁ for the 95% most sensitive species (where mortality is the endpoint of concern).
 - Performance Measure 7: Sustain populations of (non-listed) harvested species.
 - ✓ Target: Double from Established Baseline (as prescribed within the CVPIA doubling objective for anadromous fish) or maintain stable populations (for other harvested taxa)

⁷ DWR offers reimbursements to the districts participating in the Electromagnetic Survey Program. To date, more than 20 LMA have chosen to take advantage of this program and about 400 miles of levees have been quantified.

2. PERFORMANCE MEASURES

A. Water Supply Reliability

Program Goals and Objectives

This section describes two proposed strategic objectives designed to provide a stable water supply from and within the Delta. The first strategic objective will be the focus of the CALFED Program, consistent with recommendations developed through the CALFED refocusing effort of 2005. The second strategic objective will be developed and evaluated primarily through the California Water Plan Update process, with significant coordination and communication between the Water Plan Update process and the CALFED Program.

Proposed Goal, Objectives and Initial Performance Measures

Strategic Objective 1: Enhance Stability of Delta Water Supplies (CALFED Focus)

- Performance Objective 1a: Provide water supply in sufficient quantity and timing to meet the regulatory baseline and additional contractual commitments for the protection of drinking water quality and ecosystem restoration.
 - Performance Measure 1a: The annual number of incidences when drinking water quality standards, environmental water quality, flow requirements, or other agreements related to SWP and CVP operations throughout the Delta are not met.
 - ✓ Target 1a1: Zero incidences of not meeting drinking water quality standards
 - ✓ Target 1a2: Zero incidences of not meeting environmental water quality and flow requirements, or other agreements throughout the Delta related to SWP and CVP operations.
- Performance Objective 1b: Increase the certainty of Delta water deliveries in the short-term.
 - Performance Measure 1b: Acre-feet of unexpected reductions in deliveries due to Delta export reductions to meet Endangered Species Act requirements or actions taken to protect at-risk Delta fish species during the current year.
 - ✓ Target 1b: Zero unexpected reductions in scheduled deliveries.
- Performance Objective 1c: Increase the certainty of Delta water deliveries relative to an estimated long-term delivery capability
 - Performance Measure 1c: Acre-feet of water delivered in a water year with a description of the conditions during the water year for each delivery (e.g. above average snowpack, salinity problems in Delta during July, etc.)
 - ✓ Target 1c: Probability-based long-term delivery capability estimate


Strategic Objective 2: Enhance End user Reliability

Long-term, sustainable, water supply reliability is best measured at the end user, capturing the balance of supply and demand considering all sources of supply and other water management strategies. DWR and other State agencies are encouraging the development of Integrated Regional Water Management Plans throughout California, as described in the 2005 California Water Plan Update. The water management goals and actions resulting from IRWM planning will be assessed on a statewide basis by DWR and other agencies through future California Water Plan Update processes. Specific indicators and targets will be developed in cooperation with local and regional agencies, in consideration of statewide and regional water management objectives. DWR and other agencies engaged in the California Water Plan

Update process will also develop protocols to communicate information to and solicit input from the CALFED Program on a regular basis.

Conceptual Model

The diagram below lays out the method for quantifying the SWP long-term deliveries as described under Target 1c above. It illustrates, from the top down, the types of (and relationships between) modeling inputs (a.k.a key water management drivers), operational components and constraints and modeling output. Note the presence of other program elements in the modeling inputs portion of the diagram. This emphasizes the relationships between Water Use Efficiency, Storage, Conveyance, and Transfers to Performance Measure 1c. Implementation (or assumptions regarding future implementation) of actions within each program element have the potential to affect the long-term estimates and hence, the long-term delivery target 1b.



B. Water Quality

Program Goals and Objectives and Initial Performance Measures

Goal: Provide good water quality for all beneficial uses.

- Objective 1: Provide safe, reliable, affordable drinking water at the intakes
 - Performance Measure 1: Annual averages of organic carbon and bromide at Delta intakes⁸
 - ✓ Target: Annual average of 50 µg/L bromide and
 - ✓ Target: 3.0 mg/L total organic carbon at Delta intakes
- Objective 2: Provide safe, reliable, affordable drinking water using a cost-effective combination of alternative water sources, source control, and treatment technologies
 - Performance Measure 2: Equivalent level of public health protection (i.e., equivalent to meeting targets for organic carbon and bromide above).
 - ✓ Target: Under development through technical studies
- Objective 3: Reduce toxicity to aquatic organisms in water and sediments⁹
 - Performance Measure 3: Toxicity to aquatic test organisms¹⁰ (water and sediment)
 - ✓ Target: No toxicity¹¹ from controllable sources
- Objective 4: Improve methods for identifying causes of toxicity¹²
 - Performance Measure 4: Tools for identifying causes of toxicity are added to currently available suite
 - ✓ Target: All causes and sources of toxicity of high magnitude, duration and frequency identified
- Objective 5: Reduce mercury in water and sediment to levels that do not adversely affect aquatic organisms, wildlife, and human health¹³
 - Performance Measure 5: Mercury concentrations in the tissue of representative Bay-Delta fish and wildlife species¹⁴
 - ✓ Target: Mercury levels in fish tissue are safe for consumption by humans and wildlife (Draft Delta methylmercury TMDL targets – 0.07 and 0.24 mg methylmercury/kg, in muscle tissue)

⁸ The CALFED Record of Decision , p.9, sets out this goal. There is a more specific goal to continuously improve source water for drinking water quality. Additionally, the ROD specifies the water quality targets cited here for water quality at the intakes.

⁹ CALFED Water Quality Program Plan, p 11-1

¹⁰ Toxicity will be measured using USEPA toxicity test methods. For water column toxicity, the freshwater species, *Pimephales promelas* (minnow), *Ceriodaphnic dubia* (invertebrate), and *Selenastrum capricornutum* (algae), are used. For sediment, *Hyallela azteca* (amphipod), is used.

¹¹ Toxicity is defined as a statistically significant difference in test organism performance (i.e., survival, growth, reproduction) compared to that in standard laboratory control water.

¹² Ecosystem Restoration Program Plan, Goal 6, Objective 1

¹³ Water Quality Program Plan, p.4-2

¹⁴ Most measures are in terms of methylmercury, the toxic form of mercury that is bioavailable and that bioaccumulates.

of trophic level 3 and 4 fish, respectively [150-500 mm total length]¹⁵ and 0.03 mg methylmercury/kg wet weight in whole fish less than 50 mm in length¹⁶)

- Driver indicator for mercury in fish tissue: Methylmercury concentrations in water.
 - ✓ Target: Draft Delta methylmercury TMDL target – 0.06 ng/L¹⁷
 - ✓ Target: Mercury concentrations of representative biosentinels (fish and avian) to be developed through technical studies
- Objective 6: Reduce exposure to mercury from consumption of Bay-Delta fish to levels that will protect humans from adverse health effects.¹⁸
 - Performance Measure 6: Mercury exposure is at a safe level for all individuals that consume Bay-Delta fish.
 - ✓ Target: Safe eating guidelines (also known as “advisories”) are developed for all waterbodies in the watershed where contaminant levels in fish are known or expected to be elevated.
 - ✓ Target: All individuals that consume Bay-Delta fish are aware of the health risks and benefits of eating Bay-Delta fish, and are encouraged to take measures to protect their health.¹⁹
 - ✓ Target: Human exposure to mercury, as measured in surveys or in biological samples like blood or hair, is at safe levels in affected populations, including sensitive subpopulations.

Initial Key Driver Indicators

Indicators for key drinking water quality drivers, discussed in the conceptual model summary below, are under development. For toxicity and mercury key drivers, and appropriate indicators, will be identified in Phase 2. These activities will be closely coordinated with DRERIP and, in the case of mercury, the Regional Board TMDL. Consideration of significant controllable factors which can be addressed through management actions will be a priority. Note that one driver for methylmercury production and biological exposure—methylmercury concentrations in water—has been incorporated as an indicator (PM 5).

Conceptual Model

Drinking Water

The drivers of drinking water quality at the intakes are the sources and fate of pollutants and Delta hydrodynamics. Delta hydrodynamics is driven by some factors that can be controlled (water operations, Delta bathymetry, and intake location) as well as uncontrollable factors such as natural hydrology. Water quality at the intakes, along with water quality of non-Delta sources, storage and conveyance, drives raw water quality, which is then subjected to treatment for distribution to consumers. Raw water quality, treatment plant characteristics, regulations, and socioeconomic issues (e.g., consumer expectations) drive water quality at the tap.

¹⁵ These targets are protective of (a) humans eating 32 g/day of commonly consumed large fish; and (b) all wildlife species that consume large fish. There are populations that consume more than 32 g/day of Bay-Delta fish.

¹⁶ This target is protective of wildlife species that consume small fish.

¹⁷ There is a direct link between aqueous methylmercury concentrations and fish tissue concentrations. The draft methylmercury TMDL for the Delta concludes that reducing aqueous methylmercury concentrations to 0.06 ng/L should result in achievement of the fish tissue targets.

¹⁸ Quantitative targets for Objective 6 will be developed in the next phase.

¹⁹ Increases in awareness and knowledge in affected populations can be measured using standard evaluation tools such as surveys, interviews, focus groups, etc

Toxicity


The concentration of a contaminant to which an aquatic organism is exposed (i.e., exposure concentration) is driven by watershed hydrology, chemical use and origin, habitat properties, contaminant properties, and hydrodynamics and sediment transport. Among these, only the watershed hydrology cannot be controlled in some way. However, one cannot determine the toxicity of a contaminant or mixture of contaminants using measurements of the exposure concentration alone because toxicity depends on how much of a contaminant is available for the organism to take up (i.e., bioavailable concentration). The bioavailable concentration of a contaminant depends on the contaminant properties, organism properties, and the properties of the habitat in which the organism lives. Once the organism uptakes the contaminant, organism properties, metabolism, the contaminant's mode of action, the exposure regime and effects of contaminant mixtures ultimately determines the toxic effects at the individual level. Depending on the degree of effects at the individual level, there could be population effects that then drive the population size and structure.

The model for toxicity is very generic because specifics only can be estimated if the contaminant of concern is identified. Organisms, either in the field or the laboratory, may exhibit toxic effects, but the cause can only be determined through a series of sample manipulations and chemical analysis (i.e., toxicity identification evaluation).

Mercury

Drivers that affect mercury cycling in the environment include mercury sources (such as atmospheric deposition and mines), mercury speciation, sediment properties (such as grain size and redox potential), water properties (such as dissolved oxygen and suspended sediment concentrations), habitat characteristics and hydrodynamics. Inorganic mercury is transformed into the more toxic methylmercury through the process of mercury methylation. Most mercury methylation occurs as a result of microbial activity in the sediments and results in methylmercury in sediments and water. A substantial portion of mercury methylation occurs in wetland environments because the bacteria that methylate mercury are more prevalent in anoxic sediments. A portion of this methylmercury is transported to other areas outside of the Bay-Delta. Some methylmercury in sediments and water is transferred to the biota and moves through the food web. The process of bioaccumulation results in higher concentrations of methylmercury at higher trophic levels. Humans and wildlife who eat fish and other species contaminated with high levels of methylmercury are at risk for health effects.

Key:
 Blue arrows = drivers / potential management actions
 Yellow arrows = drivers/ uncontrollable factors
 Green arrows = outcomes



C. Levee System Integrity

Program Goals, Objectives, and Initial Performance Measures

Goal: To reduce the risk to land use and associated economic activities, water supply, infrastructure, and the ecosystem from catastrophic breaching of Delta levees

- Objective 1: Improve and maintain Delta levees to the Public Law 94-99 (PL 84-99) standard
 - Performance Measure 1: KIM (Kilo-Inch-Mile) is an overall measure of net work to achieve the PL 84-99 standard.
 - ✓ Target: KIM = 0 (A zero KIM target represents that there is no additional work to be done to meet the standard)
 - Performance Measure 2: RKIM (Risk-adjusted-Kilo-Inch-Mile) is a measure of risk associated with inadequate and sub-standard levee maintenance
 - ✓ Target: RKIM = 0 (A zero KIM target represents no risk)
- Objective 2: Improve and maintain levees at key Delta locations to a level commensurate with the benefits provided
 - Performance Measure 3: Number of levee miles or islands with enhanced, above PL84-99, flood protection
 - ✓ Target: There are about 500 miles of levees in the Delta, including more than 400 miles of project levees, in the Delta at or above PL 84-99 standard
 - Performance Measure 4: Number of levee miles with electro-magnetic conductance anomalies quantified
 - ✓ Target: 700 miles by December 2007.²⁰
- Objective 3: Reduce or eliminate the risk to the levee system from subsidence
 - Performance Measure 5: Acreage of islands / tracks with subsidence control measures in areas that affect levee stability
 - ✓ Target: 700 acres on Sherman and Twitchell Islands
- Objective 4: Enhance existing emergency management and response capabilities to protect critical Delta resources in the event of a disaster.
 - Performance Measure 6: Number of improvements to emergency response
 - ✓ Target: TBD²¹
- Objective 5: Identify risk to Delta levees from seismic events and develop recommendations to reduce levee vulnerability and improve their seismic stability. This item will be evaluated in DRMS.

²⁰ DWR offers reimbursements to the districts participating in the Electromagnetic Survey Program. To date, more than 20 LMA have chosen to take advantage of this program and about 400 miles of levees have been quantified.

²¹ The Flood Operations Center is preparing an Emergency Operations Plan for the Delta which considers single and multiple breaches and formulates a flood fighting plan. DWR is also providing SEMS training for staff. Additionally, staff has been able to form a regional emergency response committee with county and city officials being active participants.

D. Ecosystem Restoration

The Ecosystem Restoration Subgroup intends to address performance measures in the following fashion. In the long-term, we will be using the strategy outlined in this document. In the short-term, the Ecosystem Restoration Subgroup of the Performance Measures subcommittee will convene during Summer of 2007 (pending new hires at DFG) to begin a more formal evaluation of existing measures; and, if deemed appropriate, begin the process of defining or revising interim performance measures to serve until implementation of full performance measures is possible. Outcome indicators will be finalized, and their associated quantitative metrics derived within this short-term timeframe, as these represent the logical first step as we translate management objectives downwards through the finer details of adaptive management to their underlying ecosystem processes. The following tasks are involved within the process of translating Program Objectives and Goals to quantitative performance metrics and implementing these into the larger framework of adaptive management. To implement performance measures, the Ecosystem Restoration subgroup shall:

- Define performance measures that meet Program objectives
- Select quantitative and specific performance indicators (metrics)
- Factor uncertainty into these metrics
- Incorporate a *safety margin* within indicators (risk-based approach)
- Base indicators upon peer-reviewed models describing ecosystem functions
- Develop predictive models of indicator response, quantitative where possible
- Design a monitoring program to track these indicators
- Identify research needs from information gaps
- Refine and update working models
- Evaluate Program performance on a regular basis
- Continually evaluate and refine performance measures

Program Goals and Objectives

Following are the founding goals and objectives from the CALFED ROD:

Goal 1: Endangered and At-Risk Species and Native Biotic Communities: Achieve recovery of at-risk species dependent on the Delta and Suisun Bay as the first step toward establishing large, self-sustaining populations of these species; support similar recovery of at-risk native species in San Francisco Bay and the watershed above the estuary; and minimize the need for future endangered species listings by reversing downward population trends of native species not listed.

- **Objective 1:** Achieve, first, recovery and then large self-sustaining populations of the following at-risk native species dependent on the Delta, Suisun Bay, and Suisun Marsh: Central Valley winter-, spring-, and fall/late fall-run Chinook salmon ESUs, Central Valley steelhead ESU, delta smelt, longfin smelt, Sacramento splittail, green sturgeon, valley elderberry longhorn beetle, Suisun ornate shrew, Suisun song sparrow, soft bird's-beak, Suisun

thistle, Mason's lilaepsis, San Pablo song sparrow, Lange's metalmark butterfly, Antioch Dunes evening primrose, Contra Costa wallflower, and Suisun marsh aster.

- Objective 2: Contribute to the recovery of the following at-risk native species in the Bay-Delta estuary and its watershed: Sacramento perch, delta green ground beetle, giant garter snake, salt marsh harvest mouse, riparian brush rabbit, San Pablo California vole, San Joaquin Valley woodrat, least Bell's vireo, California clapper rail, California black rail, little willow flycatcher, bank swallow, western yellow-billed cuckoo, greater sandhill crane, Swainson's hawk, California yellow warbler, salt marsh common yellowthroat, Crampton's tuctoria, Northern California black walnut, delta tule pea, delta mudwort, bristly sedge, delta coyote thistle, alkali milkvetch, and Point Reyes bird's-beak.
- Objective 3: Enhance and /or conserve native biotic communities in the Bay-Delta estuary and its watershed, including the abundance and distribution of the following biotic assemblages and communities: native resident estuarine and freshwater fish assemblages, anadromous lampreys, neotropical migratory birds, wading birds, shore birds, waterfowl, native anuran amphibians, estuarine plankton assemblages, estuarine and freshwater marsh plant communities, riparian plant communities, seasonal wetland plant communities, vernal pool communities, aquatic plant communities, and terrestrial biotic assemblages associated with aquatic and wetland habitats.
- Objective 4: Maintain the abundance and distribution of the following species: hardhead western least bittern, California tiger salamander, western spadefoot toad, California red-legged frog, western pond turtle, California freshwater shrimp, recurved larkspur, mad-dog skullcap, rose-mallow, eel-grass pondweed, Colusa grass, Boggs Lake hedge-hyssop, Contra Costa goldfields, Greene's legenera, heartscale, and other species designated "maintain" in the Multi-Species Conservation Strategy.

Goal 2: Ecological Processes: Rehabilitate natural processes in the Bay-Delta estuary and its watershed to fully support, within minimal ongoing human intervention, natural aquatic and associated terrestrial biotic communities and habitats, in ways that favor native members of those communities.

- Objective 1: Establish and maintain hydrologic and hydrodynamic regimes for the Bay and Delta that support the recovery and restoration of native species and biotic communities, support the restoration and maintenance of functional natural habitats, and maintain harvestable species.
- Objective 2: Increase estuarine productivity and rehabilitate estuarine food web processes to support the recovery and restoration of native estuarine species and biotic communities.
- Objective 3: Rehabilitate natural processes to create and maintain complex channel morphology, in-channel islands, and shallow water habitat in the Delta and Suisun Marsh.
- Objective 4: Create and/or maintain flow and temperature regimes in rivers that support the recovery and restoration of native aquatic species.
- Objective 5: Establish hydrologic regimes in streams, including sufficient flow timing, magnitude, duration, and high flow frequency, to maintain channel and sediment conditions supporting the recovery and restoration of native aquatic and riparian species and biotic communities.
- Objective 6: Reestablish floodplain inundation and channel-floodplain connectivity of sufficient frequency, timing, duration, and magnitude to support the restoration and maintenance of functional natural floodplain, riparian, and riverine habitats.
- Objective 7: Restore coarse sediment supplies to sediment-starved rivers downstream of reservoirs to support the restoration and maintenance of functional natural riverine habitats.

- Objective 8: Increase the extent of freely meandering reaches and other pre-1850 river channel forms to support the restoration and maintenance of functional natural riverine, riparian, and floodplain habitats.

Goal 3: *Harvested Species:* Maintain and/or enhance populations of selected species for sustainable commercial and recreational harvest, consistent with other ERP strategic goals.

- Objective 1: Enhance fisheries for salmonids, white sturgeon, pacific herring, and native cyprinid fishes.
- Objective 2: Maintain, to the extent consistent with ERP goals, fisheries for striped bass, American shad, signal crayfish, grass shrimp, and nonnative warmwater gamefishes.
- Objective 3: Enhance, to the extent consistent with ERP goals, fisheries for striped bass, American shad, signal crayfish, grass shrimp, and nonnative warmwater gamefishes
- Objective 4: Ensure that Chinook salmon, steelhead, trout, and striped bass hatchery, rearing, and planting programs do not have detrimental effects on wild populations of native fish species and ERP actions.

Goal 4: *Habitats:* Protect and/or restore functional habitat types in the Bay-Delta estuary and its watershed for ecological and public values such as supporting species and biotic communities, ecological processes, recreation, scientific research, and aesthetics.

- Objective 1: Restore large expanses of all major habitat types, and sufficient connectivity among habitats, in the Delta, Suisun Bay, Suisun Marsh, and San Francisco Bay to support recovery and restoration of native species and biotic communities and rehabilitation of ecological processes. These habitat types include tidal marsh (fresh, brackish, and saline), tidal perennial aquatic (including shallow water and tidal flats), non-tidal perennial aquatic, tidal sloughs, midchannel island, and shoal, seasonal wetlands, riparian and shaded riverine aquatic, inland dune scrub, upland scrub, and perennial grasslands.
- Objective 2: Restore large expanses of all major aquatic, wetland, and riparian habitats, and sufficient connectivity among habitats, in the Central Valley and its rivers to support recovery and restoration of native species and biotic communities and rehabilitation of ecological processes. These habitat types include riparian and shaded riparian aquatic, in-stream, fresh emergent wetlands, seasonal wetlands, other floodplain habitats, lacustrine, and other freshwater fish habitats.
- Objective 3: Protect tracts of existing high quality major aquatic, wetland, and riparian habitat types, and sufficient connectivity among habitats, in the Bay-Delta estuary and its watershed to support recovery and restoration of native species and biotic communities, rehabilitation of ecological processes, and public value functions.
- Objective 4: Minimize the conversion of agricultural land to urban and suburban uses and maintain open space buffers in areas adjacent to existing and future restored aquatic, riparian, and wetland habitats, and manage agricultural lands in ways that are favorable to birds and other wildlife.
- Objective 5: Manage the Yolo and Sutter Bypasses as major areas of seasonal shallow water habitat to enhance native fish and wildlife, consistent with CALFED Program objectives and solution principles.

Goal 5: *Nonnative Invasive Species:* Prevent the establishment of additional non-native invasive species and reduce the negative ecological and economic impacts of established non-native species in the Bay-Delta estuary and its watershed.

- Objective 1: Eliminate further introductions of new species from the ballast water of ships into the Bay-Delta estuary.
- Objective 2: Eliminate further introductions of new species from imported marine and freshwater baits into the Bay-Delta estuary and its watershed.

- Objective 3: Halt the unauthorized introduction and spread of potentially harmful non-native introduced species of fish and other aquatic organisms in the Bay-Delta and Central Valley.
- Objective 4: Halt the release of non-native introduced fish and other aquatic organisms from private aquaculture operations and the aquarium and pet trades into the Bay-Delta estuary, its watershed, and other California waters.
- Objective 5: Halt the introduction of non-native invasive aquatic and terrestrial plants into the Bay-Delta estuary, its watershed, and other Central California waters.
- Objective 6: Reduce the impact of non-native mammals on native birds, mammals, and other organisms.
- Objective 7: Limit the spread or, when possible and appropriate, eradicate populations of non-native invasive species through focused management efforts.
- Objective 8: Prevent the invasion of the zebra mussel into California.

Goal 6: Water and Sediment Quality: Improve and/or maintain water and sediment quality conditions that fully support healthy and diverse aquatic ecosystems in the Bay-Delta estuary and watershed; and eliminate, to the extent possible, toxic impacts to aquatic organisms, wildlife and people.

- Objective 1: Reduce the loadings and concentrations of toxic contaminants in all aquatic environments in the Bay-Delta estuary and watershed to levels that do not adversely affect aquatic organisms, wildlife and human health.
- Objective 2: Reduce loadings of oxygen-depleting substances from human activities into aquatic ecosystems in the Bay-Delta estuary and watershed to levels that do not cause adverse ecological effects.
- Objective 3: Reduce fine sediment loadings from human activities into rivers and streams to levels that do not cause adverse ecological effects.

Initial Performance Measures

Full derivation of the necessary suite of initial performance measures has not been completed to date, and is expected to continue through 2008. Appendix C.2 lays out the conceptual foundation and framework for the Ecosystem Restoration performance measures effort, from which the next steps towards final development, adoption, monitoring, and reassessment of performance measures will proceed in our next phase of planning. Below we present the initial approach to performance measures for ERP as translated from the founding goals and objectives within the ROD.

- Following ERP Goal 1: Achieve recovery of at-risk native species dependent on the Delta and Suisun Bay as the first step toward establishing large, self-sustaining populations of these species; support similar recovery of at-risk native species in San Francisco Bay and the watershed above the estuary; and minimize the need for future endangered species listings by reversing downward population trends of native species that are not listed.
 - Performance Measure 1: Tracking recovery for CALFED “R” species
 - ✓ Target: Minimum Viable Population with risk of extinction not to exceed 5% chance over 100 years (including impacts from projected future stressors)
 - Performance Measure 2: Tracking contribution towards recovery for CALFED “r” species
 - ✓ Target: Stable or Positive Population trends or stable numbers at some predetermined benchmark (e.g., equal to pre-determined baseline).
 - Performance Measure 3: Tracking conservation of non-listed native species
 - ✓ Target: Stable or Positive Population trends

- **Following ERP Goal 2:** Rehabilitate natural processes in the Bay-Delta estuary and its watershed to fully support, with minimal ongoing human intervention, natural aquatic and associated terrestrial biotic communities and habitats, in ways that favor native members of those communities.
 - **Driver Indicator(s):** Reflected in the suite of driver indicators designed to alleviate critical limiting factors for a suite of species to include, but not limited to, all R species, POD species, BDCP species.
- **Following ERP Goal 3:** Maintain and/or enhance populations of selected species for sustainable commercial and recreational harvest, consistent with the other ERP strategic goals.
 - **Performance Measure 7:** For non-listed harvested species, tracking recovery of populations of anadromous fish as prescribed within the CVPIA doubling objective and maintenance of stable populations of other harvested taxa.
 - ✓ **Target:** Double from Established Baseline or maintain stable populations
- **Following ERP Goal 4:** Protect and/or restore functional habitat types in the Bay-Delta estuary and its watershed for ecological and public values such as supporting species and biotic communities, ecological processes, recreation, scientific research, and aesthetics.
 - **Performance Measure 4:** To the extent that it is not encompassed within recovery objectives associated with “R” and “r” species, tracking the protection of ecosystem integrity as measured in broad-based indicators of estuarine “health.”
 - ✓ **Target:** : Diversity indices, community metrics, etc. (e.g., Shannon’s *H* or Simpson’s *D* and *E*) using a defined Delta-specific baseline (to be determined).

Most notable among the species not explicitly encompassed with the CALFED designated species of concern (“R” and “r” lists) are migratory birds that utilize habitats ranging from open waters to upland estuarine margins. These will need to be covered by a relevant performance metric(s) to track habitat utility to these particular species. It is also presumed that broader protections for other native taxa (e.g., native amphibians, reptiles, plants, small mammals, etc.) are possible through generally preserving heterogeneity of habitat types and physiognomy and the quality of these natural habitats.

- **Following ERP Goal 5:** Prevent the establishment of additional nonnative invasive species and reduce the negative ecological and economic impacts of established nonnative species in the Bay-Delta estuary and its watershed.
 - **Performance Measure 5:** Tracking the allocation of resources and performance of invasive exotic prevention programs, and eradication efforts.
 - ✓ **Target:** No new colonizations/no net increase in range or dominance of extant invaders

The Draft California Aquatic Invasive Species Management Plan (CDFG, 2006) has been developed and is currently under review by the Federal Aquatic Nuisance Species Task Force pending final approval. Performance Measures for invasive species prevention and eradication will likely be derived from this already extant management plan.

- **Following ERP Goal 6:** Improve and/or maintain water and sediment quality conditions that fully support healthy and diverse aquatic ecosystems in the Bay-Delta estuary and watershed; and eliminate, to the extent possible, toxic impacts to aquatic organisms, wildlife, and people.
 - **Performance Measure 6:** Tracking the survival and reproduction of exposed populations and community components upon which these species depend.

The target for contaminant-related performance measures will be based on the reduction or remediation of known contaminants to the lesser of either: 1) the lower 95% confidence limit of the EC₁₀ (for non-lethal endpoints) or, 2) ≤

LC₀₁ for the 95% most sensitive species (where mortality is the endpoint of concern). Additionally, ongoing monitoring and research for emerging contaminants shall be implemented to detect and identify new exogenous toxicants as they detrimentally impact native species within the Delta. These criteria are based upon currently accepted EPA guidelines for acute water quality standards (lethal concentrations), and chronic standards for bioaccumulative contaminants and wildlife protection (Reiley et al., 2003; An et al., 2006; Sparks, 2000).


Example Performance Measures: The Lange’s Metalmark Butterfly

Performance measures shall be based upon conceptual models currently under development through the DRERIP process. One such model (in draft form²²) appears in the figure below.

Basically, the DRERIP format specifies a color-coding scheme that indicates the importance, predictability, and understanding associated with particular drivers and linkages tied to key outcomes for the species of interest. Through this process, key limiting factors and our understanding of the mechanics driving population status are readily expressed in graphical format. The performance measures process within the Ecosystem Restoration subgroup will rely on such models (among others), and the associated narratives (not provided herein) to derive appropriate performance measures (outcomes, targets, and monitoring metrics). Initial measures for the Lange’s Metalmark appear following the conceptual model graph.

DRAFT

Lange’s metalmark butterfly



Importance	Understanding	Predictability
High - thick line	High - green arrow	High - solid line
Med - medium line	Med - blue arrow	Med - dashed line
Low - thin line	Low - red arrow	Low - dotted line

Blue text = Habitat preference for life stage
 Note: Larvae and adult icons in graphic do not accurately portray the true appearance of the metalmark butterfly

²² This model has not been peer reviewed as of this writing.

- Performance Measure: Population status of Lange's Metalmark
 - ✓ Target: Maintain a five year moving average count of Lange's metalmark adults (based on flight season peak population counts) of 2000 individuals²³.
- Driver Indicator (predominant driver): Maintain densities of auriculate naked-stemmed buckwheat (host plant) within the critical Antioch Dunes habitat for the Lange's Metalmark at a minimum percent cover of X²⁴%. (Control measures to increase host plant density include firebreak maintenance and carefully managed disking).
- Driver Indicator (indirect driver): Reduce invasive plant species in inverse proportion to the density of the host species (metric to be defined), through scraping to expose sandy soils and careful use of herbicides.

²³ Note, this figure was based on prior baselines, and not specific PVA approach as mentioned for the overall framework. Therefore, this figure should be regarded as both "draft" and "interim."

²⁴ A figure for host plant density has not been derived to date.

3. IMPLEMENTATION PLAN

Relationship to Other Delta Efforts

Development of performance measures is one of several efforts currently underway to plan for the Delta's future management, including the Delta Vision process (DV), Delta Regional Ecosystem Restoration Implementation Plan (DRERIP), Delta Risk Management Strategy (DRMS), Bay-Delta Conservation Plan (BDCP), Stage 2 Decisions, Comprehensive Monitoring, Assessment and Research Program (CMARP III), Interagency Ecological Program (IEP), and the pelagic organism decline (POD) investigation. Below we briefly describe these efforts.

Delta Vision/Delta Strategic Plan (DV). (<http://www.deltavision.ca.gov/>) DV will be a plan for a sustainable delta and will: 1) *assess the risks* and consequences to the Delta's many uses and resources in light of changing climatic, hydrologic, environmental, seismic, and land use conditions; 2) *develop a program* for sustainable management of the Delta's multiple uses, resources, and ecosystem; 3) *develop a Strategic Plan* to implement public policy changes, investment strategies, emergency response plans, level maintenance options, and monitoring and reporting on performance; and 4) *develop recommendations on institutional changes* and funding mechanisms. The Plan will also encompass and integrate many separate planning efforts. The Delta Vision Strategic Plan will be developed by a *cabinet-level committee* chaired by the Secretary of the Resources Agency. The Committee will report with recommendations for implementing the Delta Vision and Strategic Plan. In addition, there will be *Blue Ribbon Task Force* which will prepare an independent public report on the sustainable management of the Delta, and a Strategic Plan to implement the Delta Vision.

Delta Regional Ecosystem Restoration Implementation Plan (DRERIP). The Delta Regional Ecosystem Restoration Implementation Plan is one of four regional plans intended to guide the implementation of the CALFED Ecosystem Restoration Program (ERP) element. The DRERIP will refine the planning foundation specific to the Delta, refine existing and develop new Delta specific restoration actions and provide Delta specific implementation guidance, program tracking, performance evaluation and adaptive management feedback. One of the key components of DRERIP is the development of Species and Ecosystem Conceptual Models.

Delta Risk Management Strategy (DRMS). The 2000 CALFED Record of Decision presented its Preferred Program Alternative that described actions, studies, and conditional decisions to help fix the Delta. Included in the Preferred Program Alternative for Stage 1 implementation was the completion of a Delta Risk Management Strategy (DRMS) that would look at sustainability of the Delta, and that would assess major risks to the Delta resources from floods, seepage, subsidence, and earthquakes. DRMS would also evaluate the consequences, and develop recommendations to manage the risk. The report is due to the Legislature no later than January 1, 2008.

Bay Delta Conservation Plan (BDCP). The BDCP is one of the key actions called for in the CALFED 10-Year Action Plan and will be implemented over the next 3-4 years. It is a voluntary mechanism for Bay-Delta system water users to comply with the Federal Endangered Species Act and the California Endangered Species Act to attain incidental take coverage via a Habitat Conservation Plan (HCP) and Natural Community Conservation Plan (NCCP). The first step is for a steering committee is negotiating an agreement to identify which water users are interested in securing coverage and which activities they would like to have covered, and to describe which species are covered and the geographic scope needed to encompass the range of covered species. The intent is to have substantial progress made by end of 2007.

Plan for Stage 2 Activities. The CALFED Program is a 30-year Federal and State Program to fund and implement fish and wildlife restoration efforts in California's Bay- Delta and Central Valley while assuring water quality, water supply reliability, and levee stability for all uses. The first stage of the CALFED Program will last seven years, after which a series of questions would be answered in order to collectively and collaboratively determine the activities for the next stage (Stage 2). At present, the CALFED implementing agencies are in the process of evaluating the end of Stage 1, and planning for Stage 2.

Comprehensive Monitoring, Assessment, and Research Program (CMARP III). There have been three stages to CMARP. Stage I (1997-1998) involved the development of a joint proposal to design a Comprehensive Monitoring, Assessment, and Research Program (CMARP) for CALFED. Stage II (1998-1999) involved the design of CMARP. Stage III (2000 to present) is focused on implementing CMARP. This program will include strategies to monitor key system attributes and indicators, to undertake focused assessment and research to obtain better technical understanding, and to facilitate the transfer of technical information to decision makers. The data and technical conclusions generated through CMARP will be integrated into an adaptive management program designed to inform the CALFED decision-making process.

Interagency Ecological Program (IEP). IEP consists of ten member agencies, three State (Department of Water Resources, Department of Fish and Game, and State Water Resources Control Board), six Federal (Fish and Wildlife Service, Bureau of Reclamation, Geological Survey, Army Corps of Engineers, National Marine Fisheries Service, and Environmental Protection Agency), and one non-government organization (The San Francisco Estuarine Institute). These ten program partners work together to develop a better understanding of the estuary's ecology and the effects of the State Water Project (SWP) and Federal Central Valley Project (CVP) operations on the physical, chemical, and biological conditions of the San Francisco Bay-Delta estuary.

The Environmental Monitoring Program (EMP) for the Sacramento-San Joaquin Delta, Suisun Bay, and San Pablo Bay is conducted under the auspices of IEP. The EMP was initiated in 1971 in compliance with California State Water Resources Control Board (SWRCB) Water Right Decision D-1379 and continued from 1978 through 1999 under D-1485. Currently it is mandated by Water Right Decision D-1641. The program is carried out jointly by the two water right permittees operating the California water projects, the United States Bureau of Reclamation (USBR) and the California Department of Water Resources (DWR). Assistance is provided by the California Department of Fish and Game (CDFG) and the United States Geological Survey (USGS). The primary purpose of the IEP EMP is to provide necessary information for compliance with flow-related water quality standards specified in the water right permits. In addition, the EMP also provides information on a wide range of chemical, physical and biological baseline variables.

Pelagic Organism Decline (POD). In 2004, IEP managers reported a marked decline in abundance of four pelagic (i.e., open-water dwelling) fish species (i.e., delta smelt, longfin smelt, striped bass, and threadfin shad) in the Sacramento-San Joaquin Delta. Data from the Department of Fish and Game's surveys indicated the decline began in 2001 and has continued through 2006 despite an increase in Delta outflow in 2005 and 2006. IEP researchers also observed a decline in important zooplankton (i.e., fish food) species coincident with the declines in pelagic fish species. In mid-2005, IEP launched investigations into the cause of the Delta species declines. The initial studies aimed to determine what changed at the same time as the decline, how and why the change occurred, and whether it could affect pelagic organism populations. These studies focused on three major categories influencing fish abundance: physical and chemical habitat, loss (through predation or entrainment), and food availability.

Central Valley Drinking Water Policy. A multi-year effort is currently underway to develop a drinking water policy for surface waters of the Central Valley. As the water from the tributaries to the Sacramento and San Joaquin rivers flows out of the foothills and into the valley, pollutants from a variety of urban, industrial, agricultural, and natural sources affect the quality of the water and can lead to drinking water treatment challenges and potential public health concerns. The Central Valley Drinking Water Policy Workgroup (Workgroup), comprised of interested stakeholders and technical experts, has initiated the technical work that will lead to adoption of a policy as a Basin Plan amendment in 2009.

End of Stage 1 Water Quality Final Assessment The CALFED ROD includes a milestone for its Water Quality Program, on behalf of the BDPAC Water Quality Subcommittee, to produce a Final Stage 1 Assessment. In the CALFED 10-Year Action Plan (2005), the Water Quality Program is committed to collect and synthesize available drinking water quality information to determine if a Through-Delta facility is a cost-effective way to achieve water quality improvements, by the end of 2007. In addition to these requirements, the Initial Program Assessment indicated that water quality performance could only be determined once the full system was better quantified. The Final Stage 1 Assessment is building off of existing studies to fully develop watershed and Delta intake information, developing new information (conceptual model, data

assessment) with respect to "an equivalent level of public health", and synthesizing this information with Conveyance and Storage project analyses to present the status of our knowledge of Delta drinking water quality. This report will include the development of initial performance measures, priorities for Stage 2, and an analysis of monitoring and research needs.

Regional Water Board Total Maximum Daily Loads.

San Joaquin River Salinity and Boron Upstream of Vernalis. In Water Rights Decision 1641, the State Water Board directed the Regional Board to adopt water quality objectives for salinity in the lower San Joaquin River upstream of Vernalis. The Regional Board will develop a TMDL as part of the process used to adopt water quality objectives. The TMDL will apply to the portion of the San Joaquin River that is listed on the 303(d) list, which extends upstream to the Mendota Pool. This TMDL will expand on work previously completed in the Vernalis TMDL and will adjust the implementation framework presently in the Basin Plan to implement the upstream TMDL throughout the San Joaquin River watershed. A Board hearing for this TMDL is tentatively scheduled for the end of 2008.

Delta Mercury. This TMDL will set mercury fish tissue objectives for the Delta and establish methylmercury and total mercury load allocations for the principal sources entering the Delta, including discharges from wetlands, NPDES facilities, urban areas; and discharges associated with dredging and flood control and water management. The proposed Basin Plan amendment requires responsible parties to conduct studies to evaluate how compliance with load allocations can be achieved. The amendment²⁵ would require the Regional Board to re-evaluate the load allocations and implementation strategies before the date of compliance with load allocations. In anticipation that not all dischargers will be able to meet the proposed allocations, staff is working with stakeholders to develop an offset program.

San Joaquin River Dissolved Oxygen. The San Joaquin River regularly exhibits periods of low dissolved oxygen (DO) concentrations in the first few miles of the Stockton Ship Channel downstream from the City of Stockton. There are three main factors contributing low DO levels: loads of oxygen demanding substances entering the channel from upstream, the geometry of the channel (that has been deepened significantly over natural conditions to accommodate shipping) and reduced flow resulting from water management in the San Joaquin River basin. The low DO poses a threat to migrating salmon trying to enter and leave the San Joaquin River and to resident species.

The Basin Plan Amendment and Dissolved Oxygen Control Program that implement the DO TMDL was adopted by the Regional Board in January 2005 and approved by USEPA in March 2007. The Control Program addresses the three factors contributing to the impairment. It is phased to allow the gathering of information and completion of studies needed to make more detailed allocations regarding the load factor. Source and linkage studies will be completed in December of 2008. assure that this information is obtained, the TMDL requires submission of a study plan from entities responsible for the various sources of oxygen demand. Discharge of all oxygen demanding substances and their precursors are prohibited if flow in the DWSC is less than 3,000 cfs unless the discharge is regulated by a waiver of waste discharge requirements, individual or general waste discharge requirements, or NPDES permits which implement the TMDL. Modeling studies supported by CALFED's Ecosystem Restoration Program are underway to evaluate algae production in the San Joaquin River, as it is related to oxygen demand in the river and Delta. After the results of the studies are obtained, a final DO TMDL will be developed in 2009.

Portions of the DO implementation plan will continue to be refined by Regional Board staff through additional studies and through the stakeholder process. The December 2011 prohibition of discharge for oxygen demanding substances is

²⁵ A revised draft Basin Plan amendment containing the objectives and TMDL implementation plan was released in February 2007. The proposed water quality objectives are expressed in terms of methylmercury concentrations in fish tissue at levels considered protective of fish, wildlife and human health. The implementation plan addresses two basic approaches for meeting objectives: reducing inorganic mercury in the system and controlling methylmercury.

scheduled for reconsideration by the Regional Board in December 2009 based on the results of oxygen demand and precursor studies and prevailing DO conditions in the DWSC.²⁶

Old and Middle River Dissolved Oxygen. TMDLs and basin plan amendments will be developed for Old and Middle River in conjunction with on-going review and development of the dissolved oxygen TMDL for the Deep Water Ship Channel portion of the San Joaquin River. A technical report is scheduled for completion in June 2008.

San Joaquin River Selenium. Three TMDLs addressing selenium sources and loading in the San Joaquin Basin are in place and being implemented: a San Joaquin River selenium TMDL (2000), Grasslands Marshes TMDL (2000), and Salt Slough TMDL (1999). TMDL load limits were incorporated into revised Waste Discharge Requirements in July 2001. The waste discharge requirements set targets, decreasing over time, for allowable selenium loads into Mud Slough, a tributary to the San Joaquin River. Although in compliance with the WDR, loads at the present time exceed the ultimate goal of meeting selenium objectives for the River. A TMDL report was submitted to US EPA documenting that existing regulatory programs were in place that would address the impairment. Regional Water Board staff are working with agencies and stakeholders in support of continuing data collection and monitoring related to the Waste Discharge Requirements.

San Joaquin River Diazinon and Chlorpyrifos – Adopted October 2005. The San Joaquin River is on the 303(d) list because diazinon and chlorpyrifos were present in the water at levels that violated the Basin Plan narrative toxicity objective. The threat to aquatic life was the most significant impairment. The principle source of diazinon and chlorpyrifos was runoff following applications of diazinon as a dormant orchard spray and irrigation runoff. Other less significant sources included urban stormwater runoff and discharges from wastewater treatment plants.

The Basin Plan amendment adopted in October 2005 established diazinon and chlorpyrifos water quality objectives for the San Joaquin River, established load allocations for tributaries and prohibited the discharge of diazinon and chlorpyrifos after 1 July 2008 unless the objectives and load allocations are being met. The amendment also required dischargers of diazinon and chlorpyrifos to submit management plans that describes actions that will be implemented to meet the allocations. The amendment required monitoring to document program success. Changes in practices have already been implemented that have greatly reduced the concentrations of diazinon in our rivers and the Delta. Staff is working with the coalitions and growers on management plans.

Delta Diazinon and Chlorpyrifos – Adopted June 2006. The Delta TMDL is patterned largely on the provisions adopted by the Regional Board for the San Joaquin River (see description above). The amendment included a listing of the specific Delta waterways where the provisions apply (essentially all waters that are hydrologically connected by surface water flows to the Sacramento and/or San Joaquin Rivers). The Regional Board adopted the basin plan amendment in June 2006. The State Board will consider approving the basin plan amendment in May 2007.

Central Valley Pesticides. During the development of earlier basin plan amendments, the public and Board raised concerns about the inefficiency of the current approach of adopting TMDLs waterbody by waterbody and pesticide by pesticide. Therefore, staff is currently developing information to address pesticide water quality problems on a much broader scale (more pesticides and more water bodies in one comprehensive TMDL). The effort would involve development of water quality objectives for several pesticides, confirmation of aquatic life beneficial uses for potentially hundreds of natural waterways currently not identified in the Basin Plan, development of narrative sediment quality objectives, monitoring and source analysis, and extensive internal and external coordination (e.g., 8 coalition groups, Farm Bureau, DPR). Three CEQA scoping meetings were held in February 2006. We anticipate bringing this to the Regional Board in June 2009.

²⁶ The Department of Water Resources is sponsoring a demonstration aeration project in the Deep Water Ship Channel, due to start by 2008.

A. Water Supply Reliability

Approach Overview

Historically, the CALFED Program objective for water supply reliability has been to “reduce the mismatch between Bay-Delta water supplies and current and projected beneficial uses dependent on the Bay-Delta system.” Another way to state the goal is to establish acceptable balance of Bay-Delta water used to protect resources within the Bay-Delta System and water used to meet demands outside the Bay Delta System. In order to assess how well Program actions are fulfilling the intent of this objective directly at least two things must be considered: (1) some measure of protection provided to beneficial uses in the Bay-Delta System that depend on water flow into or out of the Bay Delta system and (2) some measure of water supplies from the Bay-Delta for uses outside the Bay-Delta System. To that end, this section describes the two strategic objectives involving water supplies: Strategic Objective #1 – Enhance Stability of Delta Water Supplies; and Strategic Objective #2 – Enhance End User Reliability.

There are three performance measures that pertain directly to Strategic Objective #1, or the stability of Delta water supplies. The first performance measure can be assessed by determining the degree of compliance with established flow related standards or export limitations that have been established in water right decisions, Endangered Species Biological Opinions or other regulatory actions. The second and third performance measures are based on the amount of water diverted from the Delta for use outside of the Bay-Delta System. Of course, the amount of water diverted from the Delta for use outside of the Bay-Delta System does not provide a complete picture of water supply reliability for Delta water users who have multiple options to meet their demand for water. However, if CALFED agencies can improve the stability or certainty of Delta water supplies, Delta water users have the opportunity to better manage their diverse portfolios.

Although water supply performance measures could be designed to also assess how well programs like the Ecosystem Restoration Program are working to improve populations of at risk fish species in the Delta, it is important to note that none of these proposed water supply performance measures assess beneficial uses or the extent to which the temporal, spatial and/or volumetric aspects of project operations affect environmental or water quality. The environmental restoration and water quality performance measures will assess these types of effects.

Since water from the Bay-Delta System is only one component within Delta water users' portfolios, the CALFED Program will not attempt to measure comprehensive end-user water supply reliability (including implementation of all water supply and other options available to local water management agencies). Strategic Objective 2 outlines an approach for measuring comprehensive end user reliability through the California Water Plan Update Process. There are currently no performance measures proposed under this strategic objective.

Monitoring and Modeling for Performance Measures

Strategic Objective 1: Enhance Stability of Delta Water Supplies (CALFED Focus): The stability of water supplies for uses both within and exported from the Bay-Delta system is linked to the sustainability of the Delta ecosystem and Delta water quality for aquatic species and municipal, industrial and agricultural uses. The following performance objectives describe how CALFED implementing agencies propose to measure progress toward enhancing long-term stability of Delta water supplies.

- **Performance Objective 1a:** Provide water supply in sufficient quantity and timing to meet the regulatory baseline and additional contractual commitments for the protection of drinking water quality and ecosystem restoration. Water supplies for these purposes will be provided subject to the terms included in the Bay-Delta Water Quality Control Plan, ESA Biological Opinions, HCP and NCCP agreements, EWA Operating Principles agreement, and any other relevant regulations or agreements of the CALFED implementing agencies. These regulations and agreements will change as scientific understanding of the water supply needs for water quality improvement and ecosystem restoration evolves.

Environmental water quality is also monitored through DWR and Reclamation. They document the environmental water quality conditions affected by operation of the SWP and the federal Central Valley Project through the monitoring and assessment of various physical, chemical and biological constituents throughout the Delta. This activity is performed through implementation of the Bay-Delta Environmental Monitoring Program and the Interagency Ecological Program and various other water quality programs within DWR and Reclamation.

The State Water Project (SWP) water quality monitoring program is an extensive effort, encompassing monthly collection of physical, chemical and biological samples at more than 30 stations in the California, North Bay and South Bay Aqueducts and project reservoirs. In addition, several automated stations continuously monitor water quality conditions in key locations along the SWP and provide real-time data to SWP water contractors. All collected data are stored at the California Data Exchange Center (CDEC) website.

- **Performance Objective 1b: Increase the certainty of Delta water deliveries in the short-term.** The primary component of water delivery certainty is the degree of confidence that a scheduled quantity of water will be delivered during the time planned (sometimes referred to as delivery stability). Although reallocation of carryover or unused project water might not impact deliveries in the current year, it can impact deliveries in subsequent years. This inter-annual effect is also captured in the proposed *Data and Methodology* section below.
 - **Performance Measure 1b:** Acre-feet of unexpected reductions in scheduled deliveries due to Delta export reductions to meet Endangered Species Act requirements or actions taken to protect at-risk Delta fish species during the current year.
 - ✓ **Target 1b:** Zero unexpected reductions in scheduled deliveries.
- **Data and Methodology:** Performance Measure 1b will be quantified in the broadest terms by the difference between acre-feet of water scheduled to be delivered in the current year and acre-feet of water actually delivered in the same year. For SWP deliveries, the “Scheduled Deliveries” are defined by Table A allocation requests that have received final approval by DWR; based on DWR’s expected delivery capability for a given year. Final approval generally occurs in March or April of each year. Historically there have been only a couple of incidences where scheduled deliveries exceeded actual deliveries. Still, this performance measure serves as a metric for success relative to the “zero incidences” target and under future conditions that will likely make it more challenging to meet all scheduled deliveries.

Given the complexity and dynamic nature of delivery scheduling and accounting, a formula is required to accurately measure and demonstrate how well the SWP is meeting scheduled deliveries on an annual basis. Below is a demonstration of the formula under two scenarios: (1) no uncompensated reductions in project water; and (2) an uncompensated reduction in project water.

- **No Uncompensated Reductions Scenario:** Actual Table A Deliveries + Unused Allocations + Carryover of Allocations to Next Year = Spring Table A Approved Allocation
 - **Uncompensated Reductions Scenario:** Actual Table A Deliveries + Unused Allocations + Carryover of Allocations to Next Year < Spring Table A Approved Allocation
- **Performance Objective 1c: Increase the certainty of Delta water deliveries relative to an estimated long-term delivery capability**
 - **Performance Measure 1c:** Acre-feet of water delivered in a water year with a description of the conditions during the water year for each delivery (e.g. above average snowpack, salinity problems in Delta during July, etc.) This would be compared to a probability-based long-term delivery capability estimate.
 - ✓ **Target 1c:** Zero unexpected delivery reductions

- **Data and Methodology:** Despite the immediate value of measuring short-term performance for a given year as proposed in performance measure 1b, there is a need to examine actual deliveries in the context of long-term delivery capability. There is simply too much variability in the drivers affecting deliveries to draw meaningful conclusions from only one year of observed data. Long term delivery capability can be represented in many ways. While the most preferable method for measuring performance has not yet been identified, any probabilistic method would enable water managers to identify relatively rare delivery events (e.g., very high or very low). For example, DWR’s Supply Reliability Report uses such a probabilistic method (exceedence curve) to express the long term delivery capability. This method simulates deliveries over an 80 year period, with the results representing an estimated delivery capability based on assumptions regarding hydrologic variability, facility capacities, and regulatory constraints as well as current or future levels of demand. See Figure 1 for a conceptual model of the drivers, constraints and interactions built into this exceedence curve.


This method does not reflect “unexpected” or “random” delivery reductions from things like ESA reallocations, unscheduled facility outages, etc. As such, it could be misinterpreted as too optimistic in forecasting future delivery capability or water supply availability. However, using this method to measure SWP/CVP project performance is appropriate for two reasons: (1) Delivery capability estimates applied to performance tracking are not intended to be used (nor will they be characterized) as a basis for future delta water delivery expectations; and (2) If an estimated delivery capability (using any method) reflects an assumed increase in future unexpected delivery reductions, then the value of this performance measure is greatly reduced. The value is compromised because this process is designed to detect such unexpected reductions which cannot be detected if they are built into the target curve. Given that one of CALFED’s charges is essentially to reduce conflicts that cause such delivery reductions, there is no way to evaluate CALFED performance without detecting these unexpected reductions.

A hypothetical application of a probabilistic method in the form of an exceedence curve is shown in Figure 2. The figure shows estimated delivery probabilities versus the observed actual annual deliveries (shown as triangles on the y-axis). The basic application logic is that when relatively rare delivery events occur (either very high or very low), CALFED agencies will be prompted to forensically analyze the occurrence and draw conclusions about the factors that lead to the rare occurrence. For example, conclusions that can be derived from the sample plot below are as follows:

- The ten years of actual data are concentrated between 10% - 65% exceedence. This can be construed as an indication of relatively “good” stability in Delta deliveries over the 10-year period.
- Two of the ten actual years hit at about 85% exceedence – meaning these (relatively low) delivery years are relatively rare. This provides an opportunity for CALFED agencies to examine and attribute the cause to something within or outside of the project operators’ and/or CALFED’s control.
- If the most of ten years of actual data appeared relatively rare compared to the estimated delivery capability then one of two responses would be appropriate:
 - ✓ If there is no logical explanation (i.e., extreme hydrologic conditions), then CALFED agencies might consider revisiting the assumptions, data and tools used to develop the curve.
 - ✓ If the causes can be attributed to matters under the auspices of CALFED agencies (i.e. reduce conflicts in the system), then performance might be characterized as relatively “poor”.

Multiple estimates of annual deliveries can be developed based on various assumptions about future conditions including potential CALFED actions. If additional water use efficiency, storage or conveyance options are included in the calculation, then long-term capability estimates will change. As such, this performance measure should not be perceived as simply suggesting that “the higher the deliveries, the better the performance” because the delivery capability estimate (or target) will likely reflect demand management, regulatory allocations, and other water management actions.

Figure 1 – Conceptual Model for Developing Delivery Capability Estimates



Strategic Objective 2: Enhance End User Supply Reliability: This strategic objective shall be administered by DWR and other agencies largely through the California Water Plan update process and coordinated with the CALFED Program.

Long-term, sustainable, water supply reliability is best measured at the end user, capturing the balance of supply and demand considering all sources of supply and other water management strategies. DWR and other State agencies are encouraging the development of Integrated Regional Water Management Plans throughout California, as described in the 2005 California Water Plan Update. The water management goals and actions resulting from IRWM planning will be assessed on a statewide basis by DWR and other agencies through future California Water Plan Update processes. Specific indicators and targets will be developed in cooperation with local and regional agencies, in consideration of statewide and regional water management objectives. DWR and other agencies engaged in the California Water Plan Update process will also develop protocols to communicate information to and solicit input from the CALFED Program on a regular basis.

Resource Needs

For the Water Supply program to complete this effort, resources may need to be dedicated within the Ecosystem Restoration and Water Quality subgroups to develop environmental water demand targets for tributaries to the Delta, in Delta, and Delta out flow. It is likely that a significant amount of the environmental water demand targets will be developed in ongoing efforts, (e.g. Bay-Delta Conservation Plan); however, this information may not be available in the near future and interim targets for environmental demands may need to be developed. Ultimately, resource allocation decisions for these purposes would be made by ERP and WQ program agencies. Because hydrologic and hydraulic data collection for both the federal and state water projects are ongoing, no significant data gaps exist in measuring water supplies to the Delta.

Further engagement and cooperation with local and regional agencies will be needed to develop objectives, performance measures and targets; as well as the data needed for accurate analysis under Strategic Objective 2: End User Supply Reliability. Resource needs are under development but unknown at this time.

Schedule and Next Steps

1. Ongoing coordination with Ecosystem Restoration and Water Quality Program agencies to ensure that initial targets are established for water supply volume, flows and timing to support CALFED ecosystem and water quality goals. It should be made clear that these targets may change in the future as on-going and planned research activities are completed.
2. Ongoing coordination with BDCP/OCAP and other processes that will affect future project operations.
3. DWR and USBR will ensure they are positioned for implementation by developing any additional organizational framework or resource allocations that might necessary to monitor, synthesize and document the performance measures.
4. The CWPU process will host 8 regional workshops for the calendar year 2007. They will be strategically held in cities throughout the state to capture the full range of California's hydrological, climatological and geographical diversity. Sixteen additional regional workshops will be held throughout the state during calendar years 2008 and 2009.

B. Water Quality

The initial water quality performance measures relate principally to activities and objectives of two CALFED Programs-- the Water Quality Program, which has focused on drinking water quality, and the Ecosystem Restoration Program. Together, these programs address human and ecosystem “beneficial uses,” – and CALFED Program objectives for these uses – which are affected by water quality. In Stage 2 the CALFED Program, in addition to sponsoring water quality actions, will need to account for, and manage, impacts of CALFED agency actions on water quality. This work requires sustained coordination among the CALFED agencies.

The long-term viability of the Delta requires a broader perspective on water quality than is embraced by the CALFED Program. Although the CALFED Program will continue to address water quality issues central to the Program goals, future Delta management must take into account water quality necessary to protect all beneficial uses of Delta waters. Status and trend measures of water quality – i.e., key “outcome indicators”-- need this comprehensive perspective. Work in Phase 2 and beyond should seek to place the important objectives and performance measures identified through CALFED within a comprehensive context.

Phase II work on performance measures will include defining “intermediate” drivers, refining outcomes, and quantifying targets (with specified schedules). For example, the organophosphate pesticide objectives adopted by the Regional Water Board will be included as driver indicators. When achievement of ultimate outcomes is considered uncertain or extremely “long-term” we will identify reasonable nearer-term objectives, measures and targets. Improving understanding, and management, of key mercury methylation process drivers is an example. The toxicity performance measures also imply a step-wise approach to the ultimate objective of toxicity reduction. Emphasis will be placed on linking drivers to management activities. This effort must be supported by a monitoring, assessment, and research design.

In addition to reporting on the initial topics identified in this Report (i.e., drinking water quality parameters, mercury and toxicity) work in the upcoming Phases will include systematic reexamination of the water quality contaminants present in the Delta system and their relative significance in impeding achievement of ecosystem goals and objectives. The water quality and ecosystem resource agencies will coordinate their efforts to identify and quantify relationships between contaminants and ecosystem effects, with particular attention to high-priority, at-risk aquatic species. This effort will make use of the conceptual models and information developed through DRERIP and will be directed, collaboratively, by the ecosystem and water quality agencies and CALFED Science Program.

The CALFED Water Quality Program is working with the Central Valley Drinking Water Policy workgroup to develop conceptual models and comprehensive data assessments for priority drinking water constituents of concern. This effort will contribute to completion of a policy for drinking water which the Central Valley Water Board would incorporate in the Basin Plan. For the past eighteen months, this work has focused on water quality at Delta (and Central Valley) intakes. The workgroup is now beginning work on the linkage of Delta water quality to treated water quality, in parallel with the CALFED Water Quality Program’s final assessment. In addition, this document describes performance measures for drinking water quality as they were spelled out in the CALFED ROD. Along with this Phase 1 report, the CALFED Water Quality Program is developing a Final Stage 1 Program Assessment report. One purpose of this report is to develop an initial set of performance measures. This work will develop, integrate, and synthesize the available information on the Delta as a source of drinking water, from the source to tap, and identify the role of the CALFED program within the existing national and statewide drinking water activities. For the sake of efficiency, the Phase 1 report does not capture the latest developments in this technical work. The current schedule for this report is completion in fall 2007, immediately followed by peer review.

Salinity is the pivotal water quality parameter for the Delta, and is regulated and managed through flow and channel controls for a range of beneficial uses which have differing salinity needs and tolerances. Because of its importance to water supply, salinity is more carefully monitored in the estuary than any other component of the aquatic system. Generally, supply water objectives of reliably low salinity are orthogonal to the variable salinity regimes and tolerances to which the

Delta native species are adapted. CALFED agencies are continuing work to improve understanding of Delta salinity dynamics and our ability, through conceptual and quantitative models, to characterize salinity in geographic and temporal detail. A variety of models exist to allow estimation of the effects of changes in flow or sea level rise on salinity distributions in the delta.

In Phase I, performance measures have not been identified for salinity outside of the framework of drinking water supplies. Existing regulatory requirements, and compliance with these requirements, may provide provisional performance measures and targets; however these requirements are unlikely to capture the full ecosystem needs. Also, as noted, extensive existing monitoring facilitates reporting on salinity conditions, but there may be future need to expand or revise the monitoring. The CALFED end of Stage 1 review and Delta Vision process will involve reexamination of salinity goals and management of the Delta, and should provide a new perspective on appropriate performance measures for salinity.

Monitoring and Modeling for Performance Measures

- Performance Measure 1: Annual averages of organic carbon and bromide at Delta intakes.
 - **Monitoring and Modeling Needs for PM1:** To assess and report on these performance measures, at a minimum, monthly monitoring for drinking water constituents of concern should be conducted at key locations in the Delta that represent water quality at the intakes (i.e., Banks, CCWD diversions, etc.). Analytical modeling is needed to identify and characterize the relative importance of sources of the constituents and the effects of Delta and upstream hydrodynamics.
 - **Existing Monitoring and Modeling for PM1:** Drinking water constituents of concern are monitored to varying degrees throughout the Delta and its tributaries. The largest amounts of monitoring data exist at the ends of the major tributaries to the Delta and at the Delta intakes, with significantly less data available the further upstream. Salinity is the most frequently measured, followed by organic carbon, nutrients, and pathogens, which are infrequently or not monitored at these locations. Flow is reasonably well measured throughout the Central Valley and Bay, at higher frequency than water quality data. Efforts are underway to better understand the drivers of water quality at intakes, through assembling and assessing existing data. In addition, the California Department of Health Services (CDHS) regulates drinking water systems and collects considerable monitoring data from public water systems for regulatory compliance purposes.
 - **Gaps in Monitoring and Modeling for PM1:**
 - ✓ Drinking water constituents of concern upstream of Delta boundaries
 - ✓ Conduct studies to improve understanding of the linkage between source water quality, water quality at the intakes and treated water quality
 - ✓ Modeling sensitivity of sources to prioritize sources by their fate and transport to Delta intakes.
- Performance Measure 2: Equivalent level of public health protection
 - **Monitoring and Modeling Needs for PM2:** This information is being developed through the CALFED Drinking Water Quality Final Assessment work.
 - **Existing Monitoring and Modeling for PM2:** This information will be included in the CALFED Drinking Water Quality Final Assessment.
 - **Gaps in Monitoring and Modeling for PM2:** This information will be included in the CALFED Drinking Water Quality Final Assessment.
- Performance Measure 3: Toxicity to aquatic test organisms (water and sediment)

- **Monitoring and Modeling Needs for PM3:** This will be developed in coordination with the Ecosystem Restoration Program and the Comprehensive Monitoring, Assessment, and Research Program.
- **Existing Monitoring and Modeling for PM3:** In 2001, a multi-agency technical work group convened to develop a Strategy to Address Toxicity of Unknown Cause in water and sediment. The strategy document summarized existing information and toxicity monitoring programs in the Central Valley and Bay-Delta and described the significant data and knowledge gaps related to toxicity of unknown cause. Only limited resources have been allocated to work on aspects of the 2001 Toxicity Strategy so much of the information needs remain today. Baseline monitoring include:
 - Some monitoring is required through regulatory programs such as NPDES permitting and irrigated lands.
 - The Sacramento River Watershed Program sponsors some monitoring and assessment but is not supported by permanent funding.
 - The Surface Water Ambient Monitoring Program (SWAMP) supports some limited toxicity monitoring in localized areas.
 - In the Bay region, the Regional Monitoring Program addresses toxicity.
 - POD supports special studies for FY 2006-2007.
 - Some grants issued by the State Board and CALFED for water quality-related work will generate data. Some of these activities are tracked by the Central Valley RWQCB.
- **Gaps in Monitoring and Modeling for PM3:** First, there is need to update the Strategy to Address Toxicity of Unknown Cause with data and research information gathered since 2001. Fate and transport models for specific constituents exist but there is a lack of models for the general parameter “toxicity.” Data for toxicity driver indicators exist for specific constituents (i.e., pesticides). However, in many cases the driver causing the toxicity could not be determined, making it impossible to identify needed analysis for the toxicant: That is, toxicity of unknown cause (TUC) is essentially a data gap. Furthermore, knowledge regarding ecological impacts of TUC is extremely limited. Bioassessments, toxicity testing on resident species, and biomarker analyses could contribute to a weight-of-evidence assessment of impacts on aquatic ecosystem populations. This approach is being pursued in the context of Delta “Pelagic Organism Decline” (POD) investigations. If the issue of TUC is to be resolved, toxicity identification evaluation (TIE) and analytical chemistry procedures need to be refined, or new ones developed.

For the most part, toxicity testing projects have focused on major tributaries and downstream of major reservoirs. To gain a better understanding of toxicity in these watersheds, monitoring programs that include TIEs must be expanded and focused on critical events and locations (e.g., storms, land use activities). In addition, ambient toxicity monitoring associated with NPDES permit discharges has largely been ignored. Analysis of these data, which are largely only available in hard copy format, could assist in understanding toxicity in the Central Valley and San Francisco Bay water bodies. Finally, identification of sources and the practices or actions that result in toxicants entering surface waters would be helpful in designing control strategies.

- **Performance Measure 4: Tools for identifying causes of toxicity are added to currently available suite**
 - **Monitoring and Modeling Needs for PM4:** This information will be developed in Phase II.
 - **Existing Monitoring and Modeling for PM4:** See description of existing monitoring and modeling for PM3 above.
 - **Gaps in Monitoring and Modeling for PM4:** See description of gaps in monitoring and modeling for PM3 above.

- Performance Measure 5: Mercury concentrations in the tissue of representative Bay-Delta fish and wildlife species. Targets anticipate data with respect to: methylmercury in selected Bay-Delta fish species; methylmercury concentrations in biosentinel species (fish and avian); methylmercury concentrations in water. In addition, monitoring of total and methylmercury in sediments is needed.²⁷
 - **Monitoring and Modeling Needs for PM5:** Mercury monitoring of fish tissue, water and sediment is needed throughout the Bay-Delta. Mercury monitoring of appropriate biosentinels is also needed. Need info on modeling
 - ***Existing Monitoring and Modeling for mercury in the ecosystem and human health:*** A number of agencies are currently involved in mercury-related work (e.g., the SWRCB and Regional Water Boards, CDHS, CDFG, OEHHA, U.S. FWS, USGS, and U.S. EPA). Although OEHHA is not an implementing agency for the CALFED Program, this agency's fish consumption advisory program is the key for risk communication issues. In addition to the Water Quality Program agencies, other agencies whose participation is important are the Ecosystem Restoration Program implementation agencies. Baseline activities include:
 - ✓ CALFED-funded grants investigating aspects of mercury will wind down in 2007 (see list at: http://www.delta.dfg.ca.gov/erp/docs/wq_mercuryissues/List_of_Mercury_Projects.pdf). These projects include a mass balances for total and methylmercury in the Delta and investigations of methylmercury from wetlands. Final reports are expected early to mid 2008. Calfed is also funding the "Fish Mercury Project" which is to conclude in 2008. SFEI is the lead for studies of mercury in sport and biosentinel fish Funds to continue mercury research and "Fish Mercury Project" activities have not been identified in the Ecosystem Restoration Program, which provided support in Stage 1.
 - ✓ Mercury monitoring is conducted in the context of some regulatory programs (NPDES permits) and certain ambient monitoring programs. (See summary prepared for the SWAMP; Jay Davis, SFEI., SFEI is also working on updating the mercury monitoring inventory)
 - ✓ The San Francisco Bay and Central Valley Water Boards are developing TMDLs and control programs for methyl mercury. The Central Valley Water Board's work includes mass balances for the Delta and tributaries. Special studies include evaluating methyl mercury from Delta islands and marshes in Mud Slough and the Yolo Bypass. (However, follow-through work on control measures. pilot studies, and control program implementation are not funded baseline activities.)
 - ✓ In the field of human health, OEHHA uses available fish tissue data as the basis for public health advisories; CDHS conducts public outreach and risk communication based on the advisories. For example, drawing substantially from information developed through the CALFED-funded Fish Mercury Project OEHAA has recently released draft "safe eating guidelines" for fish in the San Joaquin River and South Delta. Advisories for the North Delta and Sacramento River are planned. Data have been developed which document widespread fish contamination throughout the Central Valley watershed, outpacing agency preparation of fish consumption advisories and other forms of public outreach.
 - ✓ There are a number of smaller studies of methylmercury from wetlands and agricultural lands funded through the Central Valley Regional Board, DFG and grant funds (Prop 40).

²⁷ See Appendix C, "Draft Report on Indicators for Mercury" for a discussion of the uses and considerations of various measures.

- **Gaps in Monitoring and Modeling for PM5:** SFEI is currently working on an inventory of mercury monitoring projects in the Bay-Delta. Once the inventory is complete data gaps can be identified. Need info on modeling
- **Performance Measure 6: Mercury exposure is at a safe level for all individuals that consume Bay-Delta fish.** Targets for this Performance Measure anticipate information on (1) extent to which fish advisories are developed for areas known to be contaminated; (2) degree of awareness in at-risk populations of fish contamination risks and safe consumption practices; and (3) direct measures of mercury exposure in human populations.
 - **Monitoring and Modeling Needs for PM6:** The first two targets relate to reporting the extent and results of agency activities. Focused studies of fish consuming populations, that may include fish consumption surveys or biological monitoring, are needed to characterize exposure to mercury from consumption of Bay-Delta fish. These studies may fish consumption patterns, identify high risk populations, and assess information needs and optimal methods for reducing mercury exposure through risk communication.
 - **Existing Monitoring and Modeling for PM6:** DHS conducted a fish consumption survey of anglers in San Francisco Bay (SFEI 2001), and several small pilot studies of fish consuming populations in the Delta. In conjunction with information of fish contamination developed through the Fish Mercury Project (see PM5), DHS has conducted public outreach and OEHHA has prepared fish consumption advisories. Through past surveys, biomonitoring studies, and other activities, DHS has attempted characterized awareness and knowledge of advisories for limited populations.
 - **Gaps in Monitoring and Modeling for PM6:** Because mercury exposure can result from sources other than Bay-Delta fish, it is important to have information on background exposure levels. Background exposure to mercury from consumption of commercial sources of fish is not well characterized in California populations. Recent legislation established a statewide biomonitoring program that is likely to include measurement of mercury in representative sample of adults and children in California. However, funding to implement this program has not yet been approved.

Better evaluation is needed of changes in awareness, knowledge, and behavior as a result of educational (and other) interventions in affected populations, particularly populations of color and/or non-English speaking groups. This evaluation may use methods such as surveys, interviews, focus groups, and direct observation.

Studies are needed to characterize and document behavior changes resulting from increased awareness about mercury contamination in fish.

Resource Needs

State and Regional Board Resource Needs:

Limited staff resources are currently committed to this phase of designing water quality performance measures and indicators, or to the monitoring, assessment, research and other activities needed on an ongoing basis to generate information and scientific understanding required for good performance measures. Some staff are conducting work related to performance measures and indicators for drinking water quality, but this is less the case for indicators and performance measures associated with toxicity or mercury. The Water Quality Indicators Subgroup draft work plan (included in the Appendix) defines steps currently underway to identify indicators and available information (Phase 1) and plan for indicator monitoring, data retrieval, assessment, and reporting (Phase 2). This information supplements the summaries below.

Fiscal year 2006/2007 work for the POD includes investigation of toxicity as a contributing factor through toxicity testing, study of contaminant trends, and biomarker analyses. Additional resources at the Regional Water Board and at the California Department of Fish and Game are needed to address these toxicity data gaps, including refining procedures, expanding monitoring, retrieving existing data into compatible electronic formats, and evaluating such data. With no added resources, there will not be a system-wide compilation and analysis of current toxicity data; existing practices for reporting

individual research and monitoring projects would continue. Current programs support some monitoring, toxicity profiling and TIEs but these activities are limited in geographic scope and purpose, and, in particular, do not provide for coordinated and comprehensive assessment.

Current staffing is inadequate to support substantial work related to performance measures for mercury. Additional resources for the Water Quality Program implementing agencies, including the California Department of Fish and Game, will be needed to build on current contract work scheduled to end in 2007. Future work priorities are: linking mercury monitoring and science to “driver” projects in the field, addressing data gaps, improving conceptual models for the drivers, assessing watershed management activities with respect to total mercury and methylmercury loads, assessing and reporting on outreach to educate people on safe fish consumption, investigating the processes of mercury methylation, and monitoring. One staff role which could be of particular value is a “mercury coordinator.” This position was initially recommended by the Mercury Strategy to serve as “scientific leader, facilitator, communicator, and point of contact on mercury issues for the Bay-Delta Program.” A recent CALFED Program mercury workshop has also emphasized the importance of a coordinator. For mercury, current staff resources to support the activities identified above or to further develop CALFED Program performance measures are limited to certain “baseline activities”. Additional resources are needed to synthesize and build on current contract work, scheduled to end in 2007, that offers a scientific and information basis for performance measures. Project (grant) funding is needed for:

- Pilot projects and data gaps (resulting data also contributes to indicator and performance measure development) - \$7M
- Delta fish consumption study (resulting data also contributes to indicator and performance measure development) - \$3 M.

Overall, an additional 3 PY and \$250K in contract funds are needed for performance measure and indicator development.

CDHS Resource Needs for CALFED Performance Measures:

As one of the implementing agencies for the Water Quality Program CDHS will participate in work to improve and report on drinking water quality; additionally, DHS’ Environmental Health Investigations Branch, which conducts public information programs on threats to human health, will continue to conduct and report on its mercury education and outreach activities, but , without renewed funding, at a substantially reduced level compared with the recent years of CALFED funding.

Drinking water:

CDHS, along with SWRCB, US EPA, and the CALFED Bay-Delta Program, is working to develop a comprehensive strategy for maintaining and improving drinking water quality in California, including identification of multi-tiered performance measures. There is a substantial amount of technical work needed to inform these efforts, which are bringing together significant amounts of technical information to better understand and communicate drinking water quality in the state. CDHS does not currently have resources to support these efforts.

CDHS has determined that the technical evaluation and development of conceptual models and performance measures could be accomplished with additional resources. If funding for these efforts is not provided, the CALFED Water Quality Program will be significantly delayed in developing a strategy and performance measures, protracting the State’s inability to make cost-effective drinking water quality decisions.

The development of a strategy and performance measures for the CALFED Water Quality Program will support critical decisions for the future of the Delta, will provide for a more effective approach to providing safe drinking water from surface waters in the state, and will develop an integrated framework for groundwaters, as well as for addressing water quality through regulations, public funding, and regional water management.

Human health: mercury:

CALFED-funded work—the “Fish Mercury Project”—has generated data on fish contamination throughout the Central Valley watershed. However, CDHS does not have resources to continue the level of outreach and education, and related reporting, funded through the grants, which will conclude in August 2008. Grant funds, in combination with one fulltime DHS staff, supported 3.5 FTE.

Schedule and Next Steps

1. Coordinate with/support of Central Valley Drinking Water Policy: (i) update water quality database, (ii) complete and refine conceptual models to form basis of watershed performance measures, and develop monitoring needs, modeling studies, and economic information. The items (i) and (ii), without additional resources, will be completed by early 2007, dependent on continued commitment of CALFED staff resources.
2. Support CALFED Water Quality Program’s Final Program Assessment, which both synthesizes watershed information and develops conceptual models of linkages between Delta surface water and treated water quality. CDHS and CALFED are working on identifying these treatment plants and determining whether representative treatment categories can be created for conceptual model purposes. Consultant support has been obtained through the U.S. Bureau of Reclamation, and work will be completed in October 2007.
3. There is also need for additional detail on the Delta hydrodynamics driver, including better bathymetry, elevation, and flow data. Our understanding of the transport of constituents through the Delta is only as good as this information, and additional resources should be dedicated to this.
4. Update information developed for the “Strategy to Address Toxicity of Unknown Cause” (2002). This activity would retrieve information, assess the information being generated through current programs (see below, for example), identify toxicity data gaps and refine procedures, and prepare a plan for further work on toxicity, including a design for expanded monitoring. Additional staff would be needed at the Central Valley Water Board and California Department of Fish and Game. To complete this task by the end of 2007, additional staff would be needed at the Central Valley Water Board and California Department of Fish and Game. Without additional resources, approximately 25% of Step 1 could be covered over the period of a year. However, the utility of this work given the pressing need for assessment of information being generated is questionable.
5. Using information from Task 5 and supporting work from the POD investigations, refine conceptual models characterizing toxicity mechanisms and effects in an ecosystem context. There are no existing resources for Task 6. This task would require someone to coordinate a technical group focusing on conceptual models.
6. Fund additional biomarker research and investigate incorporation of biomarkers as indicators of toxicity. Task 7 could be funded through research grants (cost tbd). However, currently no funding source has been identified for this task.
7. Compile, synthesize, and assess information developed through CALFED-funded grants and related mercury projects; identify data gaps, refine conceptual models, and identify further research needs. Focus this activity on key drivers of mercury methylation and biotic and human exposure.
8. Develop protocols and guidance for (1) key factors to consider when designing a hypothesis-driven restoration project, and (2) methyl mercury monitoring associated with activities such as watershed management, wetlands habitat restoration in the Delta and habitat restoration in upstream sites with high mercury levels.
9. Continue biosentinel and sport fish monitoring and regional monitoring of methyl and total mercury in water and sediment; continue work on human consumption of contaminated fish and effectiveness of risk communication. Monitoring should provide more complete coverage of the Delta and upstream waters for both ecosystem and human health concerns.
10. Identify methyl mercury sources from wetlands, agricultural runoff, and urban stormwater.
11. Provide support for studies designed to evaluate methods for the reduction of loads of total and methyl mercury using management activities/best management practices (e.g. restoration, wetlands, floodways, agriculture, urban

runoff, water conveyance and storage). Identify and implement opportunities to design habitat management and restoration projects to test hypotheses regarding methylation processes.

12. Develop best management practices, pilot studies and implement control programs related to mercury.

<i>Next Steps</i>	<i>Target Date</i>
➤ Develop comprehensive monitoring & research plan (all indicators)	➤ Jan 08?
➤ Gather additional data on Delta hydrodynamics (all indicators)	➤ TBD
➤ Update drinking water database, refine conceptual models, develop analytical models, and define the human health basis for potential water quality objectives	➤ Mid to late 2008
➤ Support the CALFED Drinking Water Quality Program final assessment	➤ Late 2007
➤ Gather and analyze existing data on water column and sediment toxicity	➤ FY 07-08
➤ Update strategy to address unknown toxicity	➤ TBD
➤ Refine toxicity conceptual models	➤ May 07
➤ Conduct studies on biomarker indicators of toxicity	➤ 07-08
➤ Compile and assess available data on mercury to identify gaps and research needs and refine conceptual models	➤ Ongoing: Some projects complete in mid-2008
➤ Continue methyl and total mercury monitoring in biosentinel and sport fish and in water and sediment	
➤ Continue assessment of human consumption of contaminated fish and risk communication	
➤ Identify total and methyl mercury sources and assess their relative importance	
➤ Support studies to evaluate methods to reduce total mercury and mercury methylation	➤ TBD

C. Levee System Integrity

Approach Overview

It is recognized that having and presenting data and information about the state of the Delta levees is important, and indeed critical, for managing the Delta levee system and for informing agencies, stakeholders and publics about the state of the Delta levees. The Delta Risk Management Strategy (DRMS) is doing some data gathering and analyses for other purposes, but some of that information will be relevant for the development of indicators and performance measures. DRMS is gathering and analyzing existing data that is available, but there is a need to develop a long-term monitoring program in order to provide this information in a consistent and timely manner. For example, surveys of levee elevations should be done at least every 5 years and involve the local reclamation districts. Borings and engineering analyses are needed to evaluate levee stability. Additional research is needed to further understand the major risks to levee stability – including levee fragility studies, understanding the seismic response of peat soils, and investigating whether the CRCV is an active fault.

Monitoring plans for the Delta Levee System Integrity Program elements are directly or indirectly dependent on accurate vertical and horizontal data. A common coordinate system for quantifying and mapping features that are tied to vertical and horizontal position data in the Delta is critical in determining levee standard compliance, providing emergency response, and evaluating the effects of subsidence and seismic activity. Specifically, minimum survey-control standards are needed to develop a network of vertical and horizontal control points in the Delta. Without this common survey standard, true elevations and horizontal positions for Delta levees cannot be known, thereby leading to a false sense of confidence in survey data and flood protection. Much of CALFED Program work will require horizontal and vertical control. A single base map/control is critical. Horizontal and vertical datum will be needed by the CALFED storage and conveyance and ecosystem restoration program elements in addition to the Levee Program.

Monitoring and Modeling for Performance Measures

- Performance Measure 1: KIM (Kilo-Inch-Mile) is an overall measure of net work to achieve the PL 84-99 standard.
- Performance Measure 2: RKIM (Risk-adjusted-Kilo-Inch-Mile) is measure of risk associated with inadequate and sub-standard levee maintenance
 - *Monitoring and Modeling Needs for PM1 and PM2:* The principle input to the KIM and RKIM is the levee crest elevations.
 - *Existing Monitoring and Modeling for PM1 and PM2:* Some recent levee crest elevations exist from either the Magnet Anomaly Surveys or from levee crest surveys performed by the RD. This data can be used to develop the KIM and RKIM on those islands. By fall 2007, the LiDAR data will be available for the KIM and RKIM baseline.
 - *Gaps in Monitoring and Modeling for PM1 and PM2:* Levee crest elevation updates are few and far between. We expect to perform another LiDAR survey in 5 – 7 years. When DRMS is complete, the assets identified will be used to “flavor” the RKIM.
- Performance Measure 3: Number of levee miles or islands with enhanced, above PL84-99, flood protection
 - *Monitoring and Modeling Needs for PM3:*
 - *Existing Monitoring and Modeling for PM3:*
 - ✓ Levee Profile. Program participants are required to make a profile of the levee crown not less than every fifth year, or more often if determined necessary by the District Board (such as after severe storms).
 - ✓ Levee Cross Section. DWR retains copies of existing cross sections documenting that levees meet minimum HMP cross section criteria. When districts have brought their levees

into compliance with HMP they are required to update cross sections, at intervals no greater than 500 feet, in rehabilitation projects areas. Copies of this information have also been submitted to FEMA.

- ✓ Annual Levee Maintenance Inspection DWR and DFG annually inspect nonproject levees in the Delta in accordance with Water Code Section 12989, the 1986 Flood Hazard Mitigation Plan, and AB360 habitat requirements. The reviews include the following levee maintenance:
 - vegetation removal, road surface maintenance, roadway crown grading, and gate repair on the levee crown,
 - vegetation removal, hazard tree removal, mature tree trimming, slipouts, erosion, cracking, and subsidence on the land side levee slopes,
 - vegetation removal, revetment slippage, slipouts, erosion, cracking, and subsidence of the water side levee slopes,
 - control of encroachments that affect levee integrity, and
 - control of rodents that affect levee integrity.

In addition, approximately every two years, the U.S. Army Corps of Engineers inspects those levees for continuing eligibility with PL 84-99 certification.

- ✓ LiDAR and ground surveys (baseline for KIM and RKIM, delta completely surveyed in 2007, flight data available 8/07, tracking system under development)
 - ✓ LiDAR surveys every 5 - 7 years:
 - ✓ RKIM risk analysis, increased probability of failure
 - ✓ Periodic land surveys by Reclamation Districts:
 - Gaps in Monitoring and Modeling for PM3:
- Performance Measure 4: Number or levee miles with electro-magnetic conductance anomalies quantified
- Monitoring and Modeling Needs for PM4:
 - Existing Monitoring and Modeling for PM4:
 - Gaps in Monitoring and Modeling for PM4:
- Performance Measure 5: Acreage of islands / tracks with subsidence control measures in areas that affect levee stability
- Monitoring and Modeling Needs for PM5:
 - Existing Monitoring and Modeling for PM5:
 - Gaps in Monitoring and Modeling for PM5:
- Performance Measure 6: Number of improvements to emergency response
- Monitoring and Modeling Needs for PM6: DWR Hydrology Branch is performing hydraulic modeling for various scenarios.
 - Existing Monitoring and Modeling for PM6: Some limited modeling work has been performed by DWR.

- **Gaps in Monitoring and Modeling for PM6:** There is a need for additional hydraulic and forecast modeling to better understand the potential consequences and complete a preparedness plan.

Resource Needs

The implementing agencies for the CALFED Levee program (CA Dept. of Water Resources, US Army Corps of Engineers, and CA Dept. of Fish and Game) do not have the staff capacity to work on the development and reporting of indicators and performance measures for the program. The resources being requested are one full-time person that could do most of the work and coordinate with other efforts, advised by a multi-agency technical advisory team. The technical advisory team would meet approximately ½ day per month, with some additional time for reviewing and commenting on materials. Therefore, each member of the technical advisory team would need to contribute about 10 days per year toward this effort – over the next year. The suggested make-up of the technical team should be 4 state staff (2-DWR, 1-CBDA, 1-DFG), 3 federal staff (2-USACE, 1-USBR) and 3-4 representatives of the reclamation districts (3 consultants). Funds would be needed to pay the Reclamation District consultants for their participation in the effort (approx 10 days per year). In the future, funds would be needed for a long-term monitoring program and staff for data compilation, analysis and reporting.

Schedule

1. Use relevant information from the DRMS study to apply toward indicators and performance measures
2. Develop and refine conceptual models to link drivers and outcomes
3. Develop and refine targets
4. Develop KIM and RKIM
5. Identify linkages with other CALFED programs
6. Develop web-based reporting system

D. Ecosystem Restoration

Resource Needs

Since its inception, the CALFED Ecosystem Restoration Program has acknowledged the need to establish ecosystem indicators and performance measures, and much work has been conducted in these areas during the past several years. During Stage 1 implementation, the ERP has relied on “milestones” to track program progress. The milestones were identified in the CALFED programmatic biological opinions and Natural Community Conservation Plan (NCCP) determination, and comprise actions and objectives intended to benefit species covered in the biological opinions and NCCP determination. An assessment of milestones progress was completed by the ERP in 2004, and another assessment for the end of Stage 1 is ongoing.

Development of ecosystem performance measures is concurrent with several ongoing efforts intended to inform development of the most appropriate indicators; and, for maximum consistency and effectiveness, should be integrated with activities currently in progress. These evaluations and activities include: the end of Stage 1 milestones assessment; a detailed review of the current Conservation Agreement and CALFED regulatory documents; a full evaluation of efforts to date towards the derivation of Ecosystem Restoration performance measures; the assessment of present ecological conditions of the Bay-Delta watershed (with specific reference to POD); the development of the Bay-Delta Conservation Plan (BDCCP) and broader ERP conservation strategy; the completion of conceptual models for the Delta Regional Ecosystem Restoration Implementation Plan (DRERIP); and the inventory and assessments envisioned for the Comprehensive Monitoring, Assessment, and Research Program (CMARP III). The ERP agencies believe that the performance measures effort must be consistent with these other endeavors, include mutually agreeable factors and conditions, and broadly accepted as the conceptual basis upon which recovery planning, monitoring and assessment, and adaptive management are integrated.

The Ecosystem Restoration Program agencies (ERP) propose an approach to integrate the performance measures effort within the larger perspective of adaptive management, including future uses of the conceptual models coming out of the DRERIP process. There are a multitude of steps preceding the successful implementation of the adaptive management process envisioned within the CALFED Record of Decision (ROD). Underpinning these are conceptual models describing our current state of knowledge regarding the functional components and natural processes within the Bay/Delta ecosystem. Additionally, monitoring and assessment of data generated through existing programs, or that generated by new sampling efforts (i.e., CMARP III), must be tailored to meet the informational needs identified by ERP management objectives.

Successful adaptive management requires extensive communication and coordination between and among resource managers and scientific experts. The approach described herein utilizes the performance measures process to reflect management needs and priorities, and to most efficiently direct the technical work required to support the adaptive management process in furtherance of those objectives. The tasks outlined within this approach involve considerable technical demands, and will require significant additional expertise and staff time.

This document outlines the procedural approach envisioned by the ERP to translate Program objectives for ecosystem restoration into quantitative metrics that will assist in prioritizing and directing resource allocation through Stage 2. These metrics may also be utilized to assess program performance. The focus herein is upon indicators of ecosystem integrity, as opposed to measures associated with fiscal tracking or relative resource allocation amongst the broader range of activities associated with ecosystem restoration. The efforts outlined within this report are not meant to replace the ongoing milestones end of Stage 1 assessment.

The technical work associated with the identification, quantification, evaluation, regular reiteration, and verification of driver indicators as performance measures reflects the majority of effort remaining within the larger performance measures framework, and requires collaboration within and between joint Agency-scientific expert teams. This work awaits the completion of ongoing efforts (DRERIP conceptual models, final definition of outcome indicators) and further anticipates required integration with other critical tasks (the design of a monitoring plan to estimate and assess our identified metrics, and feedback from a comprehensive assessment of current monitoring activities—aka CMARP III).

Currently, it is envisioned that the DRERIP conceptual models (process, habitats, species, and stressors) shall be completed during 2007. The scientific information within these models represents critical components towards completion of the performance measures effort; and, in the larger CALFED perspective, the implementation of adaptive management.

ERP staff availability for work towards finalizing Program performance measures is currently limited. Estimates are that the equivalent of 6 to 10 full time staff (depending on status of CMARP III and completion of other efforts²⁸) will be needed to develop initial performance measures over the next 18 months. Additional expenditures are estimated for technical assistance contracts. To date, these staff resources have not been fully provided towards the performance measures effort and directly-related activities. To that end, the Department of Fish and Game has developed a concept where ERP agency staff with additional support by university scientists and other consultants could carry out the development of performance measures and monitoring that would ultimately comply with the Conservation Agreement and ROD. The department is currently taking steps to develop the resources to create a dedicated unit that would support development of ERP performance measures and program assessment, at an estimated cost of \$1.7 million per year. The DFG employees would work with other agency staff to fully develop and implement a coordinated monitoring and performance measure strategy for the ERP.

Schedule and Next Steps

Once adequate staff is available to work actively on ecosystem restoration performance measures, the following tasks will be initiated:

- A thorough assessment and review of performance measure efforts to date will be conducted and evaluated for carryover into the Stage 2 performance measures.
- The Ecosystem Restoration Performance Measures Subgroup will convene regularly to reevaluate and derive interim performance measures to serve until the final performance measures package is available.
- Members will begin the process of full integration with the Water Quality Performance Measures Subgroup.

²⁸ The Record of Decision for the CALFED Bay Delta Program called for establishment of the CALFED Science Program and charged the lead scientist with the task of implementing a Comprehensive Monitoring, Assessment, and Research Program to effect monitoring, assessment, and development of an adaptive management strategy to chart program progress and compliance with the "CALFED Bay-Delta Conservation Agreement regarding the Multi-Species Conservation Strategy" dated August 28, 2000. To date, these prescriptions have not been fully realized; and since then, the Little Hoover Commission, the Department of Finance, and the Governor's 10-Year Action Plan have all called for development of the means to assess performance of the CALFED Bay Delta Program.

- In association with CMARP III, roles and responsibilities will be outlined and tasks and staff assignments made accordingly.
- The Eco subgroup will actively integrate with the NMFS Salmonid Recovery Plan effort to develop indicators consistent with recovery objectives contained in that plan.
- The Eco subgroup will actively integrate with the Delta Native Fishes Recovery Plan process to incorporate a consistent process into USFWS recovery planning.
- In association with the Department of Fish and Game, the Eco Subgroup will finalize development of the models identified as DRERIP tier 2-4 species (see Table 2, following).

Following is a list of CALFED “R” and “r” species, their current conservation and recovery planning status, and designation within DRERIP (prioritization for finalizing species models and selecting preferred restoration actions, if not already ongoing).

Recovery Planning Status and DRERIP Priority List by Species

SPECIES	DRERIP ¹	Status ²	Date
Delta smelt	Tier 1	CA T; F T USFWS DNFRP; update in process	1996; 2008
Longfin smelt	Tier 1	CA NL; F NL USFWS DNFRP; update in process	1996; 2008
Green sturgeon	Tier 1	CA H; F T USFWS DNFRP; NOAA update???	???
Sacramento splittail	Tier 1	CA H; F H USFWS DNFRP; update in process	1996; 2008
Winter-run chinook salmon	Tier 1	CA E; F E NOAA Fisheries	Dec 2007
Spring-run chinook salmon	Tier 1	CA T; F T NOAA Fisheries	Dec 2007
Central-Valley fall/late-fall-run chinook salmon	Tier 1	CA H; F H	---
Central-Valley steelhead	Tier 1	CA H; F T NOAA Fisheries	Dec 2007
Mason’s lilaepsis	Tier 2	CA R; F NL Tidal Marsh Ecosystem Plan???	2008
Suisun Marsh aster	Tier 2	CA NL; F S Tidal Marsh Ecosystem Plan	2008
Suisun thistle	Tier 2	CA NL; F E Tidal Marsh Ecosystem Plan	2008
Soft-bird’s beak	Tier 2	CA R; F E Tidal Marsh Ecosystem Plan	2008
Antioch Dunes evening primrose	Tier 2	CA E; F E Recovery Plan 5-year review	April 1984 Summer 2007
Contra Costa wallflower	Tier 2	CA E; F E Recovery Plan 5-year review	April 1984 Summer 2007

Lange's metalmark butterfly	Tier 2	CA NL; F E Recovery Plan 5-year review	April 1984 Summer 2007
Valley elderberry longhorn beetle	Tier 2	CA NL; F D 5 Year Review delisting package in preparation	Sept 2006 March 2007
Suisun ornate shrew	Tier 2	CA S; F S	---
Suisun song sparrow	Tier 2	CA NL; F S	---
San Pablo song sparrow	Tier 2	CA S; F S	---

Recovery Planning Status and DRP Priority List by Species, continued

SPECIES	DRP ¹	Status ²	Date
California clapper rail	Tier 3	CA E; F E Tidal Marsh Ecosystem Plan	2008
California black rail	Tier 3	CA T; F NL	---
Swainson's hawk	Tier 3	CA T; F NL	---
Salt marsh harvest mouse	Tier 3	CA E; F E Tidal Marsh Ecosystem Plan	2008
San Pablo California vole	Tier 3	CA S; F NL	---
Sacramento perch	Tier 3	CA S; F NL USFWS DNFRP; update in process	1996; 2008?
Riparian brush rabbit	Tier 3	CA E; F E Recovery Plan	1998
San Joaquin Valley woodrat	Tier 3	CA NL; F E Recovery Plan	1998
Greater sandhill crane	Tier 3	CA T; F NL	---
California yellow warbler	Tier 3	CA S; F NL	---
Least Bell's vireo	Tier 3	CA E; F E Draft Recovery Plan	1998
Western yellow-billed cuckoo	Tier 3	CA E; F NL	---
Bank swallow	Tier 3	CA T; F NL	---
Little willow flycatcher	Tier 3	CA E; F S	---
Giant garter snake	Tier 3	CA T; F T Draft recovery plan	July 1999
Delta green ground beetle	Tier 3	CA NL; F T Recovery Plan	Sept 1985
Saltmarsh common yellowthroat	Tier 3	CA S; F NL	---
Bristly sedge	Tier 3	CA S; F NL	---
Point Reyes bird's beak	Tier 3	CA NL; F S	---
Crampton's tuctoria	Tier 3	CA E; F E 5 Year Review	2008
Delta tule pea	Tier 3	CA NL; F S	---
Delta mudwort	Tier 3	CA NL; F NL	---
Alkali milk-vetch	Tier 3	CA NL; F S	---
Delta coyote-thistle	Tier 3	CA E; F NL	---
Northern California black walnut	Tier 3	CA NL; F NL	---

APPENDIX A:

PERFORMANCE MEASURES FRAMEWORK

Intent and Organization of Appendix

This Appendix briefly discusses the importance of using performance measures, and outlines the framework under which CALFED performance measures will be developed, evaluated, and modified into the future.

Importance of Performance Measures

Indicators and performance measures are a critical component of an adaptive management approach that provides information to managers about which factors are affecting the outcome and how management actions might be improved. Developing and monitoring robust, science-based indicators and performance measures is critical to continued program success.

System-wide Performance Measures for CALFED

Events such as Little Hoover Commission review of the CALFED Bay-Delta Program and the pelagic organism decline have spotlighted the need for revising and improving CALFED's performance measures process.

Ideally, performance measures should be developed during the planning phase of program development. For some of the CALFED Program objectives, the Record of Decision (ROD) has clearly described goals and objectives, and/or defined quantifiable performance measures and targets for the program. For other program objectives, the ROD only contains broad objective statements. This latter situation has made it difficult for CALFED implementing agencies and stakeholders to agree on how accomplishments towards these goals and objectives should be measured. Agreement on appropriate program-level performance measures will not be easy, but it is essential for CALFED agencies to effectively demonstrate past and future progress towards the mission of the Program, and to implement adaptive management.

The need to measure and report Program performance is highlighted by the recent review of the CALFED Bay-Delta Program and the resulting 10-year Action Plan. The 10-Year Action Plan also emphasizes science-based adaptive management, including the ability to translate science into actions to improve Program results. The 10-year Action Plan states that the CALFED implementing agencies will measure and report on Program performance for:

- The four overall CALFED objectives
- Specific program element goals, and
- Individual project actions

The focus of this Phase I Report is towards developing performance measures related to the four overall CALFED objectives and specific program goals.

A system-wide, multi-scale set of performance measures would provide important information for the CALFED agencies to better strategically implement the program.

Indicators and Performance Measures

The terms “performance measures” and “indicators” are used within the CALFED Performance Measures Framework. These terms have often been used interchangeably – but this can be misleading. Indicators are a larger group of measurements that help us understand how the system is working, and can be influenced by factors beyond human control. Performance measures are a type of indicator that can be used to measure the performance of a particular project, program or agency. A glossary of terms associated with measuring performance is available in Appendix B of this report.

One difficulty in choosing performance measures is that an outcome of particular interest (for example, returning salmon populations) may be affected by many different factors: some that may be influenced by management actions, and some that may not. Therefore, the CALFED Program is proposing to develop a combination of both indicators to measure changes in the environment (the system) and performance measures that relate to the programs goals and objectives (system changes due to actions).

Performance Measure Framework

The CALFED Science Program has the responsibility of coordinating the development, review, and reporting of program performance measures. As an initial step, the Science Program has developed a guiding framework described below to identify terms and components, establish expectations, and define a global vision of performance measures. This framework reflects input from many different participants both inside and outside of the CALFED agencies.

The basic framework includes three general levels of performance measures. The distinctions between categories are not rigid. In some cases, an outcome indicator for one purpose may become a driver indicator for another purpose:


- 1: Administrative or Input indicators. These describe what resources (funds, programs, projects) are being implemented (or plan to be implemented). These may also be called “input measures” or “input indicators”.
- 2: Driver indicators (can also be called “pressures,” “management actions” and “other factors”). These indicators describe the factors that may be influencing outcomes. There are two types of driver indicators:
 - a. Outputs, including on-the-ground implementation of management actions, such as acres of habitat restored, and
 - b. Uncontrollable factors, often natural phenomena not caused by the management actions of the program, such as weather and hydrologic fluctuations.
3. Outcome indicators (also called “response,” “ecosystem status or state” or “results” indicators). This class of indicators describes measurements related to the ultimate outcome of the drivers – and should be closely related to the goals and objectives of the program.

Above is a table with example administrative, driver, and outcome indicators for each program. In some cases, an outcome indicator in one program, might be a driver indicator in another. For example, an outcome in the water quality program of % decrease in fine sediments might be a driver in determining fish populations in the ecosystem program.

Performance Measures and Adaptive Management

	Administrative Indicator	Driver Indicator	Outcome Indicator
Water Supply	# of canal lining projects funded	# of miles of canals lined or acre-feet of water conserved from canal lining	Acre-feet of water dedicated to instream flows in critical reaches
Water Quality	# of sediment control projects funded	# of rivers miles with stabilized banks	% decrease in fine sediments entering rivers with stabilized banks
Levees	# of \$ spent in levee integrity projects	Number of levee miles with enhanced flood protection	% decrease in levee failures
Eco-system	\$ spent on fish passage projects	# of fish passage barriers removed	% increase in fish population in rivers with fish passage barriers removed

The diagram to the right illustrates the relationship between the three different levels of indicators and the activities of managing a complex system in the environment. Policy decisions are made based on a desired outcome, as described in the goals and objectives of the program. Administrative indicators can be used to track the financial resources allocated to address the problem. Management oversees implementation of the policy decisions – essentially turning financial resources into on-the-ground actions. These actions may result in physical changes to the environment, such as levee maintenance or habitat restoration. Driver indicators are used to track these physical changes due to management actions. However, there may also be other uncontrollable factors in the environment that also affect an outcome of interest, which can be measured to better understand how multiple drivers interact to affect an outcome of interest, such as climate change.



Science can help explain and document the relationships between drivers and outcomes, which are often quite complicated. Most management actions are taken with the intention of a specific outcome in the environment. Conceptual models and quantitative models can

be used to develop, refine and document a common understanding of the system, including assumptions about intended outcomes from actions. Conceptual models can provide a basis for incorporating new information and continually improving our knowledge of the system.

Outcome indicators need to be closely related to the goals and objectives of the program to help inform progress toward goals. Outcome indicators can also be used to evaluate the effectiveness of management actions and help refine our understanding of how the system works, or in other words – can be used to inform adaptive management.

As mentioned above, performance measures are a type of indicator that can be used to assess progress and answer questions directly related to the goals and objectives of the program. Performance measures should be derived from the more technically detailed indicators and include discussion of the factors that are most likely affecting the outcome of the system. For example, adult salmon escapement may be used as a performance measure to report progress towards recovering salmon populations. To understand the “why” behind this outcome, a more detailed suite of indicators is needed, such as proportion of hatchery escapement, age structure of spawning adults, conditions during spawning, rearing and migration, ocean conditions, abundance of juveniles, ocean and inland harvest.

Projects that are in the planning phase can develop predicted outcome indicators that describe how a project might contribute to program goals. Predicted outcome measures are the result of modeling efforts and can be used by decision makers to evaluate different management options to achieve goals. If a project is chosen for implementation, the monitored outcomes can be compared to previously predicted outcomes.

Program Assessment

Evaluating outcomes using indicators and performance measures should be part of a periodic program assessment.

This framework emphasizes the need for documenting the scientific basis for making decisions, and using indicators to reduce uncertainty and improve our scientific understanding through adaptive management. A program assessment should also evaluate the broader process of adaptive management. Adaptive management includes incorporating the latest science into management decisions, evaluating the effectiveness of management actions, and adjusting planning and policy based on new information.


Performance Measures Process

CALFED implementing agencies created an interagency subcommittee to begin development and coordination of system-wide performance measures. Since there is a lot of detailed technical work to be undertaken and coordinated among the agencies, the subcommittee formed four subgroups to focus on the technical details – each led by a representative from the subcommittee. The four subgroups are focused on each of the four CALFED Program objectives: Water Supply Reliability, Water Quality, Ecosystem Restoration, and Levee System Integrity. All CALFED Implementing Agencies are participating in at least one if not more subgroups (see Participating Agency list).

The Performance Measures Subcommittee defined the direction of the work, and formed Technical Subgroups to further develop the technical information for the CALFED objectives. The Performance Measures Subcommittee reports its activities to the Agency Coordination Team and Agency Directors, passing along information reported to them by the Technical Subgroups.

The figure below illustrates the review process for the technical products. Generally, performance measure products within CALFED program elements are vetted with the appropriate CALFED Bay-Delta Public Advisory Subcommittees, bringing products at varying levels of development (from policy to technical) to subcommittees at their scheduled meetings. The next stage in this policy/stakeholder vetting process is the CALFED Bay-Delta Public Advisory Committee. Performance measure products are also made available on the CALFED website for additional public review opportunities.

The second review route for performance measure products is through the CALFED Independent Science Board, where performance measures is a standing agenda item on board meetings and two Science board member liaisons have been appointed for each technical subgroup. When and where appropriate, the CALFED Science Program will convene Science Review Panels to perform in-depth science reviews of the technical aspects of the performance measure products. Both the CALFED Bay-Delta Advisory Committee and Independent Science Board make recommendations on performance measure products before they are considered by the California Bay-Delta Authority Board for adoption.



Phased Approach

Performance Measure Phases

Phase 1: Identify initial performance measures and develop plan for reporting on them; technical review

Product: Report on Performance Measures Development and Implementation: Phase I (November 2007)

Phase 2: Implement plan and report on initial performance measures. Review and revise initial performance measures.

Product: Communication products and Report on Performance Measures Implementation: Phase II (November 2008)

Phase 3: Develop full-suite of performance measures and develop plan for implementing and reporting on them, technical review

Product: Report on Performance Measures Development and Implementation: Phase III (November 2009)

Phase 4: Implement plan and report on full-suite of performance measures. Review and revise performance measures.

Product: Communication products and Report on Performance Measures Implementation: Phase IV (November 2010)

Work on indicators will be iterative, starting with a small set of outcome indicators and taking them through development, analysis and reporting.

The 10-Year Action Plan recognizes that it is resource intensive to develop, analyze and report on meaningful indicators. It also recognizes that there are many monitoring, research and other activities that could provide valuable information for this effort. The Performance Measures Subcommittee and the Science Program have outlined a four phase process for the development and implementation of performance measures, recognizing the need to work within the resources available and to identify the resources needed to make meaningful progress. levels.

Phase 1 includes developing the CALFED Performance Measures Framework, identifying key performance measures including both outcome indicators and related

key drivers for each of the CALFED four objectives, completing an inventory of available information to support the key performance measures, and identifying priority data gaps and resources needed to conduct the monitoring, data analysis and synthesis for these key performance measures. An independent Science Review Panel will review and provide feedback on this Phase 1 report. Phase I will be completed in June 2008.

Phases 2 which will occur from July 2008-June 2009 will implement the plan that is developed in Phase 1. During Phase 2, the subgroups will collect, synthesize and analyze available data and analyses, compile and refine conceptual models, and organize the information for presentation and reporting on the performance measures. In addition, under Phase II, the goals and objectives for each of the four CALFED programs will be refined to reflect Stage 2 decisions. The website will be used to organize and summarize all of the technical information related to the indicators and provide links to more detailed documents and references. This compilation will be reviewed by an independent science panel at the end of Phase 2. This review and compilation will also lead to the revision of the initial key performance measures.

Phase 3 will begin the cycle again and will occur from July 2009-June 2010. This Phase, similar to Phase 1, will focus on identify a full suite of performance measures linked to the goals and objectives identified in Phase 2, and will result in a plan to put this full suite of performance measures into place. During Phase 3, the groups will also receive feedback from the independent science board and stakeholders on the highest priority areas for additional information. The product of Phase 3 will be a revised list of indicators, an information inventory and plan for completing them. Phase 3 will also include revisions to the web-based information as needed and a summarization that would be included in a publication targeted for a non-technical audience.

Phase 4, like Phase 2, will involve implementing the Plan developed in the previous phase. This phased approach allows us to move forward more quickly and develop performance measures in an adaptive way – refining our tools as we learn from going through the process.

APPENDIX B:

GLOSSARY OF TERMS

Adaptive Management: “Learning by doing.” “An approach to designing and implementing resource management policy that takes account of uncertainty and maximizes the opportunity to learn from management actions” (Michael Healy)

Conceptual Model – a visual and/or narrative explanation of how a system works or expected to respond. A conceptual model should include a discussion of controlling factors (management actions and other uncontrollable factors), expected response or outcome, and a discussion of areas of uncertainty and unpredictability. Quantitative models can be developed from conceptual models and used to predict potential outcomes. Two common frameworks for conceptual models include:

- Driver-Linkage-Outcome (DLO) framework for conceptual models: a conceptual model that describes the relationship between several or many controlling factors and their expected influence on the outcome of interest. For example, a conceptual model related to salmon life cycle, may include drivers such as: spawning habitat, flow conditions, rearing conditions, lotic food web, ocean conditions, predation, pumps, diversions, impediments to passage and effects of contaminants. Outcomes may include: number of adults returning to spawn, number of redds, etc. DLO conceptual models should discuss the relative magnitude of the linkages (i.e. influence on the outcome) as well as uncertainty and unpredictability.
- Pressure-State-Response (PSR) framework for conceptual models: a conceptual model that describes the relationship between one controlling factor (pressure) and the expected influence on the outcome of interest. The PSR model could be considered a simplification or focusing of the DLO model, which may be appropriate in some situations. For example, discharges of a specific constituent causing toxicity in an organism of interest has a simple and linear relationship – it may not be necessary to examine it in the context of a broader conceptual model.

Metric – something that is actually measured. Example: concentration of organic carbon at Banks.

Indicator – a quantitative evaluation of a metric or set of metrics that are representative of an environmental attribute or system attribute of interest. Indicators may be directly tied to a metric (example: daily concentration of organic carbon at Banks) or may be a derivation of one or more metrics (example: average monthly organic carbon concentration at the 5 Delta export points). Indicators are classified into four types with some sub-types, described below.

- Administrative Indicators – indicators that summarize administrative actions and describe resources (i.e. funds, personnel, projects) focused on a particular subject. Example: amount of funds spent on projects to improve water use efficiency. Administrative indicators may also be called “input” indicators.
- Driver Indicators- These indicators describe the factors that may be influencing outcomes. There are two types of driver indicators: 1. Outputs which are on-the-ground implementation of management actions such as acres of habitat restored and 2. Uncontrollable factors which are often natural phenomena not controlled by the management actions of the program such as weather and hydrologic fluctuations
 - Output Indicators – Output indicators describe the level of activity that will be provided over a period of time, including a description of the characteristics (e.g. timeliness) established as standards for the activity. Outputs refer to the internal activities of a program – the products and services delivered.¹ (Example: acres of best management practices implemented for agricultural water conservation per year).
- Outcome Indicators – Indicators that are representative of system or environmental response to controlling factors. (example: adult salmon returning to spawn)
 - Baseline Outcome Indicators – Outcome indicators where no program implementation has occurred. Baseline monitoring is needed for future evaluation of effectiveness of implementation actions.

- Predicted Outcome Indicators – Indicators of outcomes that are predicted from modeling evaluations of potential implementation options. These can assist decision makers that are evaluating different options to achieve program goals and can become the performance goals if the project is implemented.
- Efficiency measures – Sound efficiency measures capture skillfulness in executing programs, implementing activities, and achieving results, while avoiding wasted resources, effort, time and/or money. Simply put, the efficiency is the ratio of the outcome or output to the input of any program. Because they relate to costs, efficiency measures are likely to be annual measures. Meaningful efficiency measures consider the benefit to the customer and serve as indicators of how well the program performs ... (e.g. balancing costs and quality)²⁹.
 - Outcome efficiency measures – The best efficiency measures capture skillfulness improvements in program outcomes for a given level of resource use. Outcome efficiency measures are generally considered the best type of efficiency measure for assessing the program overall.¹
 - Output efficiency measures – It may be difficult to express efficiency measures in terms of outcomes. In such cases, acceptable efficiency measures could focus on how to produce a given output level with fewer resources. However, this approach should not shift incentives toward quick, low-quality methods that could hurt program effectiveness.¹

Performance measure – using a specific indicator or set of indicators to assess program performance and/or progress towards program goals. Example: A performance measure for water supply reliability might be “unmet demand” = demand – supply. Performance measures may be quantitative or qualitative interpretations of quantitative information. There may be some value in identifying quantitative targets or goals associated with specific performance measures.

Program assessment – an evaluation of program progress and performance that includes performance measures and evaluation of the effectiveness of processes, including adaptive management.

PART: Program Assessment Rating Tool – PART is a diagnostic tool used to assess the performance of Federal programs and to drive improvements in program performance. It helps inform budget decisions and identify actions to improve results. PART is designed to provide a consistent approach to assessing and rating programs across the Federal government. PART assessments review overall program effectiveness, from how well a program is designed to how well it is implemented and what result it achieves.³⁰ Information on PART guidance: www.omb.gov
Examples of Program Assessments using the PART process: ExpectMore.gov

Long-term Performance Objective: A more specific description of outcome indicators that relate to strategic goal or strategic objective. The Performance objective should be as specific as possible to describe what should be measured to describe long-term success for the program. Multiple long-term performance objectives can be described to support one strategic goal or strategic objective.

Performance Goal: Sets a target level of performance over time expressed as a tangible, measurable objective, against which actual progress can be compared, including a goal expressed as a quantitative standard, value or rate. A performance goal is comprised of performance measures with targets and timeframes.² The PART process recommends establishing long term performance goals and annual performance goals for each performance measure.

Strategic Goal or Strategic Objective: A statement of aim or purpose that is included in a strategic plan.

Target – Quantifiable or otherwise measurable characteristic that tells how well a program must accomplish a performance measure.²

²⁹ Excerpt from “Guide to the Program Assessment Rating Tool (PART)” Office of Management and Budget, March 2006, www.omb.gov

³⁰ Excerpt from “Guide to the Program Assessment Rating Tool (PART)” Office of Management and Budget, March 2006, www.omb.gov

APPENDIX C: ADDITIONAL INFORMATION

1. WATER QUALITY

Report on Core Indicator Development

Phase I: Indicators for Mercury General Outline

03/07/07

DRAFT

Executive Summary

This report is meant to recommend indicators for use in monitoring and evaluating water, sediment, aquatic biota, and wildlife with respect to mercury. Considering the extensive historic and ongoing effort in this arena, we recommend 1) assessing indicators already in use for this purpose, 2) employing those that are suitable, and 3) directing new research where information is lacking or may require fine-tuning. Any approach should strive to unify the needs of CALFED including those applicable from goals and objectives set forth by the ROD, Water Quality Program Plan, Ecosystem Restoration Program, and the CALFED Mercury Strategy (table 1). The Comprehensive Monitoring and Research Program (CMARP) should play an important role in this strategy, including interagency collaboration and consistency with this work.

Our objective is to provide decision makers with a variety of indicators for mercury that when integrated, will provide a comprehensive approach for assessing performance of efforts directed at reducing mercury pollution in the Bay-Delta and its tributaries. These indicators, as monitoring tools, give the ability to answer key assessment questions regarding mercury in the environment. To encompass a wide-range of conditions and needs the indicators were chosen to represent a multi-media approach to mercury monitoring over multiple spatial and temporal scales. The application of the indicators is conditional upon the information required, and as such, we recommend a flexible monitoring design to allow for both global (large-scale) and local (fine-scale) data gathering. Sampling design structured using these indicators will at a minimum obtain consistent and compatible results that when combined will help support a holistic whole-ecosystem knowledge base. Appropriate indicators and their application should be based on CALFED goals, and goals of other agencies/programs (water boards, USFWS, DFG, SRWP, RMP, et cetera), in order to address the factors driving the mercury problem (Table 2).

Although we are striving for a comprehensive approach, we recommend beginning with a core set of indicators that provide the foundation for a performance-based program, can be applied forthwith, and are amenable to future augmentation. Although understanding of the mercury problem continues to evolve, current knowledge is extensive. Knowledge presented in mercury conceptual models developed by DRERIP (Figure 1 – to be provided) describes critical linkages and levels of understanding between the indicators and factors controlling the fate and transport of mercury in the ecosystem. Criteria used for the selection of mercury indicators include:

- Relevance to human and ecological health
- Relevance to decision making (policy development)
- Relative abundance and quality of historical data
- Clear understanding of factors affecting MeHg concentration/loads in the indicator

- Known parameter(s) to be measured and/or required to calculate the value needed for comparisons
- Broad geographic distribution
- Importance in trophic transfer of MeHg
- Appropriate spatial and temporal response (integration capacity)
- Impact to targeted population due to sampling
- Responsiveness
- Comparability
- Sampling ease and analytical reliability, including cost concerns

Recognizing that the mercury problem is not easily solved, and may take a long time, the proposed indicators represent those already in use that are recommended to be perpetuated into the long-term. Mercury specialists already within the CALFED mercury research system and from a variety of mercury-related efforts will weigh-in regarding 1) pertinent questions regarding mercury in the environment, 2) core mercury indicators, and 3) the application of these indicators to fulfill performance measures needs. Key assessment questions for mercury and the respective indicator to be used to address each question are contained in Table 3. To the extent possible the group should also address the collection of additional environmental data needed for the application or interpretation of the indicators, and if possible, integrate the sampling with ongoing or planned work designed to provide these parameters (e.g. flow, Suspended Sediment Concentration, fish consumption, reference dose).

Table 1. Applicable goals and objectives

CALFED Source	Goal #	Goal
Record of Decision		The CALFED Program is committed to achieving continuous improvement in the quality of the waters of the Bay-Delta system with the goal of minimizing ecological, drinking water, and other water quality problems.
WQ Program		Reduce mercury in water and sediment to levels that do not adversely affect aquatic organisms, wildlife, and human health.
Ecosystem Restoration Program	2	Rehabilitate natural processes in the Bay-Delta estuary and its watershed to fully support, with minimal ongoing human intervention, natural aquatic and associated terrestrial biotic communities and habitats, in ways that favor native members of those communities.
	4	Protect and/or restore functional habitat types in the Bay-Delta estuary and its watershed for ecological and public values such as supporting species and biotic communities, ecological processes, recreation, scientific research, and aesthetics.
	6	Improve and/or maintain water and sediment quality conditions that fully support healthy and diverse aquatic ecosystems in the Bay-Delta estuary and watershed; and eliminate, to the extent possible, toxic impacts to aquatic organisms, wildlife, and people.
Mercury Strategy	1	Quantification and evaluation of mercury and methylmercury sources: To identify mercury sources that contribute most strongly to the production and bioaccumulation of methylmercury
	2	Remediation of mercury source areas: To identify remedial actions that can reduce loadings of mercury from sources to surface waters and decrease the exposure of aquatic biota to methylmercury.

	3	Quantification of effects of ecosystem restoration on methylmercury exposure: To document and understand the effects of ecosystem restoration in wetland, floodplain, and riverine habitats on the production and bioaccumulation of methylmercury in the Bay-Delta ecosystem.
	4	Monitoring of mercury in fish, health-risk assessment, and risk communication: To protect human health by assessing and reducing exposure to methylmercury-contaminated fish. To provide a “performance measure” to gage methylmercury contamination of the Bay-Delta ecosystem during restoration.
	5	Assessment of ecological risk: To protect fish and wildlife from adverse effects of methylmercury exposure.
	6	Identification and testing of potential management approaches for reducing methylmercury contamination: To identify and evaluate potential landscape management approaches for reducing the production and abundance of methylmercury in the ecosystem, as well as the associated exposure of resident biota
??	??	Reduce risk to human populations through effective risk communication and management of exposure. & Reduce mercury and methyl mercury in the Bay-Delta Ecosystem to levels where fishery resources, wildlife, and human health are not adversely affected.

The CALFED Water Quality Program Plan (July 2000) calls for assessment of mercury and methylmercury risks, sources, transport, and transformation and development and implementation of remediation strategies to reduce mercury and methylmercury. This CALFED plan also states that an ultimate goal should be the lifting of fish tissue advisories and the elimination of the need for new ones. The CALFED Bay-Delta Program Record of Decision (ROD) preferred option includes significant restoration of wetlands in the Delta. The ROD Appendix A, “Mitigation Measures Adopted in the Record of Decision” (August 28, 2000), describes potentially significant environmental impacts resulting from adoption of the preferred Plan, including an increase in methylation of mercury in constructed shallow-water habitat. The CALFED ROD Appendix A also describes mitigation measures to reduce potential effects of implementation of the Preferred Program Alternative on water quality, including “test for mercury in soils and locate constructed shallow-water habitat away from sources of mercury until methods for reducing mercury in water and sediments are implemented.”

Table 2. Factors driving the mercury problem

Hg and MeHg sources (goal 1 & 2)	<ul style="list-style-type: none"> Natural sources Mine-derived off channel Mine-derived in-stream or waterbody Atmospheric (local and global) Urban stormwater Irrigated agriculture Wetlands Point sources (NPDES permitted discharges; POTWs, industrial) Water management and storage (flood conveyance, new reservoirs,
----------------------------------	---

	salinity control)
Human health (goal 4)	Risk to humans Fish consumption advisories Public outreach and awareness Effectiveness of advisories Fish consumption amounts and species Concentrations of mercury in sportfish Environmental Justice concerns (disparate localized impacts)
Wildlife health (goal 5)	Risk to wildlife Fish consumption amounts and species Concentrations of mercury in fish wildlife eat Exposure of aquatic organisms
Hg Transport (1& ?)	Natural hydrology Water management Sediment traps Sediment disturbance
Hg Methylation and transport (goal ?)	Concentration of Hg Bioavailability of Hg Methylation efficiency Flux to water
Hg Bioaccumulation/biomagnifications	Concentration of MeHg Magnitude of MeHg exposure Duration of MeHg exposure Environmental partitioning Seasonality

Indicators

1. Water Column Methylmercury (WCMM)

Performance Goal: Decrease aqueous unfiltered methylmercury to concentrations that protect human health and wildlife. This concentration will be consistent with the target in the CVRWQCB Delta MeHg TMDL (0.06 ng/L unfiltered methylmercury) or any other scientifically valid Bioaccumulation Factor.

Data Sources: <to be filled in by Thomas>

Example: methylmercury concentration in water over time from recently flooded plain/wetland, or Twitchell Island wetlands, or recent data from Mud and Salt Sloughs

Uses:

- Represents linkage between management action and attainment of beneficial use
- Needed for analyses of short time-scale (hours to days) events
- Needed to identify sources and predict loads of methylmercury from both point and non-point sources
- Identify sources and timing of THg input, along with relative magnitude and duration

- Needed in absence of biota (both point and non-point sources) including fish small fish in wetlands
- Directly evaluates effectiveness of management practices for MeHg

2. Water Column Total Mercury (WCTM)

Performance Goal: Decreases in total mercury in water to concentrations that help protect human health and wildlife.

Data Sources: <to be filled in by Thomas>

Example: Mass balance of THg for the Delta, or for the Yolo Bypass/Cache Creek settling basin

Uses:

- Represents amount of mercury available for methylation
- Needed for load predictions of mercury
- Identify sources and timing of THg input, along with relative magnitude and duration
- Used to directly evaluate management practices for mercury (which are ultimately for MeHg)
- Combine unfiltered data with suspended sediment concentration to evaluate changes in mercury concentration in suspended sediment, and estimate amount of mercury available for methylation
- Simultaneous data for filtered THg provides greater insights (e.g. Hg speciation, geochemical cycling, bioaccessibility/bioavailability of Hg for methylation and overall contribution to MeHg in wildlife)

3. Prey Fish Total Mercury Concentration Measured in Whole Body Small Fish (PREY)

Performance Goal: 0.03 mg/kg methylmercury in 50 mm length fish (CVRWQCB Delta MeHg TMDL)
0.05 mg/kg methylmercury in 50-150 mm length fish

Data Sources: <to be filled in by Thomas>

Example: Slotton's work in wetlands throughout the Bay-Delta, in key locations where no large fish live.

Uses:

- Represents mercury available in food items of sport fish and other wildlife
- Integrates factors affecting methylmercury in biota over weeks to months
- Informative of diverse spatial and temporal patterns
- Needed in absence of large fish
- Evaluates cumulative effect of management actions on MeHg in appropriate trophic level

4. Piscivorous Fish Average Total Mercury Concentration (PISC)

Performance Goal: Methylmercury concentrations of piscivorous fish (i.e. sport fish) consumed by humans that are protective of human health and wildlife

0.24 mg/kg mercury in fillet of trophic level 4 fish (CVRWQCB Delta MeHg TMDL)

0.08 mg/kg mercury in fillet of trophic level 3 fish (CVRWQCB Delta MeHg TMDL)

0.2 mg/kg mercury in fillet of fish from the SF Bay consumed by humans (SF Bay TMDL)

Data Sources: <to be filled in by Thomas>

Example: 1) concentration in key species over time (years), and 2) concentration in key species in key Delta locations (including tributaries and or SF Bay)

Uses:

- Represents risk to humans from consuming Hg in fish commonly targeted by fishers
- Direct measure of potential dietary mercury exposure to humans
- Integrates all factors driving amount of MeHg in large fish over extended time period (years to decades)
- Evaluates cumulative effect of management actions for MeHg appropriate for evaluation of human health
- Evaluates risks to wildlife

5. Bird Egg Total Mercury Concentration (EGG)

Performance Goal: <ask Collin>

Monitor: concentrations of total mercury in bird eggs of key avian species (e.g. egrets, herons)

Data Sources: <to be filled in by Thomas>

Uses:

- Direct measure of dietary exposure of mercury to piscivorous birds
- Evaluates risk to wildlife
- Needed when wildlife are consuming spatially and temporally variable prey

Considerations: well-described life history, common and widespread distribution, accumulate Hg in a predictable fashion, ease of sampling, adequate population size

6. Tissue concentrations of mercury in wetland/marsh species birds (insectivorous birds) (BIRD)

Contact Leticia Grenier SFEI about song sparrows/riparian species for details

This indicator will allow for evaluation of mercury risk to wetland species

Represents the impact of MeHg produced in the marsh/wetland habitat to resident species

7. Sediment total and methyl mercury to calculate instantaneous methylation efficiency (SEDS)

Performance Goal: Decreasing methylation efficiency over time at locations with increased sediment to water flux of MeHg

Sediment THg: 0.2 mg/kg in recently deposited sediment

Sediment MeHg: that concentration which supports the aqueous MeHg goal

Data Sources: <to be filled in by Thomas>

Example: Moss Landing Marine Labs CALFED sediment data for the delta

Uses:

- Represents the instantaneous production rate of MeHg
- Evaluates cumulative effect of management actions designed to decrease sediment MeHg production
- Identify sources and timing of in-situ MeHg input, along with relative magnitude and duration
- Identifies spatial and temporal patterns, and allows evaluation of relative contribution of recently deposited total mercury to MeHg production
- Identifies sources/watersheds with total mercury

Table 3. Key assessment questions for mercury and respective indicator used to address this question. Tracking these indicators over time should give managers insight into the overall success of the program as well as an idea about which implementation activities are most effective. For example, assessment questions A and B address the Bay-Delta system as a whole. They are designed to gauge the progress of all aspects of the mercury control program. Questions C through H are designed to answer questions about the effectiveness of specific implementation activities (such as mine clean-up or reducing methylmercury in NPDES discharges).

<i>Assessment Questions (management questions)</i>	<i>Indicators</i>	<i>Addressess Calfed Hg Goal</i>
A. Are the mercury levels of fish in the Delta safe for consumption by humans and wildlife?	PREY, PISC, EGG	4, 5
B. What are total and methylmercury loads to the Delta from major inputs?	WCMM, WCTM	1
C. What are the methylmercury loads from managed wetlands?	WCMM	1,3
D. What are the total and methylmercury loads from agricultural lands?	WCMM, WCTM	1,3
E. What are the total and methylmercury loads from NPDES facilities?	WCMM, WCTM	1,3
F. What are the total mercury loads from mines?	WCTM	1,3
G. What are total and methylmercury loads from dredging?	WCTM, WCMM	1,3
H. What are total and methylmercury loads from dams and other water management activities?	WCMM, WCTM	1,3
I. Which watershed sources contribute total and methylmercury?	WCMM, WCTM, SEDS	1,3

OTHER INDICATORS

1. Invertebrates: Hg concentrations in representative invertebrates

- From conceptual model -----.
- Two classes:
 - Feed on benthic-derived food (e.g. deposit feeding chironomids)
 - ID's contribution of Hg from in-place sedimentary sources and current external sources
 - Feed on pelagic-derived food (e.g. clams eating phytoplankton)
 - ID's changes in external Hg loadings
- Complexities
 - Taxonomically and trophically complex
 - Exposure through multiple pathways
 - Variable assimilation of Hg and MeHg
 - Must collect representative sample to answer particular question
- Pros
 - Best choice for integrators of a variety of factors where no fish present
 - Wealth of data, especially on bivalves:
 - Adaptability to caged experiments
 - Good for trend analyses
 - Humans, and many species of fish, birds and mammals consume bivalves
 - Lots of data on bivalves and macrocrustaceans in ESTUARIES
 - Tolerant of a wide range of environmental variables (salinity, temp, DO, habitat) thus allowing for direct comparisons between locations where consistent fish are unavailable.
 - Important in trophic transfer
- Graph could be from Chris Foe's original corbicula (clam) work for CALFED

2. Zooplankton and phytoplankton

- May help to quantify loss term of sending water south to LA?
- Not recommended because.....

3. Concentrations of Hg in Air

Note; there are some studies on air deposition of total and methylmercury (wet and dry). Atm sources are both local and global-studies are underway and proposed to figure this out. Maybe local sources are controllable, however global are not. It's probably not a bad idea to add Atm monitoring.

2. ECOSYSTEM RESTORATION

Full derivation of the necessary suite of initial performance measures has not been completed to date, and is expected to continue through 2008. The purpose of the additional information contained in Appendix C is to lay out the conceptual foundation and framework for the Ecosystem Restoration performance measures effort, from which the next steps towards final development, adoption, monitoring, and reassessment of performance measures will proceed in our next phase of planning.

The CALFED ERP goals and objectives form a conceptual foundation from which adaptive management may be targeted, and a framework from which performance measures may be extracted. However, to date, neither has reached full fruition, and performance measures require considerable additional development. Although the initial CALFED ERP goals and objectives were based upon scientific understanding at the time, they were not transparently and thoroughly vetted through a systematic process designed to evaluate the efficacy, costs and benefits associated with each objective. Further, little guidance was provided to help prioritize restoration and management actions for implementation (which actions were most expected to benefit, with greatest certainty and least risk). Lastly, many lacked the specificity needed to guide implementation (i.e., prescribing nebulous targets, often not specifically identifying anticipated outcomes, specific actions to achieve these outcomes, or the underlying approach being proposed—the rationale and hypothetical underpinning to support the action). The ERP agencies are currently working within the adaptive management framework (and the Delta Regional Ecosystem Restoration Implementation Plan—aka DRERIP) to address these limitations.

This document outlines the procedural approach envisioned by the ERP to translate Program objectives for ecosystem restoration into quantitative metrics that will assist in prioritizing and directing resource allocation through Stage 2. These metrics may also be utilized to assess program performance. The focus herein is upon indicators of ecosystem integrity, as opposed to measures associated with fiscal tracking or relative resource allocation amongst the broader range of activities associated with ecosystem restoration. Therefore, the efforts outlined within this report are not meant to serve as part of the ongoing milestones end of Stage 1 assessment (or CBDP “Retrospective” assessment).

Ecosystem Restoration Indicators – Needs and Strategic Framework

The CALFED implementing agencies need clear endpoints upon which to direct recovery objectives, and tangible restoration and management actions fitted into a coherent conservation strategy directed at attaining these endpoints. Performance measures, then, are basically reflected in these benchmarks.

It is the job of scientists to derive the most up to date, and accurate understanding of the ecosystem; to identify the underlying causative factors contributing to the decline of desirable endpoints, and to prescribe the appropriate actions to ameliorate these undesirable conditions and restore system dynamics to sustain more desirable conditions. It is the responsibility of the implementing agencies and stakeholders to carry out these actions and apply sound adaptive management to sustain these systems. The successful achievement of these quantitative benchmarks reflects satisfactory performance by the parties responsible for implementing the conservation strategy.

The success of the CALFED process itself is fully reliant upon the progress realized on both fronts—science and management. The approach described herein utilizes the performance measures process to reflect management needs and priorities, and to direct the technical work required to facilitate the adaptive management process in support of those objectives. The technical work of deriving defensible and informed metrics or indicators would be completed between collaborative teams comprising agency scientists, consulting experts, and academicians. These tasks to be completed are basically enumerated within this document.

The intended overall strategy is to define an efficient, yet credible monitoring program to adaptively manage for highest priority outcome indicators preferentially—as opposed to defining a broad monitoring plan that may be rendered technically insufficient through dilution of resources in an attempt to attain breadth of coverage. It is anticipated that through the

prioritization process contained within the framework proposed within, coupled with the weighting process and evaluation of key driver indicators associated with each particular outcome indicator; the actual number of monitoring metrics required to adequately track performance will collapse upon shared driver variables. Additionally, where appropriate, surrogate and/or multi-functional metrics will be identified and implemented. Finally, prioritization itself clearly directs finite resource allocation accordingly.

However, the ultimate strategy adopted awaits further technical assessment. This process will be conducted in a transparent fashion within the Ecosystem Restoration Performance Measures planning effort, and reported on within succeeding versions of the CBDP Performance Measures reports.

From Broad Goals to Specific Actions within Adaptive Management

The achievement of broad recovery objectives is implied within the actions and targets identified in the ERPP (Jul 2000b), however these actions are too numerous and specific to be easily encompassed within the performance measure framework currently in progress. Moreover, the efforts of scientific expert panels must be grounded by the management objectives and mandates that fall under the responsibilities of the CALFED implementing agencies. It is suggested herein that the framework provided by performance measures should provide this grounding, and set the stage or “finish line” to which scientists supporting the CALFED process must eventually target their efforts.

Although the central theme of the ERPP (that true population sustainability requires the rehabilitation of ecological processes) remains theoretically valid, the implementation of such rehabilitation necessitates specific management actions to achieve this end. In other words, the broad goals and objectives that have been laid out in earlier planning documents do not specifically address *how* to achieve these rehabilitation aims.

Further, there is no clear indication of how implementing agencies may weigh or prioritize one action relative to another. This weighting process is a decision based on which species are expected to benefit, the costs inherent in each specific action, and the relative scientific certainty one may attach to any given measure. In other words, who will it benefit, at what cost, and what is our confidence that it will work? Additionally, it is required that (where applicable) tradeoffs be assessed. In some instances, a benefit to one species may be a detriment to another.

In all cases, resources are finite. Given the reality of resource limitations, there is a recognized need for directing available funds and/or resources towards those actions that are expected to yield the maximum return. There must be a prioritization amongst the suite of available actions based upon the myriad factors mentioned above.

Even at the level of ERP goals, the six statements identified in the ERP Strategic Plan (Jul 2000d) can be prioritized based upon those that represent values and desirable attributes versus those that are recognized mandates (specifically, Endangered Species Act obligations). Management agencies may take the information developed within the adaptive management process (e.g., the recommendations from the AMPT using the DRERIP conceptual models) to prioritize projects based on feasibility and predicted efficacy. However, the implementation of such actions shall necessarily be prioritized by the management mandates of the respective agencies. These mandates are species-driven.

Yet, tailoring ecosystem analysis to species isn't solely a management-driven endeavor. From a scientific perspective, analyzing status and response at the hierarchical level of populations allows a convenient platform from which scaling to individual or community level interactions can be more reliably accomplished. The species/population scale reflects an intermediate level of organization—whereby community-level interactions (those within and between species and guilds) can be quantitatively modeled, as well as the ecologically-significant endpoint to which individual scale effects (e.g., net impact of toxicants) can be applied. For these reasons, it is suggested that the species/population emphasis is the most reasonable approach to take from both the management and scientific perspectives.

Tailoring performance measures, research monitoring, and assessment to species of management concern does not necessarily preclude broader management objectives of ecosystem integrity as expressed by the rehabilitation of ecosystem

processes. It is anticipated that the more rigorous investigation of ecosystem dynamics made possible through the completion of the DRERIP suite of conceptual models will allow for assessments of restoration and management actions that are simultaneously species-based (reflecting actions suggested and supported by principal limiting factors for species of management concern) and inclusive of broader objectives. For example, if certain keystone species are determined to be critical ecosystem components (due to interactions with desirable ecosystem components), these will be factored into performance measures with weight commensurate to their importance. Where non-endangered species or suites of species are deemed important sentinels within the system (as surrogates for indicators of some other priority endpoint), metrics for these species would be incorporated as priority performance measures.

The value of the framework as outlined within this document is that it represents an approach by which managers can weigh, evaluate, and prioritize possible restoration and management actions, thereby providing the specificity lacking in broader restoration prescriptions such as “rehabilitate natural processes.”

The execution of specific restoration measures carries more than an implied cause-effect relationship between actions and species recovery. There is a clear expectation that one leads to the other. This relationship is markedly more specific than the broad rehabilitation objectives characterized in the ERP planning goals discussed above. Such specificity calls for a rigorous, transparent, and justifiable process based on the best available scientific knowledge regarding the ecology of the Bay/Delta. This task is daunting, but critical to the success of the ERP, and therefore CALFED itself.

Currently, the DRERIP process is underway with the specific task of deriving conceptual models through which restoration actions will be evaluated, and influences upon the suite of species inhabiting the Delta can be assessed in light of current and future management actions. This process will directly address the issue of scientific certainty, and prioritizing specific restoration and management actions with a mind towards species-specific benefits. The performance measures effort may serve the function of grounding the scientific effort within the concerns imposed by management responsibilities—operating at the interface between applied science and policy.

Contained within this proposal is an approach to implementing adaptive management through the directive capacity of performance measures (the clear and concrete expression from ERP agencies of desirable ecosystem state), including the basic steps and tasks necessary to bring resource management decisions in line with scientific knowledge (wherein decision-makers are informed by the best available scientific information and guidance).

Translating Program Objectives to Quantitative Indicators

Following are basic guidelines, and the critical steps associated with the translation of CALFED Program Goals and Objectives into quantitative performance measures. In order to complete this task and track Program performance, the Implementing Agencies (and the Science Program as facilitators), must:


- 1) Define indicators and performance measures that meet Program objectives. *(The proposal herein outlines an approach for this).*
- 2) Select indicators (metrics) that reflect direct attainment of these standards (e.g., delta smelt fall MWT index of $X \pm Y$), or that reflect our best estimates of controllable measures to deterministically meet these targets (e.g., limit entrainment of species Z to no more than X individuals within a defined time frame). *(These two above would be “outcome” and “driver” metrics in the language of performance measures).*
- 3) To the maximum extent practical, make these indicators quantitative and specific.
- 4) To the maximum extent practical, factor uncertainty into these indicators (such that they are robust to environmental stochasticity—uncontrolled events), as well as educated guesses reflecting a realistic range of future management scenarios (anthropogenically-controlled actions).

- 5) The target indicator can incorporate a *safety margin* associated with the defined performance measure, reflecting the degree of risk we are willing to accept, given the relative uncertainty we have with respect to the accuracy of our current indicator (i.e., is it really the minimum viable population?), our confidence in our measurement (i.e., is our monitoring and analysis adequate to instill confidence in our population estimate?), and our future expectations with respect to changes within the system (e.g., how will climate change, invasive species, or disease impact the species, and with what degree of predictability and magnitude?).
- 6) The working suite of models should be robust, peer-reviewed, and interlinked such that they define the state of the art scientific consensus regarding the functioning of the ecosystem with sufficient detail to include all principal factors driving ecosystem processes (community and population dynamics), yet simplified and clarified enough to allow practical utility across disciplines (i.e., models that can be utilized by technically-trained professionals with familiarity of the ecosystem and ecological principles, not necessarily experts in each sub-discipline which the models cover). *(This task is currently being completed by the AMPT for DRERIP).*
- 7) The link to quantitative indicators from conceptual models requires quantitative (or semi-quantitative) models. *(The DRERIP conceptual models are the foundation for these, but would need to be further defined to meet this criterion.)*
- 8) Design and implement a monitoring program to most specifically address these quantitative indicators (i.e., as close to direct measurements of the indicator as possible), as defined by best available scientific knowledge. Included in this monitoring program is a rigid QA/QC protocol with standardization, calibration, reporting guidelines, etc. as appropriate to the indicators of concern. *(This task should be a primary responsibility of CMARP III).*
- 9) Identify research needs from information gaps illustrated by the working models. Within available resources, prioritize those areas reflecting highest need (e.g., those reflecting suspected limiting factors with high magnitude of influence on our quantitative indicator). *(This task has been earlier identified as a CMARP function, but may be better suited within the current AMPT).*
- 10) Refine and update working models as research, monitoring, and assessment augment our working knowledge of the ecosystem.
- 11) The link between conceptual understanding and adaptive management requires predictive models and ongoing reassessment, so that results running counter to prediction can be utilized to refine our conceptual understanding towards a more reliable reflection of reality.
- 12) Program performance will be evaluated on a regular (annual?) basis based on attainment of standards as determined by measurement metrics. *(It is our understanding that this review may be external to the implementing agencies. These metrics outlined within this framework would lend themselves to external review.)*
- 13) In light of information gained through adaptive management, monitoring and assessment, performance measures will continually be evaluated and refined.

Performance Measures within the ERP Framework

Figure A contains a structural diagram outlining the framework under which ERP performance measures have been organized. The approach herein involves the organization of the performance measures framework on two basic principles. The first of these is that the outcome of interest from a management perspective is the populations of given component species within the ecosystem. These component species have already been segregated based on conservation status and ecological overlap with the Delta (i.e., “R,” “r,” and “m” species).

Figure A: ERP Performance Measures Framework



The status of each respective species represents the “outcome” indicators as expressed within the performance measures framework suggested by the CALFED Science Program (Apr 2006). These species can further be labeled priority one, two, and three outcome indicators—consistent with their management status (conservation priority) as reflected in the current framework (i.e., R, r, and m species, respectively). In essence, Priority 1 outcome indicators become the most important metrics upon which to measure the performance of the ERP restoration efforts.

The second basic organizing principle centers on the idea that populations of these outcome indicator species are determined (at least in part) by extrinsic forces relating to conditions within the environment reflecting habitat quantity and quality (i.e., how much is there, and how good is it?); as well as process variables related to management (e.g., flow timing, salinity, export volumes, etc.). These variables would be considered “drivers” for the populations of component species—in essence identifying a causal link associating individual events or attributes with a measurable response upon a dependent variable.

These outcome indicators become our ultimate endpoints for the performance measures effort, while the ecological drivers of these outcome indicators become metrics through which adaptive management is implemented. In this framework, broader and more fundamental management objectives (or mandates) are encompassed within the ultimate outcome indicators. More specific (and numerous) management actions function more in the realm of driver indicators.

Outcome indicators are generally the fundamental benchmarks whereby progress towards overall CALFED goals are assessed, whereas successful implementation (selection and accurate prediction) of driver indicators reflects the realm of actual adaptive management specifically aimed towards successful achievement of these ultimate outcomes. Appropriate indicators would be developed for both sets of variables, and Program performance can be evaluated at each level, in accordance with the importance of each metric relative to how tightly it is aligned with the appropriate outcome indicator(s), and the management significance of that particular outcome indicator.

The approach connotes deterministic ecological relationships (consistent with the DLO—drivers, linkages, outcomes approach). In this sense, these performance measures can be considered hierarchically, such that achievement of the one (driver indicators that are the application of management and restoration actions designed to recover populations of desirable species) can be viewed as successful implementation of the adaptive management process (and therefore, successful Program performance). However, true success shall not be attained until the outcome indicators are satisfied (i.e., that all species are recovered).

In the event that all driver indicators are successfully achieved while outcome indicators are not, we can therefore presume that scientific understanding rather than management implementation has been the limiting factor. But the success of CALFED itself ultimately lies with achieving recovery of the “R” species the program is specifically entrusted to recover. These performance measures should be recognized as integral to all Program Objectives.

Prioritization of Performance Measures


The ERP performance measures have been prioritized as such:

- “Outcome Indicators” are the endpoints of management concern:
 - ❖ *Priority 1* Outcome Indicators are either Agency mandates, or highest priority objectives
 - Recovery of populations of “R” species
 - ❖ *Priority 2* Outcome Indicators reflecting Agency high priority objectives
 - Contribute to recovery of populations of “r” species
 - Efforts at eradication, and prevention measures to avoid the introduction of new invasive exotic fauna or flora into the Bay/Delta ecosystem
 - Desirable expressions of ecosystem state (e.g., maintaining desirable species, indices of diversity, etc.)
 - Reduce or eliminate the impacts of environmental contaminants upon populations of Bay/Delta flora and fauna
 - ❖ *Priority 3* Outcome Indicators reflecting Agency priority objectives
 - Have no discernable adverse effects to populations of “m” species
 - Maintain sustainable harvest levels for fish and game species
- “Driver Indicators,” are the principal factors known or suspected to determine these outcomes
 - ❖ These include processes (e.g., water management) and habitat variables (e.g., habitat restoration, specific pollution abatement/remediation).
 - ❖ Driver Indicators shall be assigned priority status and designated based on their associated Outcome Indicator (i.e., Priority 1 indicator drivers, Priority 2 driver indicators, etc.).

- ❖ Performance measures based upon driver indicators shall carry equal weight to Outcome Indicators, commensurate with the assigned management priority of their associated outcome indicator, and the magnitude of their influence upon that outcome of interest
 - these include uncertainty (based on scientific understanding and/or inability to fully predict outcomes), and
 - assessment and reiteration become significant technical tasks associated with these measures.

The specific strategy within this framework for the population sustainability objective is presented in Figure B, and would entail the following steps: For each outcome indicator (species)—in order of their respective management priority—the performance measure would be for the recovery and/or maintenance of a minimum viable population (as embodied within extant recovery plans, updated as needed). The Endangered Species Act of 1973 (as amended) defines endangered species as “any species which is in danger of extinction throughout all or a significant portion of its range.” This statute further directs the Secretary of the Interior to “give consideration to species which have been identified as in danger of extinction, or likely to become so in the foreseeable future, by any State agency or by any agency of a foreign nation that is responsible for the conservation of fish or wildlife or plants.”

Figure B: Process for Developing Quantitative Indicators



Minimum viable populations contain certain biological and ecological attributes that confer sustainability. These are generally species- and site-specific, and these attributes include, population size, age structure, range, genetic diversity,

metapopulation structure, fecundity and productivity of rearing habitat, among other things. There are population/ecosystem attributes that shall confer a given species a probability of survival (or conversely, risk of extinction) at some given level of certainty. These attributes would be the number of individuals for that species, in that particular place, given the suite of extant stressors including the natural range of variability associated with each, along with any possible future increases in such variability or newly emergent stressors (e.g., from exotic invasive species, global climate change). These population attributes would reflect a quantitative lower limit management target (or performance measure).

However, this benchmark still lacks the specificity that managers need in order to implement restoration or management actions aimed at species recovery and conservation. Managers need scientists to translate these population and ecosystem targets into specific actions aimed at reducing key constraints upon the growth, survival, and reproduction of individuals composing that given population. Managers need to know how and where to allocate limited resources towards restoration, management, or enforcement actions—armed with the rigor incorporated through the vetting process, and educated by the best available scientific knowledge.

The AMPT, overseeing DRERIP, is currently completing life history/life cycle models for the “R” fish species, including their ecological interactions (ecosystem models and stressor models). This process should identify (to our best available knowledge) the critical factors that dictate that species’ population (stressors, or drivers; aka, “limiting factors”). For each species, the key indicators of their population status would be defined, and the best metric(s) assigned as that specific outcome indicator.

Funding permitting, the implementing agencies (by, or with assistance from, the IEP and under the direction of CMARP III) will monitor these population indicators, as well as the critical drivers. These data will be compared against predictive models to be refined and adapted as necessary (preferably from the basic conceptual models provided through the DRERIP process).

Some key questions to answer within this process include (for each species):

- 1) What are the key stressors (drivers) dictating the demographically significant endpoints of reproduction and survival?
- 2) What is the relative or absolute weight of each parameter?
- 3) How do these interact?
- 4) Are we currently monitoring these variables, and if not, how do we best do so?
- 5) What is the relative certainty we can attach to each estimate within the quantitative model? *Depending on the weight of the driver, and the relative uncertainty associated, this should indicate a need for more research.*
- 6) What kind of research/monitoring would resolve this uncertainty?
- 7) How much would it cost?
- 8) How does this species’ model interact with other related species (say, less endangered ones that may still be useful sentinels or surrogates—e.g. longfin smelt related to delta smelt).

A final issue for managers to address within this adaptive management approach is a decision regarding the allocation of funds towards monitoring/research (learning and interpretation) versus restoration (implementation). Given the reality of limited funding, a balance must be struck. It appears that in recent years, momentum has swung towards implementation at the cost of interpretation, and it is apparent that the adaptive management model is now hampered by lack of information and understanding about the dynamic processes of the system, or perhaps inadequate tracking and synthesis of critical information. This balance is always a delicate tradeoff. However, even the crudest of subjective measurements—in light of the current POD and the significant resources that have been allocated to CALFED objectives to date—makes it apparent

there is much room for improvement with respect to the application of adaptive management by the implementing agencies in adherence to the CALFED Mission.

Successful adaptive management ultimately entails the application of predictive models that define the key ecosystem attributes influencing species composition and abundance. To the extent that these models are quantitative, they shall be more utilitarian. To the extent that they are complete and accurate, they will be more useful in discriminating causal interactions. Scientists working on these models face the daunting task of reducing them to the significant variables to eliminate unnecessary complexity, integrating multivariate abiotic and biotic factors, and nesting the various models together; while simultaneously maintaining enough realism and detail that retains their utility as predictive and discriminative tools.

The efforts of the AMPT (and/or the CMARP III) become central to the remaining critical elements within the adaptive management process, including: 1) the identification of data gaps and associated monitoring and research needs, 2) the formulation of testable hypotheses to which management and restoration actions may be evaluated for effectiveness, and 3) the derivation, validation and evolution of the models through successive iterations as our knowledge about the Bay/Delta ecosystem grows.